


# HIV Cases by Year of Diagnosis, 2007–2016, Florida

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in the US<sup>1</sup> and Florida<sup>2</sup>

	US	FL
<b>N=</b>	39,513	4,972
<b>Sex</b>		
Male	81%	78%
Female	19%	22%
<b>Race/Ethnicity</b>		
White	27%	24%
Black	45%	42%
Hispanic	23%	32%
Other <sup>3</sup>	5%	2%
<b>Age at Diagnosis</b>		
Age <13	<1%	<1%
Age 13–29	41%	34%
Age 30–49	41%	45%
Age 50+	17%	21%
<b>Mode of Transmission</b>		
MSM	67%	60%
IDU	6%	4%
MSM/IDU	3%	2%
Heterosexual	24%	33%
Other <sup>4</sup>	<1%	<1%

10 year % change (2007–2016) = 23% decrease



<sup>1</sup> Source: US data: HIV Surveillance Report, 2015 (most recent available) Vol. 27, Table 1a (HIV data for all 50 states)

<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/index.htm>


<sup>2</sup> Source: Florida data: FL Department of Health, HIV Section, alive and diagnosed through 2016, as of 6/30/2017.

<sup>3</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>4</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, 2007–2016, Florida

AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in the US <sup>1</sup> and Florida <sup>2</sup>		
	US	FL
<b>N=</b>	18,303	2,119
<b>Sex</b>		
<b>Male</b>	73%	70%
<b>Female</b>	27%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	23%	24%
<b>Black</b>	50%	51%
<b>Hispanic</b>	24%	22%
<b>Other<sup>3</sup></b>	3%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	21%	18%
<b>Age 30–49</b>	46%	50%
<b>Age 50+</b>	33%	32%
<b>Mode of Transmission</b>		
<b>MSM</b>	46%	45%
<b>IDU</b>	6%	7%
<b>MSM/IDU</b>	3%	3%
<b>Heterosexual</b>	42%	44%
<b>Other<sup>4</sup></b>	1%	1%



<sup>1</sup> Source: US data: HIV Surveillance Report, 2015 (most recent available) Vol. 27, Table 2a (HIV data for all 50 states)

<http://www.cdc.gov/hiv/topics/surveillance/resources/reports/index.htm>

<sup>2</sup> Source: Florida data: FL Department of Health, HIV Section, alive and diagnosed Year-end 2015, as of 6/30/2016.


<sup>3</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>4</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 1, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 1 and Florida<sup>1</sup>

	Area 1	Florida
<b>N=</b>	86	4,972
<b>Sex</b>		
Male	74%	78%
Female	26%	22%
<b>Race/Ethnicity</b>		
White	36%	24%
Black	55%	42%
Hispanic	7%	32%
Other <sup>2</sup>	2%	2%
<b>Age at Diagnosis</b>		
Age <13	1%	<1%
Age 13–29	43%	34%
Age 30–49	40%	45%
Age 50+	16%	21%
<b>Mode of Exposure</b>		
MSM	52%	60%
IDU	7%	4%
MSM/IDU	<1%	2%
Heterosexual	40%	33%
Other <sup>3</sup>	1%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Escambia County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Escambia County and Florida <sup>1</sup>		
	Escambia County	Florida
<b>N=</b>	49	4,972
<b>Sex</b>		
<b>Male</b>	82%	78%
<b>Female</b>	18%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	27%	24%
<b>Black</b>	67%	42%
<b>Hispanic</b>	4%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	45%	34%
<b>Age 30–49</b>	39%	45%
<b>Age 50+</b>	16%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	51%	60%
<b>IDU</b>	6%	4%
<b>MSM/IDU</b>	<1%	2%
<b>Heterosexual</b>	43%	33%
<b>Other<sup>3</sup></b>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Okaloosa County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Okaloosa County and Florida <sup>1</sup>		
	Okaloosa County	Florida
<b>N=</b>	18	4,972
<b>Sex</b>		
Male	78%	78%
Female	22%	22%
<b>Race/Ethnicity</b>		
White	33%	24%
Black	56%	42%
Hispanic	11%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	6%	<1%
Age 13–29	56%	34%
Age 30–49	28%	45%
Age 50+	11%	21%
<b>Mode of Exposure</b>		
MSM	67%	60%
IDU	6%	4%
MSM/IDU	0%	2%
Heterosexual	22%	33%
Other <sup>3</sup>	6%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.  
<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.  
<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Santa Rosa County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Santa Rosa County and Florida<sup>1</sup>

	Santa Rosa County	Florida
<b>N=</b>	14	4,972
<b>Sex</b>		
<b>Male</b>	50%	78%
<b>Female</b>	50%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	71%	24%
<b>Black</b>	14%	42%
<b>Hispanic</b>	7%	32%
<b>Other<sup>2</sup></b>	7%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	29%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	21%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	41%	60%
<b>IDU</b>	13%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	46%	33%
<b>Other<sup>3</sup></b>	0%	<1%

10 year % change (2007-2016)= 27% increase




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Walton County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Walton County and Florida <sup>1</sup>		
	Walton County	Florida
<b>N=</b>	5	4,972
<b>Sex</b>		
Male	60%	78%
Female	40%	22%
<b>Race/Ethnicity</b>		
White	40%	24%
Black	40%	42%
Hispanic	20%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	20%	34%
Age 30–49	60%	45%
Age 50+	20%	21%
<b>Mode of Exposure</b>		
MSM	40%	60%
IDU	4%	4%
MSM/IDU	0%	2%
Heterosexual	56%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 1, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 1 and Florida<sup>1</sup>

	Area 1	Florida
<b>N=</b>	48	2,119
<b>Sex</b>		
<b>Male</b>	60%	70%
<b>Female</b>	40%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	35%	24%
<b>Black</b>	58%	51%
<b>Hispanic</b>	4%	22%
<b>Other<sup>2</sup></b>	2%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	19%	18%
<b>Age 30–49</b>	48%	50%
<b>Age 50+</b>	33%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	39%	45%
<b>IDU</b>	7%	7%
<b>MSM/IDU</b>	<1%	3%
<b>Heterosexual</b>	54%	44%
<b>Other<sup>3</sup></b>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.




# HIV Cases by Year of Diagnosis, Area 2a, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 2a and Florida<sup>1</sup>

	Area 2a	Florida
<b>N=</b>	33	4,972
<b>Sex</b>		
<b>Male</b>	70%	78%
<b>Female</b>	30%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	58%	24%
<b>Black</b>	27%	42%
<b>Hispanic</b>	3%	32%
<b>Other<sup>2</sup></b>	12%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	33%	34%
<b>Age 30–49</b>	42%	45%
<b>Age 50+</b>	24%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	58%	60%
<b>IDU</b>	3%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	39%	33%
<b>Other<sup>3</sup></b>	0%	<1%

10 year % change (2007-2016)= 0%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Bay County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Bay County and Florida<sup>1</sup>

	Bay County	Florida
<b>N=</b>	21	4,972
<b>Sex</b>		
Male	71%	78%
Female	29%	22%
<b>Race/Ethnicity</b>		
White	62%	24%
Black	19%	42%
Hispanic	5%	32%
Other <sup>2</sup>	14%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	33%	34%
Age 30–49	43%	45%
Age 50+	24%	21%
<b>Mode of Exposure</b>		
MSM	62%	60%
IDU	5%	4%
MSM/IDU	0%	2%
Heterosexual	33%	33%
Other <sup>3</sup>	0%	<1%

10 year % change (2007-2016)= 24% increase




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Calhoun County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Calhoun County and Florida <sup>1</sup>		
	Calhoun County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
Male	0%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.


# HIV Cases by Year of Diagnosis, Gulf County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Gulf County and Florida <sup>1</sup>		
	Gulf County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
<b>Male</b>	0%	78%
<b>Female</b>	0%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	0%	24%
<b>Black</b>	0%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	0%	34%
<b>Age 30–49</b>	0%	45%
<b>Age 50+</b>	0%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	0%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	0%	33%
<b>Other<sup>3</sup></b>	0%	<1%




# HIV Cases by Year of Diagnosis, Holmes County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Holmes County and Florida <sup>1</sup>		
	Holmes County	Florida
<b>N=</b>	3	4,972
<b>Sex</b>		
Male	67%	78%
Female	33%	22%
<b>Race/Ethnicity</b>		
White	67%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	33%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	33%	34%
Age 30–49	33%	45%
Age 50+	33%	21%
<b>Mode of Exposure</b>		
MSM	33%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	67%	33%
Other <sup>3</sup>	0%	<1%



# HIV Cases by Year of Diagnosis, Jackson County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Jackson County and Florida <sup>1</sup>		
	Jackson County	Florida
<b>N=</b>	5	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	80%	24%
Black	20%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	40%	34%
Age 30–49	40%	45%
Age 50+	20%	21%
<b>Mode of Exposure</b>		
MSM	100%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Washington County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Washington County and Florida <sup>1</sup>		
	<b>Washington County</b>	<b>Florida</b>
<b>N=</b>	4	4,972
<b>Sex</b>		
<b>Male</b>	25%	78%
<b>Female</b>	75%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	0%	24%
<b>Black</b>	100%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	25%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	25%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	0%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	100%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 2a, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 2a and Florida<sup>1</sup>

	Area 2a	Florida
<b>N=</b>	19	2,119
<b>Sex</b>		
<b>Male</b>	89%	70%
<b>Female</b>	11%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	63%	24%
<b>Black</b>	21%	51%
<b>Hispanic</b>	11%	22%
<b>Other<sup>2</sup></b>	5%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	21%	18%
<b>Age 30–49</b>	53%	50%
<b>Age 50+</b>	26%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	68%	45%
<b>IDU</b>	5%	7%
<b>MSM/IDU</b>	0%	3%
<b>Heterosexual</b>	26%	44%
<b>Other<sup>3</sup></b>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.




# HIV Cases by Year of Diagnosis, Area 2b, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 2b and Florida<sup>1</sup>

	Area 2b	Florida
<b>N=</b>	83	4,972
<b>Sex</b>		
<b>Male</b>	84%	78%
<b>Female</b>	16%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	23%	24%
<b>Black</b>	73%	42%
<b>Hispanic</b>	4%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	1%	<1%
<b>Age 13–29</b>	46%	34%
<b>Age 30–49</b>	36%	45%
<b>Age 50+</b>	17%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	67%	60%
<b>IDU</b>	1%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	30%	33%
<b>Other<sup>3</sup></b>	1%	<1%

10 year % change (2007-2016)= 27% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Franklin County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Franklin County and Florida<sup>1</sup>

	Franklin County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
Male	0%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Gadsden County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Gadsden County and Florida<sup>1</sup>

	Gadsden County	Florida
<b>N=</b>	14	4,972
<b>Sex</b>		
<b>Male</b>	64%	78%
<b>Female</b>	36%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	0%	24%
<b>Black</b>	100%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	43%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	7%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	50%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	50%	33%
<b>Other<sup>3</sup></b>	0%	<1%

10 year % change (2007-2016)= 18% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Jefferson County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Jefferson County and Florida<sup>1</sup>

	Jefferson County	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	100%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	100%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	100%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Leon County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Leon County and Florida<sup>1</sup>

	Leon County	Florida
<b>N=</b>	64	4,972
<b>Sex</b>		
<b>Male</b>	89%	78%
<b>Female</b>	11%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	27%	24%
<b>Black</b>	70%	42%
<b>Hispanic</b>	3%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	%	<1%
<b>Age 13–29</b>	%	34%
<b>Age 30–49</b>	%	45%
<b>Age 50+</b>	%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	%	60%
<b>IDU</b>	%	4%
<b>MSM/IDU</b>	%	2%
<b>Heterosexual</b>	%	33%
<b>Other<sup>3</sup></b>	%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Liberty County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Liberty County and Florida<sup>1</sup>

	Liberty County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
Male	0%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%

10 year % change (2007-2016)= 100% decrease




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Madison County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Madison County and Florida <sup>1</sup>		
	Madison County	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	100%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	100%	21%
<b>Mode of Exposure</b>		
MSM	100%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Taylor County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Taylor County and Florida <sup>1</sup>		
	Taylor County	Florida
<b>N=</b>	3	4,972
<b>Sex</b>		
Male	67%	78%
Female	33%	22%
<b>Race/Ethnicity</b>		
White	33%	24%
Black	67%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	67%	34%
Age 30–49	33%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	33%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	67%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Wakulla County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Wakulla County and Florida <sup>1</sup>		
	Wakulla County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
Male	0%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 2b, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 2b and Florida<sup>1</sup>

	Area 2b	Florida
<b>N=</b>	51	2,119
<b>Sex</b>		
Male	68%	70%
Female	31%	30%
<b>Race/Ethnicity</b>		
White	18%	24%
Black	74%	51%
Hispanic	%	22%
Other <sup>2</sup>	%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	27%	18%
Age 30–49	39%	50%
Age 50+	33%	32%
<b>Mode of Exposure</b>		
MSM	45%	45%
IDU	2%	7%
MSM/IDU	2%	3%
Heterosexual	49%	44%
Other <sup>3</sup>	2%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 3, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 3 and Florida<sup>1</sup>

	Area 3	Florida
<b>N=</b>	74	4,972
<b>Sex</b>		
Male	78%	78%
Female	22%	22%
<b>Race/Ethnicity</b>		
White	28%	24%
Black	57%	42%
Hispanic	12%	32%
Other <sup>2</sup>	3%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	57%	34%
Age 30–49	22%	45%
Age 50+	22%	21%
<b>Mode of Exposure</b>		
MSM	54%	60%
IDU	3%	4%
MSM/IDU	3%	2%
Heterosexual	40%	33%
Other <sup>3</sup>	0%	<1%

10 year % change (2007–2016)= 33% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Alachua County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Alachua County and Florida<sup>1</sup>

	Alachua County	Florida
<b>N=</b>	42	4,972
<b>Sex</b>		
Male	86%	78%
Female	14%	22%
<b>Race/Ethnicity</b>		
White	31%	24%
Black	57%	42%
Hispanic	10%	32%
Other <sup>2</sup>	2%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	64%	34%
Age 30–49	16%	45%
Age 50+	20%	21%
<b>Mode of Exposure</b>		
MSM	68%	60%
IDU	<1%	4%
MSM/IDU	5%	2%
Heterosexual	26%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Lafayette County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Lafayette County and Florida <sup>1</sup>		
	Lafayette County	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	100%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	100%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	100%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Bradford County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Bradford County and Florida <sup>1</sup>		
	Bradford County	Florida
<b>N=</b>	3	4,972
<b>Sex</b>		
Male	67%	78%
Female	33%	22%
<b>Race/Ethnicity</b>		
White	33%	24%
Black	33%	42%
Hispanic	33%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	67%	45%
Age 50+	33%	21%
<b>Mode of Exposure</b>		
MSM	33%	60%
IDU	33%	4%
MSM/IDU	0%	2%
Heterosexual	33%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Levy County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Levy County and Florida<sup>1</sup>

	Levy County	Florida
<b>N=</b>	5	4,972
<b>Sex</b>		
<b>Male</b>	100%	78%
<b>Female</b>	0%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	20%	24%
<b>Black</b>	60%	42%
<b>Hispanic</b>	20%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	80%	34%
<b>Age 30–49</b>	0%	45%
<b>Age 50+</b>	20%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	60%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	40%	33%
<b>Other<sup>3</sup></b>	0%	<1%

10 year % change (2007–2016)= 29% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Union County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Union County and Florida<sup>1</sup>

	Union County	Florida
<b>N=</b>	3	4,972
<b>Sex</b>		
Male	67%	78%
Female	33%	22%
<b>Race/Ethnicity</b>		
White	33%	24%
Black	67%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	33%	45%
Age 50+	67%	21%
<b>Mode of Exposure</b>		
MSM	33%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	67%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Putnam County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Putnam County and Florida<sup>1</sup>

	Putnam County	Florida
<b>N=</b>	9	4,972
<b>Sex</b>		
Male	56%	78%
Female	44%	22%
<b>Race/Ethnicity</b>		
White	11%	24%
Black	78%	42%
Hispanic	11%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	67%	34%
Age 30–49	0%	45%
Age 50+	33%	21%
<b>Mode of Exposure</b>		
MSM	22%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	78%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Dixie County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Dixie County and Florida<sup>1</sup>

	Dixie	Florida
<b>N=</b>	2	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	50%	24%
Black	50%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	100%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	100%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%

10 year % change (2007–2016)= 33% decrease




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Suwannee County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Suwannee County and Florida <sup>1</sup>		
	Suwannee County	Florida
<b>N=</b>	7	4,972
<b>Sex</b>		
Male	57%	78%
Female	43%	22%
<b>Race/Ethnicity</b>		
White	29%	24%
Black	29%	42%
Hispanic	42%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	29%	34%
Age 30–49	71%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	29%	60%
IDU	14%	4%
MSM/IDU	0%	2%
Heterosexual	57%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Gilchrist County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Gilchrist County and Florida<sup>1</sup>

	Gilchrist	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	0%	78%
Female	100%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	100%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	100%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	100%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Columbia County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Escambia County and Florida<sup>1</sup>

	Columbia County	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	100%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	100%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	100%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Hamilton County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Hamilton County and Florida <sup>1</sup>		
	Hamilton County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
Male	0%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	0%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 3, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 3 and Florida<sup>1</sup>

	Area 3	Florida
<b>N=</b>	53	2,119
<b>Sex</b>		
Male	66%	70%
Female	34%	30%
<b>Race/Ethnicity</b>		
White	15%	24%
Black	75%	51%
Hispanic	8%	22%
Other <sup>2</sup>	2%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	32%	18%
Age 30–49	34%	50%
Age 50+	34%	32%
<b>Mode of Exposure</b>		
MSM	36%	45%
IDU	15%	7%
MSM/IDU	8%	3%
Heterosexual	41%	44%
Other <sup>3</sup>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, 2007–2016, Area 4

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 4 and Florida<sup>1</sup>

	Area 4	Florida
<b>N=</b>	330	4,972
<b>Sex</b>		
<b>Male</b>	73%	78%
<b>Female</b>	27%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	28%	24%
<b>Black</b>	61%	42%
<b>Hispanic</b>	8%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	32%	34%
<b>Age 30–49</b>	49%	45%
<b>Age 50+</b>	18%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	49%	60%
<b>IDU</b>	4%	4%
<b>MSM/IDU</b>	2%	2%
<b>Heterosexual</b>	45%	33%
<b>Other<sup>3</sup></b>	<1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, 2007–2016, Duval County

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Duval County and Florida <sup>1</sup>		
	Duval County	Florida
<b>N=</b>	284	4,972
<b>Sex</b>		
<b>Male</b>	73%	78%
<b>Female</b>	27%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	23%	24%
<b>Black</b>	67%	42%
<b>Hispanic</b>	8%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	33%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	16%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	48%	60%
<b>IDU</b>	4%	4%
<b>MSM/IDU</b>	2%	2%
<b>Heterosexual</b>	45%	33%
<b>Other<sup>3</sup></b>	<1%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, 2007–2016, Baker County

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Baker County and Florida <sup>1</sup>		
	Baker County	Florida
<b>N=</b>	3	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	100%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	67%	34%
Age 30–49	33%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	67%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	33%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, 2007–2016, Clay County

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Clay County and Florida <sup>1</sup>		
	Clay County	Florida
<b>N=</b>	20	4,972
<b>Sex</b>		
Male	65%	78%
Female	35%	22%
<b>Race/Ethnicity</b>		
White	55%	24%
Black	25%	42%
Hispanic	10%	32%
Other <sup>2</sup>	10%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	30%	34%
Age 30–49	25%	45%
Age 50+	45%	21%
<b>Mode of Exposure</b>		
MSM	40%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	60%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, 2007–2016, Nassau County

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Nassau County and Florida <sup>1</sup>		
	Nassau County	Florida
<b>N=</b>	8	4,972
<b>Sex</b>		
Male	62%	78%
Female	38%	22%
<b>Race/Ethnicity</b>		
White	63%	24%
Black	37%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	25%	34%
Age 30–49	50%	45%
Age 50+	25%	21%
<b>Mode of Exposure</b>		
MSM	50%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	50%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, 2007–2016, St. Johns County

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in St. Johns County and Florida<sup>1</sup>

	St. Johns County	Florida
<b>N=</b>	15	4,972
<b>Sex</b>		
Male	87%	78%
Female	13%	22%
<b>Race/Ethnicity</b>		
White	73%	24%
Black	20%	42%
Hispanic	7%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	7%	<1%
Age 13–29	13%	34%
Age 30–49	67%	45%
Age 50+	13%	21%
<b>Mode of Exposure</b>		
MSM	67%	60%
IDU	13%	4%
MSM/IDU	7%	2%
Heterosexual	7%	33%
Other <sup>3</sup>	7%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, 2007–2016, Area 4

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 4 and Florida<sup>1</sup>

	Area 4	Florida
<b>N=</b>	179	2,119
<b>Sex</b>		
Male	69%	70%
Female	31%	30%
<b>Race/Ethnicity</b>		
White	22%	24%
Black	66%	51%
Hispanic	10%	22%
Other <sup>2</sup>	1%	3%
<b>Age at Diagnosis</b>		
Age <13	<1%	<1%
Age 13–29	22%	18%
Age 30–49	51%	50%
Age 50+	26%	32%
<b>Mode of Exposure</b>		
MSM	42%	45%
IDU	5%	7%
MSM/IDU	4%	3%
Heterosexual	47%	44%
Other <sup>3</sup>	2%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 5, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 5 and Florida<sup>1</sup>

	Area 5	Florida
<b>N=</b>	218	4,972
<b>Sex</b>		
Male	81%	78%
Female	19%	22%
<b>Race/Ethnicity</b>		
White	49%	24%
Black	34%	42%
Hispanic	12%	32%
Other <sup>2</sup>	5%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	35%	34%
Age 30–49	36%	45%
Age 50+	29%	21%
<b>Mode of Exposure</b>		
MSM	66%	60%
IDU	6%	4%
MSM/IDU	6%	2%
Heterosexual	22%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Pinellas County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Pinellas County and Florida <sup>1</sup>		
	Pinellas County	Florida
<b>N=</b>	174	4,972
<b>Sex</b>		
Male	80%	78%
Female	20%	22%
<b>Race/Ethnicity</b>		
White	45%	24%
Black	37%	42%
Hispanic	13%	32%
Other <sup>2</sup>	6%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	36%	34%
Age 30–49	35%	45%
Age 50+	29%	21%
<b>Mode of Exposure</b>		
MSM	65%	60%
IDU	6%	4%
MSM/IDU	5%	2%
Heterosexual	24%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Pasco County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Pasco County and Florida <sup>1</sup>		
	Pasco County	Florida
<b>N=</b>	44	4,972
<b>Sex</b>		
Male	86%	78%
Female	14%	22%
<b>Race/Ethnicity</b>		
White	66%	24%
Black	23%	42%
Hispanic	9%	32%
Other <sup>2</sup>	2%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	30%	34%
Age 30–49	41%	45%
Age 50+	29%	21%
<b>Mode of Exposure</b>		
MSM	68%	60%
IDU	8%	4%
MSM/IDU	9%	2%
Heterosexual	15%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 5, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 5 and Florida<sup>1</sup>

	Area 5	Florida
<b>N=</b>	119	2,119
<b>Sex</b>		
<b>Male</b>	80%	70%
<b>Female</b>	20%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	48%	24%
<b>Black</b>	37%	51%
<b>Hispanic</b>	12%	22%
<b>Other<sup>2</sup></b>	3%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	22%	18%
<b>Age 30–49</b>	43%	50%
<b>Age 50+</b>	35%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	56%	45%
<b>IDU</b>	8%	7%
<b>MSM/IDU</b>	9%	3%
<b>Heterosexual</b>	26%	44%
<b>Other<sup>3</sup></b>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 6, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 6 and Florida<sup>1</sup>

	Area 6	Florida
<b>N=</b>	376	4,972
<b>Sex</b>		
<b>Male</b>	78%	78%
<b>Female</b>	22%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	29%	24%
<b>Black</b>	41%	42%
<b>Hispanic</b>	27%	32%
<b>Other<sup>2</sup></b>	3%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	40%	34%
<b>Age 30–49</b>	39%	45%
<b>Age 50+</b>	22%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	64%	60%
<b>IDU</b>	3%	4%
<b>MSM/IDU</b>	4%	2%
<b>Heterosexual</b>	28%	33%
<b>Other<sup>3</sup></b>	<1%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Hillsborough County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Hillsborough County and Florida <sup>1</sup>		
	Hillsborough	Florida
<b>N=</b>	325	4,972
<b>Sex</b>		
<b>Male</b>	78%	78%
<b>Female</b>	22%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	27%	24%
<b>Black</b>	41%	42%
<b>Hispanic</b>	29%	32%
<b>Other<sup>2</sup></b>	3%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	42%	34%
<b>Age 30–49</b>	39%	45%
<b>Age 50+</b>	19%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	65%	60%
<b>IDU</b>	3%	4%
<b>MSM/IDU</b>	3%	2%
<b>Heterosexual</b>	28%	33%
<b>Other<sup>3</sup></b>	<1%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Manatee County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Manatee County and Florida <sup>1</sup>		
	Manatee County	Florida
<b>N=</b>	34	4,972
<b>Sex</b>		
Male	74%	78%
Female	26%	22%
<b>Race/Ethnicity</b>		
White	41%	24%
Black	53%	42%
Hispanic	6%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	26%	34%
Age 30–49	38%	45%
Age 50+	35%	21%
<b>Mode of Exposure</b>		
MSM	55%	60%
IDU	4%	4%
MSM/IDU	6%	2%
Heterosexual	35%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Hernando County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Hernando County and Florida <sup>1</sup>		
	Hernando County	Florida
<b>N=</b>	17	4,972
<b>Sex</b>		
<b>Male</b>	94%	78%
<b>Female</b>	6%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	41%	24%
<b>Black</b>	29%	42%
<b>Hispanic</b>	29%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	35%	34%
<b>Age 30–49</b>	29%	45%
<b>Age 50+</b>	35%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	71%	60%
<b>IDU</b>	6%	4%
<b>MSM/IDU</b>	6%	2%
<b>Heterosexual</b>	18%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 6, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 6 and Florida<sup>1</sup>

	Area 6	Florida
<b>N=</b>	184	2,119
<b>Sex</b>		
Male	79%	70%
Female	21%	30%
<b>Race/Ethnicity</b>		
White	30%	24%
Black	43%	51%
Hispanic	23%	22%
Other <sup>2</sup>	4%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	22%	18%
Age 30–49	46%	50%
Age 50+	33%	32%
<b>Mode of Exposure</b>		
MSM	55%	45%
IDU	7%	7%
MSM/IDU	4%	3%
Heterosexual	33%	44%
Other <sup>3</sup>	<1%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 7, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 7 and Florida<sup>1</sup>

	Area 7	Florida
<b>N=</b>	686	4,972
<b>Sex</b>		
<b>Male</b>	79%	78%
<b>Female</b>	21%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	25%	24%
<b>Black</b>	38%	42%
<b>Hispanic</b>	33%	32%
<b>Other<sup>2</sup></b>	4%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	39%	34%
<b>Age 30–49</b>	41%	45%
<b>Age 50+</b>	19%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	63%	60%
<b>IDU</b>	3%	4%
<b>MSM/IDU</b>	1%	2%
<b>Heterosexual</b>	31%	33%
<b>Other<sup>3</sup></b>	<1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.




# HIV Cases by Year of Diagnosis, Brevard County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Brevard County and Florida<sup>1</sup>

	Brevard County	Florida
<b>N=</b>	64	4,972
<b>Sex</b>		
Male	78%	78%
Female	22%	22%
<b>Race/Ethnicity</b>		
White	50%	24%
Black	37%	42%
Hispanic	8%	32%
Other <sup>2</sup>	5%	2%
<b>Age at Diagnosis</b>		
Age <13	2%	<1%
Age 13–29	39%	34%
Age 30–49	39%	45%
Age 50+	20%	21%
<b>Mode of Exposure</b>		
MSM	31%	60%
IDU	10%	4%
MSM/IDU	2%	2%
Heterosexual	37%	33%
Other <sup>3</sup>	1%	<1%

10 year % change (2007-2016)= 15% decrease




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Orange County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Orange County and Florida <sup>1</sup>		
	Orange County	Florida
<b>N=</b>	458	4,972
<b>Sex</b>		
Male	79%	78%
Female	21%	22%
<b>Race/Ethnicity</b>		
White	24%	24%
Black	40%	42%
Hispanic	33%	32%
Other <sup>2</sup>	3%	2%
<b>Age at Diagnosis</b>		
Age <13	1%	<1%
Age 13–29	41%	34%
Age 30–49	40%	45%
Age 50+	18%	21%
<b>Mode of Exposure</b>		
MSM	65%	60%
IDU	3%	4%
MSM/IDU	<1%	2%
Heterosexual	31%	33%
Other <sup>3</sup>	<1%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Osceola County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Osceola County and Florida <sup>1</sup>		
	Osceola County	Florida
<b>N=</b>	84	4,972
<b>Sex</b>		
Male	77%	78%
Female	23%	22%
<b>Race/Ethnicity</b>		
White	14%	24%
Black	27%	42%
Hispanic	57%	32%
Other <sup>2</sup>	1%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	29%	34%
Age 30–49	51%	45%
Age 50+	20%	21%
<b>Mode of Exposure</b>		
MSM	65%	60%
IDU	3%	4%
MSM/IDU	<1%	2%
Heterosexual	31%	33%
Other <sup>3</sup>	1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Seminole County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Seminole County and Florida<sup>1</sup>

	Seminole County	Florida
<b>N=</b>	80	4,972
<b>Sex</b>		
<b>Male</b>	76%	78%
<b>Female</b>	24%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	26%	24%
<b>Black</b>	40%	42%
<b>Hispanic</b>	25%	32%
<b>Other<sup>2</sup></b>	9%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	35%	34%
<b>Age 30–49</b>	40%	45%
<b>Age 50+</b>	25%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	63%	60%
<b>IDU</b>	1%	4%
<b>MSM/IDU</b>	1%	2%
<b>Heterosexual</b>	35%	33%
<b>Other<sup>3</sup></b>	0%	<1%

10 year % change (2007-2016)= 18% increase



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 7, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 7 and Florida<sup>1</sup>

	Area 7	Florida
<b>N=</b>	262	2,119
<b>Sex</b>		
Male	76%	70%
Female	24%	30%
<b>Race/Ethnicity</b>		
White	22%	24%
Black	41%	51%
Hispanic	30%	22%
Other <sup>2</sup>	7%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	28%	18%
Age 30–49	42%	50%
Age 50+	30%	32%
<b>Mode of Exposure</b>		
MSM	50%	45%
IDU	7%	7%
MSM/IDU	3%	3%
Heterosexual	38%	44%
Other <sup>3</sup>	2%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 8, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 8 and Florida<sup>1</sup>

	Area 8	Florida
<b>N=</b>	217	4,972
<b>Sex</b>		
<b>Male</b>	80%	78%
<b>Female</b>	20%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	35%	24%
<b>Black</b>	31%	42%
<b>Hispanic</b>	32%	32%
<b>Other<sup>2</sup></b>	1%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	29%	34%
<b>Age 30–49</b>	44%	45%
<b>Age 50+</b>	26%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	56%	60%
<b>IDU</b>	3%	4%
<b>MSM/IDU</b>	2%	2%
<b>Heterosexual</b>	38%	33%
<b>Other<sup>3</sup></b>	<1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Lee County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Lee County and Florida<sup>1</sup>

	Lee	Florida
<b>N=</b>	105	4,972
<b>Sex</b>		
<b>Male</b>	78%	78%
<b>Female</b>	22%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	33%	24%
<b>Black</b>	29%	42%
<b>Hispanic</b>	11%	32%
<b>Other<sup>2</sup></b>	4%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	36%	34%
<b>Age 30–49</b>	40%	45%
<b>Age 50+</b>	23%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	54%	60%
<b>IDU</b>	2%	4%
<b>MSM/IDU</b>	2%	2%
<b>Heterosexual</b>	41%	33%
<b>Other<sup>3</sup></b>	<1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Charlotte County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Charlotte County and Florida<sup>1</sup>

	Charlotte County	Florida
<b>N=</b>	12	4,972
<b>Sex</b>		
<b>Male</b>	67%	78%
<b>Female</b>	33%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	58%	24%
<b>Black</b>	42%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	17%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	33%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	33%	60%
<b>IDU</b>	17%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	50%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Glades County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Glades County and Florida<sup>1</sup>

	Glades County	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	0%	24%
Black	100%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	100%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	0%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	100%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Hendry County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Hendry County and Florida <sup>1</sup>		
	Hendry County	Florida
<b>N=</b>	10	4,972
Sex		
<b>Male</b>	100%	78%
<b>Female</b>	0%	22%
Race/Ethnicity		
<b>White</b>	20%	24%
<b>Black</b>	20%	42%
<b>Hispanic</b>	60%	32%
<b>Other<sup>2</sup></b>	0%	2%
Age at Diagnosis		
<b>Age &lt;13</b>	20%	<1%
<b>Age 13–29</b>	50%	34%
<b>Age 30–49</b>	30%	45%
<b>Age 50+</b>	0%	21%
Mode of Exposure		
<b>MSM</b>	75%	60%
<b>IDU</b>	1%	4%
<b>MSM/IDU</b>	1%	2%
<b>Heterosexual</b>	23%	33%
<b>Other<sup>3</sup></b>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Sarasota County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Sarasota County and Florida <sup>1</sup>		
	Sarasota County	Florida
<b>N=</b>	27	4,972
<b>Sex</b>		
Male	93%	78%
Female	7%	22%
<b>Race/Ethnicity</b>		
White	55%	24%
Black	30%	42%
Hispanic	11%	32%
Other <sup>2</sup>	4%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	18%	34%
Age 30–49	52%	45%
Age 50+	30%	21%
<b>Mode of Exposure</b>		
MSM	70%	60%
IDU	1%	4%
MSM/IDU	<1%	2%
Heterosexual	29%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, DeSoto County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in DeSoto County and Florida<sup>1</sup>

	Desoto County	Florida
<b>N=</b>	0	4,972
<b>Sex</b>		
<b>Male</b>	0%	78%
<b>Female</b>	0%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	0%	24%
<b>Black</b>	0%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	0%	34%
<b>Age 30–49</b>	0%	45%
<b>Age 50+</b>	0%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	0%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	0%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Collier County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Collier County and Florida<sup>1</sup>

	Collier County	Florida
<b>N=</b>	62	4,972
<b>Sex</b>		
<b>Male</b>	76%	78%
<b>Female</b>	24%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	27%	24%
<b>Black</b>	35%	42%
<b>Hispanic</b>	35%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	27%	34%
<b>Age 30–49</b>	45%	45%
<b>Age 50+</b>	27%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	56%	60%
<b>IDU</b>	3%	4%
<b>MSM/IDU</b>	3%	2%
<b>Heterosexual</b>	38%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 8, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 8 and Florida<sup>1</sup>

	Area 8	Florida
<b>N=</b>	97	2,119
<b>Sex</b>		
Male	74%	70%
Female	26%	30%
<b>Race/Ethnicity</b>		
White	39%	24%
Black	37%	51%
Hispanic	23%	22%
Other <sup>2</sup>	1%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	20%	18%
Age 30–49	47%	50%
Age 50+	33%	32%
<b>Mode of Exposure</b>		
MSM	45%	45%
IDU	1%	7%
MSM/IDU	5%	3%
Heterosexual	46%	44%
Other <sup>3</sup>	2%	1%

10 year % change (2007-2016)= 45% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Palm Beach County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Palm Beach County and Florida<sup>1</sup>

	Palm Beach	Florida
<b>N=</b>	306	4,972
<b>Sex</b>		
Male	70%	78%
Female	30%	22%
<b>Race/Ethnicity</b>		
White	22%	24%
Black	57%	42%
Hispanic	19%	32%
Other <sup>2</sup>	2%	2%
<b>Age at Diagnosis</b>		
Age <13	<1%	<1%
Age 13–29	28%	34%
Age 30–49	42%	45%
Age 50+	29%	21%
<b>Mode of Exposure</b>		
MSM	46%	60%
IDU	4%	4%
MSM/IDU	1%	2%
Heterosexual	48%	33%
Other <sup>3</sup>	<1%	<1%

10 year % change (2007-2016)= 35% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Palm Beach County, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Palm Beach County and Florida<sup>1</sup>

	Palm Beach	Florida
<b>N=</b>	143	2,119
<b>Sex</b>		
<b>Male</b>	63%	70%
<b>Female</b>	37%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	23%	24%
<b>Black</b>	62%	51%
<b>Hispanic</b>	13%	22%
<b>Other<sup>2</sup></b>	2%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	18%	18%
<b>Age 30–49</b>	38%	50%
<b>Age 50+</b>	43%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	31%	45%
<b>IDU</b>	4%	7%
<b>MSM/IDU</b>	4%	3%
<b>Heterosexual</b>	59%	44%
<b>Other<sup>3</sup></b>	2%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Broward County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Broward County and Florida<sup>1</sup>

	Broward County	Florida
<b>N=</b>	770	4,972
<b>Sex</b>		
Male	78%	78%
Female	22%	22%
<b>Race/Ethnicity</b>		
White	24%	24%
Black	48%	42%
Hispanic	26%	32%
Other <sup>2</sup>	2%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	32%	34%
Age 30–49	47%	45%
Age 50+	21%	21%
<b>Mode of Exposure</b>		
MSM	58%	60%
IDU	4%	4%
MSM/IDU	2%	2%
Heterosexual	36%	33%
Other <sup>3</sup>	<1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Broward County, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Broward County and Florida<sup>1</sup>

	Broward County	Florida
<b>N=</b>	252	2,119
<b>Sex</b>		
Male	70%	70%
Female	30%	30%
<b>Race/Ethnicity</b>		
White	19%	24%
Black	59%	51%
Hispanic	17%	22%
Other <sup>2</sup>	4%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	19%	18%
Age 30–49	49%	50%
Age 50+	32%	32%
<b>Mode of Exposure</b>		
MSM	43%	45%
IDU	6%	7%
MSM/IDU	<1%	3%
Heterosexual	49%	44%
Other <sup>3</sup>	1%	1%

10 year % change (2007–2016) = 62% decrease




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Miami-Dade County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Miami-Dade County and Florida <sup>1</sup>		
	Miami-Dade	Florida
<b>N=</b>	1,270	4,972
<b>Sex</b>		
<b>Male</b>	82%	78%
<b>Female</b>	18%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	8%	24%
<b>Black</b>	30%	42%
<b>Hispanic</b>	61%	32%
<b>Other<sup>2</sup></b>	<1%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	<1%	<1%
<b>Age 13–29</b>	33%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	17%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	69%	60%
<b>IDU</b>	2%	4%
<b>MSM/IDU</b>	1%	2%
<b>Heterosexual</b>	28%	33%
<b>Other<sup>3</sup></b>	<1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Miami-Dade County, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Miami-Dade County and Florida<sup>1</sup>

	Miami-Dade	Florida
<b>N=</b>	464	2,119
<b>Sex</b>		
Male	74%	70%
Female	26%	30%
<b>Race/Ethnicity</b>		
White	6%	24%
Black	44%	51%
Hispanic	49%	22%
Other <sup>2</sup>	1%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	16%	18%
Age 30–49	52%	50%
Age 50+	32%	32%
<b>Mode of Exposure</b>		
MSM	52%	45%
IDU	4%	7%
MSM/IDU	3%	3%
Heterosexual	40%	44%
Other <sup>3</sup>	1%	1%

10 year % change (2007–2016) = 43% decrease




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Monroe County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Monroe County and Florida <sup>1</sup>		
	Monroe County	Florida
<b>N=</b>	23	4,972
<b>Sex</b>		
Male	83%	78%
Female	17%	22%
<b>Race/Ethnicity</b>		
White	43%	24%
Black	26%	42%
Hispanic	30%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	17%	34%
Age 30–49	61%	45%
Age 50+	22%	21%
<b>Mode of Exposure</b>		
MSM	73%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	27%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Monroe County, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Monroe County and Florida<sup>1</sup>

	Monroe County	Florida
<b>N=</b>	6	2,119
<b>Sex</b>		
Male	83%	70%
Female	17%	30%
<b>Race/Ethnicity</b>		
White	43%	24%
Black	26%	51%
Hispanic	30%	22%
Other <sup>2</sup>	0%	3%
<b>Age at Diagnosis</b>		
Age <13	<1%	<1%
Age 13–29	17%	18%
Age 30–49	61%	50%
Age 50+	22%	32%
<b>Mode of Exposure</b>		
MSM	73%	45%
IDU	0%	7%
MSM/IDU	0%	3%
Heterosexual	27%	44%
Other <sup>3</sup>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 12, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 12 and Florida<sup>1</sup>

	Area 12	Florida
<b>N=</b>	89	4,972
<b>Sex</b>		
Male	78%	78%
Female	22%	22%
<b>Race/Ethnicity</b>		
White	43%	24%
Black	44%	42%
Hispanic	13%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	38%	34%
Age 30–49	43%	45%
Age 50+	19%	21%
<b>Mode of Exposure</b>		
MSM	58%	60%
IDU	19%	4%
MSM/IDU	7%	2%
Heterosexual	16%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Volusia County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Volusia County and Florida<sup>1</sup>

	Volusia County	Florida
<b>N=</b>	80	4,972
<b>Sex</b>		
<b>Male</b>	78%	78%
<b>Female</b>	22%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	44%	24%
<b>Black</b>	44%	42%
<b>Hispanic</b>	12%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	36%	34%
<b>Age 30–49</b>	44%	45%
<b>Age 50+</b>	20%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	58%	60%
<b>IDU</b>	20%	4%
<b>MSM/IDU</b>	6%	2%
<b>Heterosexual</b>	16%	33%
<b>Other<sup>3</sup></b>	0%	<1%

10 year % change (2007-2016)= 10% decrease



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Flagler County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Flagler County and Florida <sup>1</sup>		
	Flagler County	Florida
<b>N=</b>	9	4,972
Sex		
<b>Male</b>	78%	78%
<b>Female</b>	22%	22%
Race/Ethnicity		
<b>White</b>	33%	24%
<b>Black</b>	44%	42%
<b>Hispanic</b>	22%	32%
<b>Other<sup>2</sup></b>	0%	2%
Age at Diagnosis		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	56%	34%
<b>Age 30–49</b>	33%	45%
<b>Age 50+</b>	11%	21%
Mode of Exposure		
<b>MSM</b>	56%	60%
<b>IDU</b>	11%	4%
<b>MSM/IDU</b>	11%	2%
<b>Heterosexual</b>	22%	33%
<b>Other<sup>3</sup></b>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.  
<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.  
<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 12, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 12 and Florida<sup>1</sup>

	Area 12	Florida
<b>N=</b>	49	2,119
<b>Sex</b>		
<b>Male</b>	78%	70%
<b>Female</b>	22%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	41%	24%
<b>Black</b>	41%	51%
<b>Hispanic</b>	16%	22%
<b>Other<sup>2</sup></b>	2%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	18%	18%
<b>Age 30–49</b>	43%	50%
<b>Age 50+</b>	39%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	51%	45%
<b>IDU</b>	16%	7%
<b>MSM/IDU</b>	10%	3%
<b>Heterosexual</b>	22%	44%
<b>Other<sup>3</sup></b>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 13, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 13 and Florida<sup>1</sup>

	Area 13	Florida
<b>N=</b>	98	4,972
<b>Sex</b>		
<b>Male</b>	78%	78%
<b>Female</b>	22%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	49%	24%
<b>Black</b>	33%	42%
<b>Hispanic</b>	14%	32%
<b>Other<sup>2</sup></b>	4%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	1%	<1%
<b>Age 13–29</b>	29%	34%
<b>Age 30–49</b>	52%	45%
<b>Age 50+</b>	18%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	59%	60%
<b>IDU</b>	7%	4%
<b>MSM/IDU</b>	7%	2%
<b>Heterosexual</b>	26%	33%
<b>Other<sup>3</sup></b>	1%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Marion County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Marion County and Florida<sup>1</sup>

	Marion County	Florida
<b>N=</b>	41	4,972
<b>Sex</b>		
<b>Male</b>	80%	78%
<b>Female</b>	20%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	49%	24%
<b>Black</b>	37%	42%
<b>Hispanic</b>	12%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	2%	<1%
<b>Age 13–29</b>	34%	34%
<b>Age 30–49</b>	51%	45%
<b>Age 50+</b>	12%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	67%	60%
<b>IDU</b>	5%	4%
<b>MSM/IDU</b>	6%	2%
<b>Heterosexual</b>	20%	33%
<b>Other<sup>3</sup></b>	2%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Citrus County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Citrus County and Florida <sup>1</sup>		
	Citrus County	Florida
<b>N=</b>	7	4,972
<b>Sex</b>		
Male	57%	78%
Female	43%	22%
<b>Race/Ethnicity</b>		
White	86%	24%
Black	14%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	29%	34%
Age 30–49	57%	45%
Age 50+	14%	21%
<b>Mode of Exposure</b>		
MSM	29%	60%
IDU	14%	4%
MSM/IDU	0%	2%
Heterosexual	57%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Lake County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Lake County and Florida <sup>1</sup>		
	Lake County	Florida
<b>N=</b>		4,972
Sex		
<b>Male</b>	76%	78%
<b>Female</b>	24%	22%
Race/Ethnicity		
<b>White</b>	47%	24%
<b>Black</b>	32%	42%
<b>Hispanic</b>	13%	32%
<b>Other<sup>2</sup></b>	8%	2%
Age at Diagnosis		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	26%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	24%	21%
Mode of Exposure		
<b>MSM</b>	52%	60%
<b>IDU</b>	8%	4%
<b>MSM/IDU</b>	11%	2%
<b>Heterosexual</b>	29%	33%
<b>Other<sup>3</sup></b>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Sumter County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Sumter County and Florida <sup>1</sup>		
	Sumter County	Florida
<b>N=</b>	12	4,972
<b>Sex</b>		
Male	83%	78%
Female	17%	22%
<b>Race/Ethnicity</b>		
White	33%	24%
Black	42%	42%
Hispanic	25%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	17%	34%
Age 30–49	58%	45%
Age 50+	25%	21%
<b>Mode of Exposure</b>		
MSM	69%	60%
IDU	10%	4%
MSM/IDU	2%	2%
Heterosexual	19%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 13, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 13 and Florida<sup>1</sup>

	Area 13	Florida
<b>N=</b>	46	2,119
<b>Sex</b>		
<b>Male</b>	74%	70%
<b>Female</b>	26%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	37%	24%
<b>Black</b>	39%	51%
<b>Hispanic</b>	17%	22%
<b>Other<sup>2</sup></b>	7%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	11%	18%
<b>Age 30–49</b>	52%	50%
<b>Age 50+</b>	37%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	42%	45%
<b>IDU</b>	13%	7%
<b>MSM/IDU</b>	2%	3%
<b>Heterosexual</b>	43%	44%
<b>Other<sup>3</sup></b>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.


<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Area 14, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 14 and Florida<sup>1</sup>

	Area 14	Florida
<b>N=</b>	132	4,972
<b>Sex</b>		
<b>Male</b>	72%	78%
<b>Female</b>	28%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	23%	24%
<b>Black</b>	51%	42%
<b>Hispanic</b>	20%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	38%	34%
<b>Age 30–49</b>	42%	45%
<b>Age 50+</b>	20%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	47%	60%
<b>IDU</b>	4%	4%
<b>MSM/IDU</b>	<1%	2%
<b>Heterosexual</b>	48%	33%
<b>Other<sup>3</sup></b>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Polk County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Polk County and Florida <sup>1</sup>		
	Polk County	Florida
<b>N=</b>	124	4,972
<b>Sex</b>		
<b>Male</b>	71%	78%
<b>Female</b>	19%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	25%	24%
<b>Black</b>	51%	42%
<b>Hispanic</b>	22%	32%
<b>Other<sup>2</sup></b>	2%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	37%	34%
<b>Age 30–49</b>	41%	45%
<b>Age 50+</b>	22%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	46%	60%
<b>IDU</b>	4%	4%
<b>MSM/IDU</b>	<1%	2%
<b>Heterosexual</b>	49%	33%
<b>Other<sup>3</sup></b>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Hardee County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Hardee County and Florida <sup>1</sup>		
	Hardee County	Florida
<b>N=</b>	1	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	100%	24%
Black	0%	42%
Hispanic	0%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	0%	34%
Age 30–49	100%	45%
Age 50+	0%	21%
<b>Mode of Exposure</b>		
MSM	100%	60%
IDU	0%	4%
MSM/IDU	0%	2%
Heterosexual	0%	33%
Other <sup>3</sup>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Highlands County, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Highlands County and Florida<sup>1</sup>

	Highlands County	Florida
<b>N=</b>	7	4,972
<b>Sex</b>		
<b>Male</b>	86%	78%
<b>Female</b>	14%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	43%	24%
<b>Black</b>	57%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	57%	34%
<b>Age 30–49</b>	43%	45%
<b>Age 50+</b>	0%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	57%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	43%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 14, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 14 and Florida<sup>1</sup>

	Area 14	Florida
<b>N=</b>	74	2,119
<b>Sex</b>		
Male	62%	70%
Female	38%	30%
<b>Race/Ethnicity</b>		
White	26%	24%
Black	61%	51%
Hispanic	13%	22%
Other <sup>2</sup>	0%	3%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	26%	18%
Age 30–49	39%	50%
Age 50+	35%	32%
<b>Mode of Exposure</b>		
MSM	33%	45%
IDU	4%	7%
MSM/IDU	0%	3%
Heterosexual	45%	44%
Other <sup>3</sup>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Area 15, 2007–2016

## HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 15 and Florida<sup>1</sup>

	Area 15	Florida
<b>N=</b>	78	4,972
<b>Sex</b>		
Male	72%	78%
Female	28%	22%
<b>Race/Ethnicity</b>		
White	31%	24%
Black	47%	42%
Hispanic	21%	32%
Other <sup>2</sup>	1%	2%
<b>Age at Diagnosis</b>		
Age <13	1%	<1%
Age 13–29	29%	34%
Age 30–49	35%	45%
Age 50+	35%	21%
<b>Mode of Exposure</b>		
MSM	41%	60%
IDU	7%	4%
MSM/IDU	3%	2%
Heterosexual	48%	33%
Other <sup>3</sup>	1%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, St. Lucie County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in St. Lucie County and Florida <sup>1</sup>		
	St. Lucie County	Florida
<b>N=</b>	51	4,972
<b>Sex</b>		
Male	73%	78%
Female	27%	22%
<b>Race/Ethnicity</b>		
White	26%	24%
Black	47%	42%
Hispanic	25%	32%
Other <sup>2</sup>	2%	2%
<b>Age at Diagnosis</b>		
Age <13	2%	<1%
Age 13–29	26%	34%
Age 30–49	39%	45%
Age 50+	33%	21%
<b>Mode of Exposure</b>		
MSM	35%	60%
IDU	7%	4%
MSM/IDU	4%	2%
Heterosexual	51%	33%
Other <sup>3</sup>	2%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Indian River County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Indian River County and Florida <sup>1</sup>		
	Indian River	Florida
<b>N=</b>	18	4,972
<b>Sex</b>		
<b>Male</b>	56%	78%
<b>Female</b>	44%	22%
<b>Race/Ethnicity</b>		
<b>White</b>	33%	24%
<b>Black</b>	61%	42%
<b>Hispanic</b>	6%	32%
<b>Other<sup>2</sup></b>	0%	2%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	33%	<1%
<b>Age 13–29</b>	22%	34%
<b>Age 30–49</b>	44%	45%
<b>Age 50+</b>	0%	21%
<b>Mode of Exposure</b>		
<b>MSM</b>	46%	60%
<b>IDU</b>	0%	4%
<b>MSM/IDU</b>	<1%	2%
<b>Heterosexual</b>	54%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.



# HIV Cases by Year of Diagnosis, Martin County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Martin County and Florida <sup>1</sup>		
	Martin County	Florida
<b>N=</b>	7	4,972
<b>Sex</b>		
Male	100%	78%
Female	0%	22%
<b>Race/Ethnicity</b>		
White	43%	24%
Black	29%	42%
Hispanic	29%	32%
Other <sup>2</sup>	0%	2%
<b>Age at Diagnosis</b>		
Age <13	0%	<1%
Age 13–29	42%	34%
Age 30–49	29%	45%
Age 50+	29%	21%
<b>Mode of Exposure</b>		
MSM	67%	60%
IDU	7%	4%
MSM/IDU	4%	2%
Heterosexual	21%	33%
Other <sup>3</sup>	0%	<1%




<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# HIV Cases by Year of Diagnosis, Okeechobee County, 2007–2016

HIV Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Okeechobee County and Florida <sup>1</sup>		
	Okeechobee	Florida
<b>N=</b>	2	4,972
Sex		
<b>Male</b>	100%	78%
<b>Female</b>	0%	22%
Race/Ethnicity		
<b>White</b>	100%	24%
<b>Black</b>	0%	42%
<b>Hispanic</b>	0%	32%
<b>Other<sup>2</sup></b>	0%	2%
Age at Diagnosis		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	50%	34%
<b>Age 30–49</b>	50%	45%
<b>Age 50+</b>	0%	21%
Mode of Exposure		
<b>MSM</b>	50%	60%
<b>IDU</b>	50%	4%
<b>MSM/IDU</b>	0%	2%
<b>Heterosexual</b>	0%	33%
<b>Other<sup>3</sup></b>	0%	<1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.


<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# AIDS Cases by Year of Diagnosis, Area 15, 2007–2016

## AIDS Cases Diagnosed in 2016 by Selected Demographics and Risk Factors in Area 15 and Florida<sup>1</sup>

	Area 15	Florida
<b>N=</b>	43	2,119
<b>Sex</b>		
<b>Male</b>	72%	70%
<b>Female</b>	28%	30%
<b>Race/Ethnicity</b>		
<b>White</b>	33%	24%
<b>Black</b>	44%	51%
<b>Hispanic</b>	21%	22%
<b>Other<sup>2</sup></b>	2%	3%
<b>Age at Diagnosis</b>		
<b>Age &lt;13</b>	0%	<1%
<b>Age 13–29</b>	21%	18%
<b>Age 30–49</b>	33%	50%
<b>Age 50+</b>	46%	32%
<b>Mode of Exposure</b>		
<b>MSM</b>	42%	45%
<b>IDU</b>	10%	7%
<b>MSM/IDU</b>	1%	3%
<b>Heterosexual</b>	47%	44%
<b>Other<sup>3</sup></b>	0%	1%



<sup>1</sup> Source: Florida data: FL Department of Health, HIV/AIDS Section, alive and diagnosed Year-end 2016, as of 6/30/2017.

<sup>2</sup> Other includes American Indian/Alaska Native, Asian/Pacific Islander, and multi-racial individuals.

<sup>3</sup> Other includes hemophilia, transfusion, perinatal, other pediatric risks and other confirmed risks.

# Florida HIV/AIDS Surveillance Data Contacts:

Lorene Maddox, MPH, Surveillance Data Analysis Manager  
Florida Department of Health  
Phone: 850-901-6968  
Email: [Lorene.Maddox@flhealth.gov](mailto:Lorene.Maddox@flhealth.gov)

Emma Spencer, MPH, PhD, Surveillance Program Manager  
Florida Department of Health  
Phone: 850-245-4432  
Email: [Emma.Spencer@flhealth.gov](mailto:Emma.Spencer@flhealth.gov)

Yang Wang, MSPH, Data Linkage Analyst  
Florida Department of Health  
Phone: 850-901-6972  
Email: [Yang.Wang@flhealth.gov](mailto:Yang.Wang@flhealth.gov)

Ashleigh Tiller, Data Coordinator  
Florida Department of Health  
Phone: 850-901-6984  
Email: [Ashleigh.Tiller@flhealth.gov](mailto:Ashleigh.Tiller@flhealth.gov)

Danielle Curatolo, Data Analyst  
Florida Department of Health  
Phone: 850-901-6983  
Email: [Danielle.Curatolo@flhealth.gov](mailto:Danielle.Curatolo@flhealth.gov)

HIV/AIDS surveillance data is frozen on June 30, following the end of each calendar year.

These are the same data used for Florida CHARTS and all grant-related data.

<http://www.floridacharts.com/charts/CommunicableDiseases/default.aspx>

## Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.