

HIV INTEGRATED EPIDEMIOLOGICAL PROFILE, Florida, 2020

The Florida Department of Health, Bureau of Communicable Diseases, HIV/AIDS Section collects, analyzes, and disseminates surveillance data to create the HIV Epidemiological Profile. The Epidemiological Profile is a document that describes the burden of HIV on the Florida population in terms of sociodemographic, geographic, behavioral, and clinical characteristics of persons living with an HIV diagnosis in Florida. This profile is a valuable tool used at the state and local levels among HIV programmatic staff, community partners, and the public for allocating HIV prevention and care resources, planning programs, and evaluating programs and policies.

Technical Notes:

- HIV and AIDS are diagnosed in Florida based on the case definition as described in the Technical Notes section of the CDC HIV Surveillance Report at the following link: <http://www.cdc.gov/hiv/library/reports/hiv-surveillance.html>.
- HIV diagnoses by year of diagnosis represent persons whose HIV was diagnosed in that year, regardless of AIDS status at time of diagnosis.
- HIV and AIDS diagnoses by year of diagnosis are not mutually exclusive and cannot be added together.
- HIV prevalence data represent persons living with an HIV diagnosis (PWH) in the area through the end of the calendar year regardless of residence at diagnosis.
- Adult diagnoses represent persons age 13 and older; pediatric diagnoses represent persons under the age of 13. For diagnosis data, the age is categorized by the age at diagnosis. For prevalence data, the age is categorized by the current age at the end of the calendar year, regardless of the age at diagnosis.
- For race/ethnicity, unless otherwise noted, Whites are non-Hispanic/Latinx, Blacks are non-Hispanic/Latinx and Other represents Asian, American Indian/Alaska Native, Native Hawaiian/Pacific Islander, or Multi-race.
- For HIV or AIDS diagnoses by year, area and county data will exclude diagnoses where the residence at diagnosis was listed as Florida Department of Corrections or Federal Correctional Institution (FDC/FCI). For prevalence data, FDC/FCI diagnoses will not be excluded from area and county data.
- Gender identity is a person's understanding of their own gender. Gender identity is used to define the groups listed under Transmission Category and Special Populations.
- Percents of total for individual populations may not sum up to 100% due to rounding.
- HIV-related death data represent PWH with HIV listed as the underlying cause of death and a resident at death in this area in the period specified. These data will vary from the HIV-related deaths generated by the Office of Vital Statistics posted on FLHealthCHARTS.
- Homelessness is based on the current address at the end of the calendar year and includes addresses labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.
- Country or territory of birth represents where a person was born and does not reflect the ancestry of that person.

Transmission Category Definitions:

All transmission categories are mutually exclusive. In Florida, a small proportion of HIV diagnoses are re

without an identified risk factor and multiple imputation is used to assign a transmission category. Multiple imputation is a statistical approach in which each missing transmission category is replaced with a set of plausible values based on the average risks for the population to compensate for the uncertainty about the true risk for these persons.

- MMSC: male-to-male sexual contact; the term MMSC indicates a behavior that is associated with HIV transmission
- IDU: injection drug use
- MMSC/IDU: male-to-male sexual contact and injection drug use
- Heterosexual Contact: heterosexual contact with a person living with HIV or with a known HIV risk; transgender persons who had sexual contact with a person living with HIV or with a known HIV risk are excluded from this category
- Sexual Contact: transgender men or women who had sexual contact with a person living with HIV or with a known HIV risk
- Other Risk: includes hemophilia, transfusion, perinatal and other pediatric risks, and other confirmed risks

Continuum of HIV Care Definitions:

- Persons with HIV: The number of persons living in Florida with an HIV diagnosis (PWH) at the end of the year specified, data as of 6/30/2021
- In Care: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from January 1 of the year specified through March 31 of the following year, data as of 6/30/2021
- Out of Care: PWH with no documented VL or CD4 lab, medical visit, or prescription from January 1 of the year specified through March 31 of the following year, data as of 6/30/2021
- Retained in Care: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions at least three months apart from January 1 of the year specified through June 30 of the following year, data as of 6/30/2021
- Suppressed Viral Load: PWH with a suppressed VL (<200 copies/mL) on the last VL from January 1 of the year specified through March 31 of the following year, data as of 6/30/2021
- In Care with Suppressed Viral Load: PWH with at least one documented VL or CD4 lab, medical visit or prescription from January 1 of the year specified through March 31 of the following year that also has a suppressed VL (<200 copies/mL) on the last VL from January 1 of the year specified through March 31 of the following year, data as of 6/30/2021
- Retained in Care with Suppressed Viral Load: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions at least three months apart from January 1 of the year specified through June 30 of the following year that also has a suppressed VL (<200 copies/mL) on the last VL from January 1 of the year specified through March 31 of the following year, data as of 6/30/2021
- No VL: No documented VL from January 1 of the year specified through March 31 of the following year, data as of 6/30/2021
- Late Diagnosis: AIDS diagnosis within 3 months of HIV diagnosis, data as of 6/30/2021

External Data:

Florida Population Estimates:

- Population estimates are provided by the Office of Vital Statistics. These estimates are based on the Florida Legislature's Office of Economic and Demographic Research's (EDR) midyear population estimates (July 1) and are final as of the release of Vital Statistics annual data.

Florida Department of Corrections (FDC)/Federal Correctional Institution (FCI) Data:

- FDC/FCI HIV diagnoses defined by residence at diagnosis in the period specified, data as of 6/30/2021.
- Data for released inmates living with an HIV diagnosis were provided by FDC as of 6/11/2021.

Hepatitis B and C (HBV and HCV):

- Hepatitis B and C are reported in Florida based on the case definition described at the following link: <http://www.floridahealth.gov/diseases-and-conditions/disease-reporting-and-management/disease-reporting-and-surveillance/surveillance-and-investigation-guidance/index.html>
- Hepatitis data are pulled for this report using the event date to more accurately reflect disease morbidity. Event date represents the earliest date available for a reported case and is pulled from the date of symptom onset, the date that positive laboratory results are reported, and the date the case is reported.
- Hepatitis B cases are defined as the number of acute and chronic Hepatitis B cases reported with an event date in the period specified.
- Hepatitis C cases are defined as the number of acute and chronic Hepatitis C cases reported with an event date in the period specified.
- Someone could be reported with an acute and chronic infection in the same report year.
- Hepatitis B comorbidity includes acute hepatitis B diagnoses reported in the period specified with an HIV diagnosis date before or within 6 months of the acute hepatitis B event date and chronic hepatitis B diagnoses in the period specified with an HIV diagnosis date at any time before or after the chronic hepatitis B event date.
- Hepatitis C comorbidity includes acute hepatitis C diagnoses reported in the period specified with an HIV diagnosis date before or within 6 months of the acute hepatitis C event date and chronic hepatitis C diagnoses in the period specified with an HIV diagnosis date at any time before or after the chronic hepatitis C event date.
- Hepatitis data presented in this report may not match data presented in FLHealthCHARTS or other publications due to differences in reporting timeframes and how the data are pulled. Hepatitis data are typically pulled using the report year as defined by the CDC Morbidity and Mortality Weekly Report (MMWR). This report presents hepatitis data pulled by calendar year.
- Hepatitis B and C data are preliminary and subject to change. Data were provided by the Hepatitis Surveillance Program as of 7/15/2021.

Tuberculosis (TB):

- TB is diagnosed in Florida based on the case definition described at the following link: <http://www.floridahealth.gov/diseases-and-conditions/tuberculosis/tb-professionals/tb-report-require.html>
- TB diagnoses are defined as the number of TB diagnoses with a diagnosis date occurring in the period specified.

- TB comorbidity includes TB diagnoses occurring in the period specified with an HIV diagnosis date before or coinciding with TB diagnosis.
- TB data presented in this report may not match data presented in FLHealthCHARTS or other publications due to differences in reporting timeframes and how the data are pulled.
- TB data provided by the TB Section as of 6/25/2021.

Early Syphilis:

- Syphilis at its various stages is diagnosed in Florida based on the case definition described at the following link: <https://www.cdc.gov/nndss/conditions/syphilis/case-definition/2019/>
- Early syphilis is used to describe syphilis that has been acquired in the previous 12 months and includes three stages of syphilis: primary, secondary, and early non-primary non-secondary.
- Early syphilis diagnoses are defined as the number of early syphilis diagnoses with an initial lab specimen collection date occurring in the period specified.
- Early syphilis comorbidity includes early syphilis diagnoses in the period specified with an HIV diagnosis date before or within 30 days of an early syphilis initial lab specimen collection date.
- Early syphilis data presented in this report may not match data presented in FLHealthCHARTS or other publications due to differences in reporting timeframes and how the data are pulled.
- Early syphilis data provided by the Sexually Transmitted Disease Section's STARS database as of 7/19/2021.

Gonorrhea:

- Gonorrhea is diagnosed in Florida based on the case definition described at the following link: <https://www.cdc.gov/nndss/conditions/gonorrhea/case-definition/2014/>
- Gonorrhea diagnoses are defined as the number of gonorrhea diagnoses with an initial lab specimen collection date occurring in the period specified.
- Gonorrhea comorbidity includes gonorrhea diagnoses in the period specified with an HIV diagnosis date before or within 30 days of a gonorrhea initial lab specimen collection date.
- Gonorrhea data presented in this report may not match data presented in FLHealthCHARTS or other publications due to differences in reporting timeframes and how the data are pulled.
- Gonorrhea data provided by the Sexually Transmitted Disease Section's STARS database as of 7/19/2021.

Chlamydia:

- Chlamydia is diagnosed in Florida based on the case definition described at the following link: <https://www.cdc.gov/nndss/conditions/chlamydia-trachomatis-infection/case-definition/2010/>
- Chlamydia diagnoses are defined as the number of chlamydia diagnoses with an initial lab specimen collection date occurring in the period specified.
- Chlamydia comorbidity includes chlamydia diagnoses in the period specified with an HIV diagnosis date before or within 30 days of a chlamydia initial lab specimen collection date.
- Chlamydia data presented in this report may not match data presented in FLHealthCHARTS or other publications due to differences in reporting timeframes and how the data are pulled.
- Chlamydia data provided by the Sexually Transmitted Disease Section's STARS database as of 7/19/2021.

nd

ie
,

e

,

nce
d

es

ported

le
f
he

/

»

:

y 1

f

s at

of

,
is

1

ar,

;

21.

B

C

od

ier

ate

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
Mid-Year Population Estimates for ESCAMBIA CO., 2016–2020**

Demographic Group	2016	% of Total	2017	% of Total	2018
Male	154,488	49.7%	155,444	49.7%	156,953
Female	156,154	50.3%	157,367	50.3%	160,098
White	202,273	65.1%	202,602	64.8%	204,170
Black	69,873	22.5%	70,421	22.5%	72,086
Hispanic/Latinx	17,086	5.5%	17,651	5.6%	17,896
Other	21,410	6.9%	22,137	7.1%	22,899
0–2 years	11,311	3.6%	11,412	3.6%	11,475
3–12 years	36,261	11.7%	36,417	11.6%	37,129
0–12 years	47,572	15.3%	47,829	15.3%	48,604
13–19 years	28,957	9.3%	29,132	9.3%	29,008
20–24 years	27,111	8.7%	26,668	8.5%	25,721
25–29 years	23,945	7.7%	24,710	7.9%	25,570
30–34 years	20,021	6.4%	20,415	6.5%	21,098
35–39 years	16,923	5.4%	17,473	5.6%	18,233
30–39 years	36,944	11.9%	37,888	12.1%	39,331
40–44 years	16,425	5.3%	15,884	5.1%	16,081
45–49 years	17,737	5.7%	17,657	5.6%	18,023
40–49 years	34,162	11.0%	33,541	10.7%	34,104
50–54 years	20,822	6.7%	20,147	6.4%	19,744
55–59 years	21,869	7.0%	21,867	7.0%	22,416
50–59 years	42,691	13.7%	42,014	13.4%	42,160
60+ years	69,260	22.3%	71,029	22.7%	72,553
Youth (age 13–24)	56,068	18.0%	55,800	17.8%	54,729
Adults (age 13+)	263,070	84.7%	264,982	84.7%	268,447
Older Adults (age 50+)	111,951	36.0%	113,043	36.1%	114,713
WCBA (age 15–44)	60,017	19.3%	60,298	19.3%	61,407
Total	310,642	100.0%	312,811	100.0%	317,051

**Note: Other includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Multi-race
WCBA=women of childbearing age**

September 13, 2021

% of Total	2019	% of Total	2020	% of Total
49.5%	159,823	49.5%	160,331	49.4%
50.5%	163,078	50.5%	164,289	50.6%
64.4%	207,255	64.2%	207,899	64.0%
22.7%	73,369	22.7%	73,907	22.8%
5.6%	18,771	5.8%	19,242	5.9%
7.2%	23,506	7.3%	23,572	7.3%
3.6%	11,648	3.6%	11,541	3.6%
11.7%	37,669	11.7%	37,931	11.7%
15.3%	49,316	15.3%	49,471	15.2%
9.1%	29,213	9.0%	29,263	9.0%
8.1%	25,748	8.0%	25,451	7.8%
8.1%	25,921	8.0%	25,884	8.0%
6.7%	21,611	6.7%	22,287	6.9%
5.8%	19,010	5.9%	19,491	6.0%
12.4%	40,621	12.6%	41,778	12.9%
5.1%	16,405	5.1%	16,724	5.2%
5.7%	18,264	5.7%	17,804	5.5%
10.8%	34,669	10.7%	34,528	10.6%
6.2%	19,186	5.9%	18,533	5.7%
7.1%	22,569	7.0%	22,391	6.9%
13.3%	41,755	12.9%	40,924	12.6%
22.9%	75,658	23.4%	77,321	23.8%
17.3%	54,961	17.0%	54,714	16.9%
84.7%	273,585	84.7%	275,149	84.8%
36.2%	117,413	36.4%	118,245	36.4%
19.4%	62,436	19.3%	63,333	19.5%
100.0%	322,901	100.0%	324,620	100.0%

and all other race groups

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

HIV Diagnoses, 2016–2020

Demographic Group/Transmission Category	2016	
	N	% of Total
Race/Ethnicity		
White	11	25.0%
Black	29	65.9%
Hispanic/Latinx	2	4.5%
Asian	0	0.0%
American Indian/Alaska Native	1	2.3%
Native Hawaiian/Pacific Islander	0	0.0%
Multi-race	1	2.3%
Birth Sex		
Male	37	84.1%
Female	7	15.9%
Gender Identity		
Cisgender Man	37	84.1%
Cisgender Woman	7	15.9%
Transgender Man	0	0.0%
Transgender Woman	0	0.0%
Age		
0–2 years	0	0.0%
3–12 years	0	0.0%
13–19 years	1	2.3%
20–24 years	10	22.7%
25–29 years	9	20.5%
30–34 years	6	13.6%
35–39 years	2	4.5%
40–44 years	3	6.8%
45–49 years	6	13.6%
50–54 years	1	2.3%
55–59 years	4	9.1%
60+ years	2	4.5%
Youth (age 13–24)	11	25.0%
Adults (age 13+)	44	100.0%
Older Adults (age 50+)	7	15.9%
WCBA (age 15–44)	3	6.8%
Country/Territory of Birth		
United States	42	95.5%
Haiti	0	0.0%
Cuba	0	0.0%

Venezuela	0	0.0%
Puerto Rico	1	2.3%
Colombia	0	0.0%
Mexico	0	0.0%
Brazil	0	0.0%
Jamaica	0	0.0%
Other/Unknown	1	2.3%
Total	44	100.0%
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	23	62.2%
IDU	1	2.7%
MMSC/IDU	0	0.0%
Heterosexual Contact	13	35.1%
Other Risk	0	0.0%
Total Cisgender Man Adult/Adolescent	37	100.0%
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	1	14.3%
Heterosexual Contact	6	85.7%
Other Risk	0	0.0%
Total Cisgender Woman Adult/Adolescent	7	100.0%
Transgender Adult/Adolescent Transmission Categories		
IDU	0	-
Sexual Contact	0	-
Other Risk	0	-
Total Transgender Adult/Adolescent	0	-
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	0	-
Non-perinatal Exposure	0	-
Total Pediatric	0	-
Select Populations		
White Heterosexual Contact	3	-
White IDU	1	-
White Pediatric (age 0–12)	0	-
White Cisgender Man	9	-
White Cisgender Man Heterosexual Contact	2	-
White MMSC	7	-
White Cisgender Man IDU	0	-
White MMSC/IDU	0	-
White Cisgender Man Youth (age 13–24)	1	-
White Cisgender Man Homeless	0	-
White Cisgender Woman	2	-
White Cisgender Woman Heterosexual Contact	1	-

White Cisgender Woman IDU	1	-
White Cisgender Woman Youth (age 13–24)	1	-
White WCBA (age 15–44)	2	-
White Cisgender Woman Homeless	0	-
White Transgender	0	-
White Transgender Sexual Contact	0	-
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	16	-
Black IDU	1	-
Black Pediatric (age 0–12)	0	-
Black Cisgender Man	24	-
Black Cisgender Man Heterosexual Contact	11	-
Black MMSC	12	-
Black Cisgender Man IDU	1	-
Black MMSC/IDU	0	-
Black Cisgender Man Youth (age 13–24)	6	-
Black Cisgender Man Homeless	0	-
Black Cisgender Woman	5	-
Black Cisgender Woman Heterosexual Contact	5	-
Black Cisgender Woman IDU	0	-
Black Cisgender Woman Youth (age 13–24)	0	-
Black WCBA (age 15–44)	1	-
Black Cisgender Woman Homeless	0	-
Black Transgender	0	-
Black Transgender Sexual Contact	0	-
Black Transgender IDU	0	-
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	0	-
Hispanic/Latinx IDU	0	-
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	2	-
Hispanic/Latino Cisgender Man Heterosexual Contact	0	-
Hispanic/Latino MMSC	2	-
Hispanic/Latino Cisgender Man IDU	0	-
Hispanic/Latino MMSC/IDU	0	-
Hispanic/Latino Cisgender Man Youth (age 13–24)	2	-
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	0	-
Hispanic/Latina Cisgender Woman Heterosexual Contact	0	-

Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	0	-
Hispanic/Latina Cisgender Woman Homeless	0	-
Hispanic/Latinx Transgender	0	-
Hispanic/Latinx Transgender Sexual Contact	0	-
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	0	-
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	0	-

Persons whose HIV diagnosis occurred in the period specified, data as of 6/30/2021.

HIV diagnoses refer to all persons with an HIV diagnosis regardless of a subsequent AIDS diagnosis.

HIV diagnoses cannot be added with AIDS diagnoses to get combined totals since these categories are

Homelessness is based on the current address at the end of the calendar year and includes addresses

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Rate	2017			2018		
	N	% of Total	Rate	N	% of Total	Rate
5.4	27	40.3%	13.3	24	45.3%	11.8
41.5	34	50.7%	48.3	24	45.3%	33.3
11.7	2	3.0%	11.3	2	3.8%	11.2
-	0	0.0%	-	3	5.7%	-
-	2	3.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	2	3.0%	-	0	0.0%	-
24.0	56	83.6%	36.0	43	81.1%	27.4
4.5	11	16.4%	7.0	10	18.9%	6.2
-	56	83.6%	-	43	81.1%	-
-	11	16.4%	-	10	18.9%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
0.0	1	1.5%	8.8	1	1.9%	8.7
0.0	0	0.0%	0.0	0	0.0%	0.0
3.5	0	0.0%	0.0	2	3.8%	6.9
36.9	11	16.4%	41.2	7	13.2%	27.2
37.6	14	20.9%	56.7	8	15.1%	31.3
30.0	7	10.4%	34.3	12	22.6%	56.9
11.8	8	11.9%	45.8	4	7.5%	21.9
18.3	3	4.5%	18.9	3	5.7%	18.7
33.8	9	13.4%	51.0	6	11.3%	33.3
4.8	4	6.0%	19.9	2	3.8%	10.1
18.3	5	7.5%	22.9	4	7.5%	17.8
2.9	5	7.5%	7.0	4	7.5%	5.5
19.6	11	16.4%	19.7	9	17.0%	16.4
16.7	66	98.5%	24.9	52	98.1%	19.4
6.3	14	20.9%	12.4	10	18.9%	8.7
5.0	6	9.0%	10.0	7	13.2%	11.4
-	65	97.0%	-	49	92.5%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-

-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	2	3.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	4	7.5%	-
14.2	67	100.0%	21.4	53	100.0%	16.7

-	40	71.4%	-	29	69.0%	-
-	2	3.6%	-	0	0.0%	-
-	3	5.4%	-	3	7.1%	-
-	11	19.6%	-	9	21.4%	-
-	0	0.0%	-	0	0.0%	-
-	56	100.0%	-	42	100.0%	-

-	1	10.0%	-	3	30.0%	-
-	9	90.0%	-	7	70.0%	-
-	0	0.0%	-	0	0.0%	-
-	10	100.0%	-	10	100.0%	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-

-	1	100.0%	-	1	100.0%	-
-	0	0.0%	-	0	0.0%	-
-	1	100.0%	-	1	100.0%	-

-	5	-	-	2	-	-
-	1	-	-	3	-	-
-	1	-	-	1	-	-
-	24	-	-	21	-	-
-	4	-	-	2	-	-
-	18	-	-	15	-	-
-	0	-	-	0	-	-
-	2	-	-	3	-	-
-	2	-	-	4	-	-
-	1	-	-	0	-	-
-	3	-	-	3	-	-
-	1	-	-	0	-	-

-	1	-	-	3	-	-
-	0	-	-	0	-	-
-	1	-	-	3	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	11	-	-	12	-	-
-	2	-	-	0	-	-
-	0	-	-	0	-	-
-	28	-	-	18	-	-
-	5	-	-	6	-	-
-	22	-	-	12	-	-
-	2	-	-	0	-	-
-	0	-	-	0	-	-
-	8	-	-	4	-	-
-	1	-	-	0	-	-
-	6	-	-	6	-	-
-	6	-	-	6	-	-
-	0	-	-	0	-	-
-	1	-	-	1	-	-
-	5	-	-	4	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	2	-	-	1	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	2	-	-	1	-	-
-	2	-	-	0	-	-
-	0	-	-	1	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	1	-	-
-	0	-	-	1	-	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	1	-	-	2	-	-

are not mutually exclusive.

are labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

2019			2020			2016–2020
N	% of Total	Rate	N	% of Total	Rate	% Change
15	35.7%	7.2	9	22.5%	4.3	-18.2%
25	59.5%	34.1	24	60.0%	32.5	-17.2%
1	2.4%	5.3	6	15.0%	31.2	200.0%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-100.0%
1	2.4%	-	1	2.5%	-	-
0	0.0%	-	0	0.0%	-	-100.0%
31	73.8%	19.4	34	85.0%	21.2	-8.1%
11	26.2%	6.7	6	15.0%	3.7	-14.3%
31	73.8%	-	34	85.0%	-	-8.1%
10	23.8%	-	6	15.0%	-	-14.3%
1	2.4%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	0.0	0	0.0%	0.0	-
0	0.0%	0.0	0	0.0%	0.0	-
1	2.4%	3.4	3	7.5%	10.3	200.0%
6	14.3%	23.3	8	20.0%	31.4	-20.0%
12	28.6%	46.3	11	27.5%	42.5	22.2%
7	16.7%	32.4	5	12.5%	22.4	-16.7%
3	7.1%	15.8	1	2.5%	5.1	-50.0%
5	11.9%	30.5	3	7.5%	17.9	0.0%
2	4.8%	11.0	1	2.5%	5.6	-83.3%
2	4.8%	10.4	4	10.0%	21.6	300.0%
3	7.1%	13.3	2	5.0%	8.9	-50.0%
1	2.4%	1.3	2	5.0%	2.6	0.0%
7	16.7%	12.7	11	27.5%	20.1	0.0%
42	100.0%	15.4	40	100.0%	14.5	-9.1%
6	14.3%	5.1	8	20.0%	6.8	14.3%
7	16.7%	11.2	2	5.0%	3.2	-33.3%
41	97.6%	-	37	92.5%	-	-11.9%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-

0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-100.0%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	1	2.5%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
1	2.4%	-	2	5.0%	-	100.0%
42	100.0%	13.0	40	100.0%	12.3	-9.1%

23	74.2%	-	23	67.6%	-	0.0%
0	0.0%	-	1	2.9%	-	0.0%
1	3.2%	-	0	0.0%	-	-
7	22.6%	-	10	29.4%	-	-23.1%
0	0.0%	-	0	0.0%	-	-
31	100.0%	-	34	100.0%	-	-8.1%

2	20.0%	-	0	0.0%	-	-100.0%
8	80.0%	-	6	100.0%	-	0.0%
0	0.0%	-	0	0.0%	-	-
10	100.0%	-	6	100.0%	-	-14.3%

0	0.0%	-	0	-	-	-
1	100.0%	-	0	-	-	-
0	0.0%	-	0	-	-	-
1	100.0%	-	0	-	-	-

0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-

6	-	-	3	-	-	0.0%
2	-	-	1	-	-	0.0%
0	-	-	0	-	-	-
8	-	-	8	-	-	-11.1%
2	-	-	2	-	-	0.0%
5	-	-	5	-	-	-28.6%
0	-	-	1	-	-	-
1	-	-	0	-	-	-
2	-	-	1	-	-	0.0%
0	-	-	0	-	-	-
6	-	-	1	-	-	-50.0%
4	-	-	1	-	-	0.0%

2	-	-	0	-	-	-100.0%
1	-	-	0	-	-	-100.0%
5	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-
1	-	-	0	-	-	-
1	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
9	-	-	10	-	-	-37.5%
0	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-
21	-	-	20	-	-	-16.7%
5	-	-	6	-	-	-45.5%
16	-	-	14	-	-	16.7%
0	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-
2	-	-	9	-	-	50.0%
0	-	-	0	-	-	-
4	-	-	4	-	-	-20.0%
4	-	-	4	-	-	-20.0%
0	-	-	0	-	-	-
1	-	-	0	-	-	-
2	-	-	2	-	-	100.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	2	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
1	-	-	6	-	-	200.0%
0	-	-	2	-	-	-
1	-	-	4	-	-	100.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
1	-	-	1	-	-	-50.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
AIDS Diagnoses, 2016–2020**

Demographic Group/Transmission Category	2016	
	N	% of Total
Race/Ethnicity		
White	7	24.1%
Black	22	75.9%
Hispanic/Latinx	0	0.0%
Asian	0	0.0%
American Indian/Alaska Native	0	0.0%
Native Hawaiian/Pacific Islander	0	0.0%
Multi-race	0	0.0%
Birth Sex		
Male	20	69.0%
Female	9	31.0%
Gender Identity		
Cisgender Man	20	69.0%
Cisgender Woman	9	31.0%
Transgender Man	0	0.0%
Transgender Woman	0	0.0%
Age		
0–2 years	0	0.0%
3–12 years	0	0.0%
13–19 years	2	6.9%
20–24 years	0	0.0%
25–29 years	4	13.8%
30–34 years	4	13.8%
35–39 years	2	6.9%
40–44 years	3	10.3%
45–49 years	5	17.2%
50–54 years	3	10.3%
55–59 years	5	17.2%
60+ years	1	3.4%
Youth (age 13–24)	2	6.9%
Adults (age 13+)	29	100.0%
Older Adults (age 50+)	9	31.0%
WCBA (age 15–44)	2	6.9%
Country/Territory of Birth		
United States	29	100.0%
Haiti	0	0.0%
Cuba	0	0.0%

Venezuela	0	0.0%
Puerto Rico	0	0.0%
Colombia	0	0.0%
Mexico	0	0.0%
Brazil	0	0.0%
Jamaica	0	0.0%
Other/Unknown	0	0.0%
Total	29	100.0%
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	14	70.0%
IDU	0	0.0%
MMSC/IDU	0	0.0%
Heterosexual Contact	5	25.0%
Other Risk	0	0.0%
Total Cisgender Man Adult/Adolescent	20	100.0%
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	1	11.1%
Heterosexual Contact	8	88.9%
Other Risk	0	0.0%
Total Cisgender Woman Adult/Adolescent	9	100.0%
Transgender Adult/Adolescent Transmission Categories		
IDU	0	-
Sexual Contact	0	-
Other Risk	0	-
Total Transgender Adult/Adolescent	0	-
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	0	-
Non-perinatal Exposure	0	-
Total Pediatric	0	-
Select Populations		
White Heterosexual Contact	1	-
White IDU	1	-
White Pediatric (age 0–12)	0	-
White Cisgender Man	5	-
White Cisgender Man Heterosexual Contact	0	-
White MMSC	5	-
White Cisgender Man IDU	0	-
White MMSC/IDU	0	-
White Cisgender Man Youth (age 13–24)	0	-
White Cisgender Man Homeless	0	-
White Cisgender Woman	2	-
White Cisgender Woman Heterosexual Contact	1	-

White Cisgender Woman IDU	1	-
White Cisgender Woman Youth (age 13–24)	0	-
White WCBA (age 15–44)	1	-
White Cisgender Woman Homeless	0	-
White Transgender	0	-
White Transgender Sexual Contact	0	-
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	12	-
Black IDU	0	-
Black Pediatric (age 0–12)	0	-
Black Cisgender Man	15	-
Black Cisgender Man Heterosexual Contact	5	-
Black MMSC	9	-
Black Cisgender Man IDU	0	-
Black MMSC/IDU	0	-
Black Cisgender Man Youth (age 13–24)	2	-
Black Cisgender Man Homeless	0	-
Black Cisgender Woman	7	-
Black Cisgender Woman Heterosexual Contact	7	-
Black Cisgender Woman IDU	0	-
Black Cisgender Woman Youth (age 13–24)	0	-
Black WCBA (age 15–44)	1	-
Black Cisgender Woman Homeless	0	-
Black Transgender	0	-
Black Transgender Sexual Contact	0	-
Black Transgender IDU	0	-
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	0	-
Hispanic/Latinx IDU	0	-
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	0	-
Hispanic/Latino Cisgender Man Heterosexual Contact	0	-
Hispanic/Latino MMSC	0	-
Hispanic/Latino Cisgender Man IDU	0	-
Hispanic/Latino MMSC/IDU	0	-
Hispanic/Latino Cisgender Man Youth (age 13–24)	0	-
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	0	-
Hispanic/Latina Cisgender Woman Heterosexual Contact	0	-

Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	0	-
Hispanic/Latina Cisgender Woman Homeless	0	-
Hispanic/Latinx Transgender	0	-
Hispanic/Latinx Transgender Sexual Contact	0	-
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	0	-
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	1	-

Persons whose AIDS diagnosis occurred in the period specified, data as of 6/30/2021.

HIV diagnoses cannot be added with AIDS diagnoses to get combined totals since these categories are

Homelessness is based on the current address at the end of the calendar year and includes addresses

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

	2017			2018		
Rate	N	% of Total	Rate	N	% of Total	Rate
3.5	9	28.1%	4.4	11	44.0%	5.4
31.5	20	62.5%	28.4	11	44.0%	15.3
0.0	2	6.3%	11.3	0	0.0%	0.0
-	0	0.0%	-	2	8.0%	-
-	1	3.1%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	1	4.0%	-
12.9	24	75.0%	15.4	16	64.0%	10.2
5.8	8	25.0%	5.1	9	36.0%	5.6
-	24	75.0%	-	16	64.0%	-
-	8	25.0%	-	9	36.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
0.0	0	0.0%	0.0	0	0.0%	0.0
0.0	0	0.0%	0.0	0	0.0%	0.0
6.9	0	0.0%	0.0	0	0.0%	0.0
0.0	1	3.1%	3.7	1	4.0%	3.9
16.7	5	15.6%	20.2	2	8.0%	7.8
20.0	4	12.5%	19.6	5	20.0%	23.7
11.8	4	12.5%	22.9	1	4.0%	5.5
18.3	1	3.1%	6.3	2	8.0%	12.4
28.2	6	18.8%	34.0	5	20.0%	27.7
14.4	4	12.5%	19.9	3	12.0%	15.2
22.9	3	9.4%	13.7	4	16.0%	17.8
1.4	4	12.5%	5.6	2	8.0%	2.8
3.6	1	3.1%	1.8	1	4.0%	1.8
11.0	32	100.0%	12.1	25	100.0%	9.3
8.0	11	34.4%	9.7	9	36.0%	7.8
3.3	5	15.6%	8.3	5	20.0%	8.1
-	30	93.8%	-	23	92.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-

-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	2	6.3%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	2	8.0%	-
9.3	32	100.0%	10.2	25	100.0%	7.9

-	13	54.2%	-	9	56.3%	-
-	1	4.2%	-	1	6.3%	-
-	0	0.0%	-	1	6.3%	-
-	11	45.8%	-	5	31.3%	-
-	0	0.0%	-	0	0.0%	-
-	24	100.0%	-	16	100.0%	-

-	1	12.5%	-	0	0.0%	-
-	7	87.5%	-	9	100.0%	-
-	0	0.0%	-	0	0.0%	-
-	8	100.0%	-	9	100.0%	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-

-	3	-	-	4	-	-
-	1	-	-	1	-	-
-	0	-	-	0	-	-
-	8	-	-	8	-	-
-	3	-	-	1	-	-
-	5	-	-	5	-	-
-	0	-	-	1	-	-
-	0	-	-	1	-	-
-	0	-	-	1	-	-
-	0	-	-	0	-	-
-	1	-	-	3	-	-
-	0	-	-	3	-	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-

are not mutually exclusive.

are labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

2019			2020			2016–2020
N	% of Total	Rate	N	% of Total	Rate	% Change
6	25.0%	2.9	10	33.3%	4.8	42.9%
16	66.7%	21.8	18	60.0%	24.4	-18.2%
1	4.2%	5.3	1	3.3%	5.2	-
0	0.0%	-	1	3.3%	-	-
0	0.0%	-	0	0.0%	-	-
1	4.2%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
15	62.5%	9.4	22	73.3%	13.7	10.0%
9	37.5%	5.5	8	26.7%	4.9	-11.1%
15	62.5%	-	22	73.3%	-	10.0%
9	37.5%	-	8	26.7%	-	-11.1%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	0.0	0	0.0%	0.0	-
0	0.0%	0.0	0	0.0%	0.0	-
0	0.0%	0.0	1	3.3%	3.4	-50.0%
0	0.0%	0.0	2	6.7%	7.9	-
3	12.5%	11.6	5	16.7%	19.3	25.0%
5	20.8%	23.1	4	13.3%	17.9	0.0%
3	12.5%	15.8	5	16.7%	25.7	150.0%
2	8.3%	12.2	0	0.0%	0.0	-100.0%
3	12.5%	16.4	3	10.0%	16.9	-40.0%
2	8.3%	10.4	2	6.7%	10.8	-33.3%
2	8.3%	8.9	4	13.3%	17.9	-20.0%
4	16.7%	5.3	4	13.3%	5.2	300.0%
0	0.0%	0.0	3	10.0%	5.5	50.0%
24	100.0%	8.8	30	100.0%	10.9	3.4%
8	33.3%	6.8	10	33.3%	8.5	11.1%
3	12.5%	4.8	4	13.3%	6.3	100.0%
23	95.8%	-	29	96.7%	-	0.0%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-

0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
1	4.2%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	1	3.3%	-	-
24	100.0%	7.4	30	100.0%	9.2	3.4%

7	46.7%	-	14	63.6%	-	0.0%
0	0.0%	-	1	4.5%	-	-
0	0.0%	-	0	0.0%	-	-
8	53.3%	-	7	31.8%	-	40.0%
0	0.0%	-	0	0.0%	-	-
15	100.0%	-	22	100.0%	-	10.0%

2	22.2%	-	2	25.0%	-	100.0%
7	77.8%	-	6	75.0%	-	-25.0%
0	0.0%	-	0	0.0%	-	-
9	100.0%	-	8	100.0%	-	-11.1%

0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-

0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-

4	-	-	1	-	-	0.0%
2	-	-	2	-	-	100.0%
0	-	-	0	-	-	-
2	-	-	9	-	-	80.0%
2	-	-	1	-	-	-
0	-	-	7	-	-	40.0%
0	-	-	1	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
4	-	-	1	-	-	-50.0%
2	-	-	0	-	-	-100.0%

2	-	-	1	-	-	0.0%
0	-	-	0	-	-	-
2	-	-	1	-	-	0.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
10	-	-	10	-	-	-16.7%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
11	-	-	13	-	-	-13.3%
5	-	-	5	-	-	0.0%
6	-	-	8	-	-	-11.1%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	3	-	-	50.0%
1	-	-	0	-	-	-
5	-	-	5	-	-	-28.6%
5	-	-	5	-	-	-28.6%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
1	-	-	3	-	-	200.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
1	-	-	1	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
1	-	-	0	-	-	-
1	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	1	-	-	-
0	-	-	1	-	-	-

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
Persons with HIV, 2016–2020**

	2016	
Demographic Group/Transmission Category	N	% of Total
Race/Ethnicity		
White	594	42.7%
Black	716	51.5%
Hispanic/Latinx	57	4.1%
Asian	6	0.4%
American Indian/Alaska Native	3	0.2%
Native Hawaiian/Pacific Islander	1	0.1%
Multi-race	13	0.9%
Birth Sex		
Male	1,036	74.5%
Female	354	25.5%
Gender Identity		
Cisgender Man	1,031	74.2%
Cisgender Woman	354	25.5%
Transgender Man	0	0.0%
Transgender Woman	5	0.4%
Age		
0–2 years	1	0.1%
3–12 years	3	0.2%
13–19 years	6	0.4%
20–24 years	56	4.0%
25–29 years	104	7.5%
30–34 years	125	9.0%
35–39 years	119	8.6%
40–44 years	120	8.6%
45–49 years	186	13.4%
50–54 years	268	19.3%
55–59 years	207	14.9%
60+ years	195	14.0%
Youth (age 13–24)	62	4.5%
Adults (age 13+)	1,386	99.7%
Older Adults (age 50+)	670	48.2%
WCBA (age 15–44)	144	10.4%
Country/Territory of Birth		
United States	1,343	96.6%
Haiti	0	0.0%

Cuba	1	0.1%
Venezuela	0	0.0%
Puerto Rico	6	0.4%
Colombia	0	0.0%
Mexico	5	0.4%
Brazil	1	0.1%
Jamaica	1	0.1%
Other/Unknown	33	2.4%
Total	1,390	100.0%
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	731	71.0%
IDU	60	5.8%
MMSC/IDU	60	5.8%
Heterosexual Contact	172	16.7%
Other Risk	8	0.8%
Total Cisgender Man Adult/Adolescent	1,030	100.0%
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	27	7.7%
Heterosexual Contact	311	88.6%
Other Risk	13	3.7%
Total Cisgender Woman Adult/Adolescent	351	100.0%
Transgender Adult/Adolescent Transmission Categories		
IDU	2	40.0%
Sexual Contact	3	60.0%
Other Risk	0	0.0%
Total Transgender Adult/Adolescent	5	100.0%
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	4	100.0%
Non-perinatal Exposure	0	0.0%
Total Pediatric	4	100.0%
Select Populations		
White Heterosexual Contact	97	-
White IDU	30	-
White Pediatric (age 0–12)	0	-
White Cisgender Man	511	-
White Cisgender Man Heterosexual Contact	27	-
White MMSC	426	-
White Cisgender Man IDU	18	-
White MMSC/IDU	39	-
White Cisgender Man Youth (age 13–24)	5	-
White Cisgender Man Homeless	4	-
White Cisgender Woman	82	-

White Cisgender Woman Heterosexual Contact	70	-
White Cisgender Woman IDU	11	-
White Cisgender Woman Youth (age 13–24)	3	-
White WCBA (age 15–44)	31	-
White Cisgender Woman Homeless	0	-
White Transgender	1	-
White Transgender Sexual Contact	0	-
White Transgender IDU	1	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	364	-
Black IDU	52	-
Black Pediatric (age 0–12)	4	-
Black Cisgender Man	458	-
Black Cisgender Man Heterosexual Contact	140	-
Black MMSC	260	-
Black Cisgender Man IDU	36	-
Black MMSC/IDU	16	-
Black Cisgender Man Youth (age 13–24)	33	-
Black Cisgender Man Homeless	1	-
Black Cisgender Woman	255	-
Black Cisgender Woman Heterosexual Contact	224	-
Black Cisgender Woman IDU	16	-
Black Cisgender Woman Youth (age 13–24)	12	-
Black WCBA (age 15–44)	106	-
Black Cisgender Woman Homeless	3	-
Black Transgender	3	-
Black Transgender Sexual Contact	2	-
Black Transgender IDU	1	-
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	14	-
Hispanic/Latinx IDU	4	-
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	47	-
Hispanic/Latino Cisgender Man Heterosexual Contact	5	-
Hispanic/Latino MMSC	33	-
Hispanic/Latino Cisgender Man IDU	4	-
Hispanic/Latino MMSC/IDU	3	-
Hispanic/Latino Cisgender Man Youth (age 13–24)	8	-
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	9	-

Hispanic/Latina Cisgender Woman Heterosexual Contact	9	-
Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	2	-
Hispanic/Latina Cisgender Woman Homeless	1	-
Hispanic/Latinx Transgender	1	-
Hispanic/Latinx Transgender Sexual Contact	1	-
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	0	-
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) is defined as the number of persons living with an HIV diagnosis in this area

Persons with AIDS (PWA) is defined as the number of persons living with an AIDS diagnosis in this area

Persons with HIV (PWH) and persons with AIDS (PWA) cannot be added together to get combined total

Homelessness is based on the current address at the end of the calendar year and includes addresses

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Persons with HIV (PWH)						
	2017			2018		
Rate	N	% of Total	Rate	N	% of Total	Rate
293.7	584	41.5%	288.2	579	41.3%	283.6
1,024.7	741	52.6%	1,052.2	738	52.7%	1,023.8
333.6	58	4.1%	328.6	58	4.1%	324.1
-	6	0.4%	-	8	0.6%	-
-	4	0.3%	-	2	0.1%	-
-	2	0.1%	-	2	0.1%	-
-	13	0.9%	-	14	1.0%	-
670.6	1,052	74.7%	676.8	1,044	74.5%	665.2
226.7	356	25.3%	226.2	357	25.5%	223.0
-	1,049	74.5%	-	1,039	74.2%	-
-	356	25.3%	-	357	25.5%	-
-	0	0.0%	-	0	0.0%	-
-	3	0.2%	-	5	0.4%	-
8.8	1	0.1%	8.8	2	0.1%	17.4
8.3	3	0.2%	8.2	4	0.3%	10.8
20.7	5	0.4%	17.2	7	0.5%	24.1
206.6	49	3.5%	183.7	41	2.9%	159.4
434.3	114	8.1%	461.4	107	7.6%	418.5
624.3	129	9.2%	631.9	137	9.8%	649.4
703.2	133	9.4%	761.2	142	10.1%	778.8
730.6	108	7.7%	679.9	100	7.1%	621.9
1,048.7	181	12.9%	1,025.1	163	11.6%	904.4
1,287.1	240	17.0%	1,191.2	230	16.4%	1,164.9
946.5	226	16.1%	1,033.5	220	15.7%	981.4
281.5	219	15.6%	308.3	248	17.7%	341.8
110.6	54	3.8%	96.8	48	3.4%	87.7
526.9	1,404	99.7%	529.8	1,395	99.6%	519.7
598.5	685	48.7%	606.0	698	49.8%	608.5
239.9	140	9.9%	232.2	145	10.3%	236.1
-	1,356	96.3%	-	1,347	96.1%	-
-	0	0.0%	-	1	0.1%	-

-	1	0.1%	-	1	0.1%	-
-	0	0.0%	-	0	0.0%	-
-	6	0.4%	-	5	0.4%	-
-	0	0.0%	-	0	0.0%	-
-	6	0.4%	-	6	0.4%	-
-	1	0.1%	-	1	0.1%	-
-	1	0.1%	-	2	0.1%	-
-	37	2.6%	-	38	2.7%	-
447.5	1,408	100.0%	450.1	1,401	100.0%	441.9

-	740	70.5%	-	738	71.2%	-
-	62	5.9%	-	56	5.4%	-
-	54	5.1%	-	49	4.7%	-
-	185	17.6%	-	185	17.8%	-
-	8	0.8%	-	9	0.9%	-
-	1,049	100.0%	-	1,037	100.0%	-

-	24	6.8%	-	24	6.8%	-
-	315	89.5%	-	316	89.5%	-
-	13	3.7%	-	14	4.0%	-
-	352	100.0%	-	353	100.0%	-

-	1	33.3%	-	1	20.0%	-
-	2	66.7%	-	4	80.0%	-
-	0	0.0%	-	0	0.0%	-
-	3	100.0%	-	5	100.0%	-

-	4	100.0%	-	6	100.0%	-
-	0	0.0%	-	0	0.0%	-
-	4	100.0%	-	6	100.0%	-

-	102	-	-	103	-	-
-	26	-	-	24	-	-
-	1	-	-	2	-	-
-	501	-	-	497	-	-
-	32	-	-	34	-	-
-	419	-	-	417	-	-
-	16	-	-	13	-	-
-	35	-	-	32	-	-
-	3	-	-	5	-	-
-	4	-	-	2	-	-
-	83	-	-	82	-	-

-	71	-	-	70	-	-
-	10	-	-	10	-	-
-	1	-	-	1	-	-
-	31	-	-	32	-	-
-	1	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	370	-	-	370	-	-
-	55	-	-	52	-	-
-	3	-	-	4	-	-
-	486	-	-	479	-	-
-	145	-	-	143	-	-
-	279	-	-	276	-	-
-	41	-	-	38	-	-
-	15	-	-	14	-	-
-	36	-	-	26	-	-
-	3	-	-	2	-	-
-	253	-	-	256	-	-
-	225	-	-	227	-	-
-	13	-	-	13	-	-
-	9	-	-	11	-	-
-	102	-	-	105	-	-
-	3	-	-	2	-	-
-	2	-	-	3	-	-
-	1	-	-	2	-	-
-	1	-	-	1	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	15	-	-	16	-	-
-	5	-	-	4	-	-
-	0	-	-	0	-	-
-	48	-	-	46	-	-
-	6	-	-	6	-	-
-	32	-	-	32	-	-
-	5	-	-	4	-	-
-	3	-	-	2	-	-
-	5	-	-	4	-	-
-	0	-	-	0	-	-
-	9	-	-	10	-	-

-	9	-	-	10	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	1	-	-	2	-	-
-	1	-	-	0	-	-
-	1	-	-	2	-	-
-	1	-	-	2	-	-
-	0	-	-	0	-	-
-	0	-	-	1	-	-
-	0	-	-	0	-	-
-	-	-	-	-	-	-

at the end of each respective calendar year, data as of 6/30/2021.

æ at the end of each respective calendar year, data as of 6/30/2021.

ls since these categories are not mutually exclusive.

s labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

2019			2020			2016–2020
N	% of Total	Rate	N	% of Total	Rate	% Change
575	41.8%	277.4	546	40.4%	262.6	-8.1%
721	52.4%	982.7	723	53.4%	978.3	1.0%
52	3.8%	277.0	55	4.1%	285.8	-3.5%
10	0.7%	-	9	0.7%	-	50.0%
2	0.1%	-	2	0.1%	-	-33.3%
2	0.1%	-	2	0.1%	-	100.0%
15	1.1%	-	16	1.2%	-	23.1%
1,030	74.8%	644.5	1,013	74.9%	631.8	-2.2%
347	25.2%	212.8	340	25.1%	207.0	-4.0%
1,026	74.5%	-	1,008	74.5%	-	-2.2%
346	25.1%	-	339	25.1%	-	-4.2%
1	0.1%	-	1	0.1%	-	-
4	0.3%	-	5	0.4%	-	0.0%
2	0.1%	17.2	1	0.1%	8.7	0.0%
5	0.4%	13.3	6	0.4%	15.8	100.0%
6	0.4%	20.5	6	0.4%	20.5	0.0%
39	2.8%	151.5	35	2.6%	137.5	-37.5%
101	7.3%	389.6	85	6.3%	328.4	-18.3%
125	9.1%	578.4	130	9.6%	583.3	4.0%
135	9.8%	710.2	126	9.3%	646.5	5.9%
103	7.5%	627.9	109	8.1%	651.8	-9.2%
135	9.8%	739.2	129	9.5%	724.6	-30.6%
219	15.9%	1,141.5	196	14.5%	1,057.6	-26.9%
232	16.8%	1,028.0	245	18.1%	1,094.2	18.4%
275	20.0%	363.5	285	21.1%	368.6	46.2%
45	3.3%	81.9	41	3.0%	74.9	-33.9%
1,370	99.5%	500.8	1,346	99.5%	489.2	-2.9%
726	52.7%	618.3	726	53.7%	614.0	8.4%
133	9.7%	213.0	119	8.8%	187.9	-17.4%
1,330	96.6%	-	1,306	96.5%	-	-2.8%
0	0.0%	-	1	0.1%	-	-

1	0.1%	-	1	0.1%	-	0.0%
0	0.0%	-	0	0.0%	-	-
2	0.1%	-	2	0.1%	-	-66.7%
0	0.0%	-	0	0.0%	-	-
5	0.4%	-	6	0.4%	-	20.0%
0	0.0%	-	0	0.0%	-	-100.0%
2	0.1%	-	3	0.2%	-	200.0%
37	2.7%	-	34	2.5%	-	3.0%
1,377	100.0%	426.4	1,353	100.0%	416.8	-2.7%

740	72.3%	-	719	71.5%	-	-1.6%
52	5.1%	-	45	4.5%	-	-25.0%
46	4.5%	-	46	4.6%	-	-23.3%
177	17.3%	-	189	18.8%	-	9.9%
8	0.8%	-	7	0.7%	-	-12.5%
1,023	100.0%	-	1,005	100.0%	-	-2.4%

25	7.3%	-	27	8.1%	-	0.0%
303	88.6%	-	293	87.5%	-	-5.8%
15	4.4%	-	15	4.5%	-	15.4%
342	100.0%	-	335	100.0%	-	-4.6%

1	20.0%	-	1	16.7%	-	-50.0%
4	80.0%	-	5	83.3%	-	66.7%
0	0.0%	-	0	0.0%	-	-
5	100.0%	-	6	100.0%	-	20.0%

7	100.0%	-	7	100.0%	-	75.0%
0	0.0%	-	0	0.0%	-	-
7	100.0%	-	7	100.0%	-	75.0%

99	-	-	96	-	-	-1.0%
23	-	-	24	-	-	-20.0%
2	-	-	2	-	-	-
493	-	-	465	-	-	-9.0%
31	-	-	32	-	-	18.5%
419	-	-	392	-	-	-8.0%
12	-	-	10	-	-	-44.4%
30	-	-	30	-	-	-23.1%
7	-	-	6	-	-	20.0%
3	-	-	2	-	-	-50.0%
81	-	-	80	-	-	-2.4%

69	-	-	65	-	-	-7.1%
10	-	-	13	-	-	18.2%
3	-	-	3	-	-	0.0%
33	-	-	29	-	-	-6.5%
1	-	-	1	-	-	-
1	-	-	1	-	-	0.0%
1	-	-	1	-	-	-
0	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
354	-	-	357	-	-	-1.9%
49	-	-	45	-	-	-13.5%
5	-	-	5	-	-	25.0%
473	-	-	480	-	-	4.8%
138	-	-	148	-	-	5.7%
277	-	-	281	-	-	8.1%
35	-	-	30	-	-	-16.7%
14	-	-	13	-	-	-18.8%
23	-	-	20	-	-	-39.4%
1	-	-	1	-	-	0.0%
246	-	-	240	-	-	-5.9%
216	-	-	209	-	-	-6.7%
13	-	-	14	-	-	-12.5%
10	-	-	9	-	-	-25.0%
93	-	-	82	-	-	-22.6%
0	-	-	1	-	-	-66.7%
2	-	-	3	-	-	0.0%
1	-	-	2	-	-	0.0%
1	-	-	1	-	-	0.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
15	-	-	16	-	-	14.3%
3	-	-	3	-	-	-25.0%
0	-	-	0	-	-	-
41	-	-	44	-	-	-6.4%
6	-	-	7	-	-	40.0%
31	-	-	33	-	-	0.0%
3	-	-	3	-	-	-25.0%
0	-	-	0	-	-	-100.0%
1	-	-	2	-	-	-75.0%
0	-	-	0	-	-	-
9	-	-	9	-	-	0.0%

9	-	-	9	-	-	0.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
1	-	-	2	-	-	0.0%
0	-	-	0	-	-	-100.0%
2	-	-	2	-	-	100.0%
2	-	-	2	-	-	100.0%
0	-	-	0	-	-	-
1	-	-	1	-	-	-
0	-	-	0	-	-	-
-	-	-	-	-	-	-

2016			2017			
N	% of Total	Rate	N	% of Total	Rate	N
328	43.1%	162.2	316	41.9%	156.0	307
390	51.2%	558.2	393	52.1%	558.1	399
33	4.3%	193.1	34	4.5%	192.6	33
2	0.3%	-	2	0.3%	-	4
0	0.0%	-	1	0.1%	-	0
1	0.1%	-	2	0.3%	-	2
7	0.9%	-	6	0.8%	-	7
566	74.4%	366.4	564	74.8%	362.8	557
195	25.6%	124.9	190	25.2%	120.7	195
564	74.1%	-	563	74.7%	-	555
195	25.6%	-	190	25.2%	-	195
0	0.0%	-	0	0.0%	-	0
2	0.3%	-	1	0.1%	-	2
0	0.0%	0.0	0	0.0%	0.0	0
0	0.0%	0.0	0	0.0%	0.0	1
1	0.1%	3.5	1	0.1%	3.4	1
7	0.9%	25.8	6	0.8%	22.5	5
27	3.5%	112.8	26	3.4%	105.2	23
44	5.8%	219.8	39	5.2%	191.0	50
55	7.2%	325.0	65	8.6%	372.0	62
69	9.1%	420.1	56	7.4%	352.6	51
101	13.3%	569.4	102	13.5%	577.7	95
181	23.8%	869.3	159	21.1%	789.2	151
139	18.3%	635.6	144	19.1%	658.5	146
137	18.0%	197.8	156	20.7%	219.6	167
8	1.1%	14.3	7	0.9%	12.5	6
761	100.0%	289.3	754	100.0%	284.5	751
457	60.1%	408.2	459	60.9%	406.0	464
63	8.3%	105.0	55	7.3%	91.2	59
734	96.5%	-	723	95.9%	-	720
0	0.0%	-	0	0.0%	-	0

1	0.1%	-	1	0.1%	-	1
0	0.0%	-	0	0.0%	-	0
1	0.1%	-	1	0.1%	-	1
0	0.0%	-	0	0.0%	-	0
3	0.4%	-	5	0.7%	-	5
1	0.1%	-	1	0.1%	-	1
1	0.1%	-	1	0.1%	-	1
20	2.6%	-	22	2.9%	-	23
761	100.0%	245.0	754	100.0%	241.0	752

380	67.4%	-	380	67.5%	-	379
42	7.4%	-	43	7.6%	-	36
39	6.9%	-	32	5.7%	-	25
99	17.6%	-	105	18.7%	-	109
5	0.9%	-	4	0.7%	-	5
564	100.0%	-	563	100.0%	-	554

15	7.7%	-	13	6.8%	-	11
175	89.7%	-	172	90.5%	-	178
5	2.6%	-	5	2.6%	-	6
195	100.0%	-	190	100.0%	-	195

1	50.0%	-	0	0.0%	-	0
1	50.0%	-	1	100.0%	-	2
0	0.0%	-	0	0.0%	-	0
2	100.0%	-	1	100.0%	-	2

0	-	-	0	-	-	1
0	-	-	0	-	-	0
0	-	-	0	-	-	1

55	-	-	56	-	-	60
18	-	-	15	-	-	12
0	-	-	0	-	-	0
284	-	-	275	-	-	267
17	-	-	20	-	-	23
231	-	-	226	-	-	221
12	-	-	10	-	-	9
23	-	-	19	-	-	13
0	-	-	0	-	-	1
0	-	-	0	-	-	0
43	-	-	41	-	-	40

38	-	-	36	-	-	37
5	-	-	5	-	-	3
0	-	-	0	-	-	0
9	-	-	9	-	-	10
0	-	-	0	-	-	0
1	-	-	0	-	-	0
0	-	-	0	-	-	0
1	-	-	0	-	-	0
0	-	-	0	-	-	0
0	-	-	0	-	-	0
205	-	-	205	-	-	209
37	-	-	37	-	-	32
0	-	-	0	-	-	1
247	-	-	254	-	-	254
77	-	-	79	-	-	79
126	-	-	131	-	-	135
27	-	-	29	-	-	24
13	-	-	11	-	-	10
7	-	-	7	-	-	4
1	-	-	1	-	-	0
143	-	-	139	-	-	144
128	-	-	126	-	-	130
10	-	-	8	-	-	8
1	-	-	0	-	-	1
52	-	-	44	-	-	46
1	-	-	1	-	-	1
0	-	-	0	-	-	1
0	-	-	0	-	-	1
0	-	-	0	-	-	0
0	-	-	0	-	-	0
0	-	-	0	-	-	0
8	-	-	10	-	-	11
3	-	-	3	-	-	2
0	-	-	0	-	-	0
27	-	-	28	-	-	26
3	-	-	5	-	-	5
18	-	-	18	-	-	17
3	-	-	3	-	-	2
2	-	-	2	-	-	2
0	-	-	0	-	-	0
0	-	-	0	-	-	0
5	-	-	5	-	-	6

5	-	-	5	-	-	6
0	-	-	0	-	-	0
0	-	-	0	-	-	0
0	-	-	0	-	-	1
0	-	-	0	-	-	0
1	-	-	1	-	-	1
1	-	-	1	-	-	1
0	-	-	0	-	-	0
0	-	-	0	-	-	0
0	-	-	0	-	-	0
-	-	-	-	-	-	-

Persons with AIDS (PWA)						
2018		2019			2020	
% of Total	Rate	N	% of Total	Rate	N	% of Total
40.8%	150.4	305	40.9%	147.2	288	38.7%
53.1%	553.5	397	53.3%	541.1	416	55.8%
4.4%	184.4	31	4.2%	165.1	31	4.2%
0.5%	-	4	0.5%	-	4	0.5%
0.0%	-	0	0.0%	-	0	0.0%
0.3%	-	2	0.3%	-	1	0.1%
0.9%	-	6	0.8%	-	5	0.7%
74.1%	354.9	556	74.6%	347.9	551	74.0%
25.9%	121.8	189	25.4%	115.9	194	26.0%
73.8%	-	555	74.5%	-	549	73.7%
25.9%	-	189	25.4%	-	194	26.0%
0.0%	-	0	0.0%	-	0	0.0%
0.3%	-	1	0.1%	-	2	0.3%
0.0%	0.0	0	0.0%	0.0	0	0.0%
0.1%	2.7	1	0.1%	2.7	1	0.1%
0.1%	3.4	1	0.1%	3.4	2	0.3%
0.7%	19.4	4	0.5%	15.5	5	0.7%
3.1%	89.9	20	2.7%	77.2	16	2.1%
6.6%	237.0	42	5.6%	194.3	38	5.1%
8.2%	340.0	64	8.6%	336.7	64	8.6%
6.8%	317.1	51	6.8%	310.9	57	7.7%
12.6%	527.1	85	11.4%	465.4	83	11.1%
20.1%	764.8	136	18.3%	708.9	117	15.7%
19.4%	651.3	156	20.9%	691.2	171	23.0%
22.2%	230.2	185	24.8%	244.5	191	25.6%
0.8%	11.0	5	0.7%	9.1	7	0.9%
99.9%	279.8	744	99.9%	271.9	744	99.9%
61.7%	404.5	477	64.0%	406.3	479	64.3%
7.8%	96.1	55	7.4%	88.1	54	7.2%
95.7%	-	717	96.2%	-	717	96.2%
0.0%	-	0	0.0%	-	1	0.1%

0.1%	-	1	0.1%	-	1	0.1%
0.0%	-	0	0.0%	-	0	0.0%
0.1%	-	1	0.1%	-	1	0.1%
0.0%	-	0	0.0%	-	0	0.0%
0.7%	-	5	0.7%	-	5	0.7%
0.1%	-	0	0.0%	-	0	0.0%
0.1%	-	1	0.1%	-	2	0.3%
3.1%	-	20	2.7%	-	18	2.4%
100.0%	237.2	745	100.0%	230.7	745	100.0%

68.4%	-	383	69.1%	-	369	67.3%
6.5%	-	33	6.0%	-	30	5.5%
4.5%	-	24	4.3%	-	25	4.6%
19.7%	-	109	19.7%	-	119	21.7%
0.9%	-	5	0.9%	-	5	0.9%
100.0%	-	554	100.0%	-	548	100.0%

5.6%	-	10	5.3%	-	13	6.7%
91.3%	-	173	91.5%	-	175	90.2%
3.1%	-	6	3.2%	-	7	3.6%
100.0%	-	189	100.0%	-	194	100.0%

0.0%	-	0	0.0%	-	1	50.0%
100.0%	-	1	100.0%	-	1	50.0%
0.0%	-	0	0.0%	-	0	0.0%
100.0%	-	1	100.0%	-	2	100.0%

100.0%	-	1	100.0%	-	1	100.0%
0.0%	-	0	0.0%	-	0	0.0%
100.0%	-	1	100.0%	-	1	100.0%

-	-	56	-	-	55	-
-	-	10	-	-	12	-
-	-	0	-	-	0	-
-	-	267	-	-	250	-
-	-	21	-	-	23	-
-	-	224	-	-	205	-
-	-	7	-	-	6	-
-	-	14	-	-	16	-
-	-	1	-	-	0	-
-	-	0	-	-	0	-
-	-	38	-	-	38	-

-	-	35	-	-	32	-
-	-	3	-	-	6	-
-	-	0	-	-	0	-
-	-	11	-	-	10	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	208	-	-	220	-
-	-	30	-	-	29	-
-	-	1	-	-	1	-
-	-	256	-	-	270	-
-	-	80	-	-	88	-
-	-	137	-	-	145	-
-	-	23	-	-	21	-
-	-	10	-	-	10	-
-	-	3	-	-	5	-
-	-	0	-	-	0	-
-	-	141	-	-	145	-
-	-	128	-	-	132	-
-	-	7	-	-	7	-
-	-	1	-	-	2	-
-	-	41	-	-	40	-
-	-	0	-	-	0	-
-	-	0	-	-	1	-
-	-	0	-	-	0	-
-	-	0	-	-	1	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	11	-	-	12	-
-	-	2	-	-	2	-
-	-	0	-	-	0	-
-	-	24	-	-	23	-
-	-	5	-	-	5	-
-	-	16	-	-	15	-
-	-	2	-	-	2	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	6	-	-	7	-

-	-	6	-	-	7	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	1	-	-	2	-
-	-	0	-	-	0	-
-	-	1	-	-	1	-
-	-	1	-	-	1	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	0	-	-	0	-
-	-	-	-	-	-	-

	2016–2020
Rate	% Change
138.5	-12.2%
562.9	6.7%
161.1	-6.1%
-	100.0%
-	-
-	0.0%
-	-28.6%
343.7	-2.7%
118.1	-0.5%
-	-2.7%
-	-0.5%
-	-
-	0.0%
0.0	-
2.6	-
6.8	100.0%
19.6	-28.6%
61.8	-40.7%
170.5	-13.6%
328.4	16.4%
340.8	-17.4%
466.2	-17.8%
631.3	-35.4%
763.7	23.0%
247.0	39.4%
12.8	-12.5%
270.4	-2.2%
405.1	4.8%
85.3	-14.3%
-	-2.3%
-	-

-	0.0%
-	-
-	0.0%
-	-
-	66.7%
-	-100.0%
-	100.0%
-	-10.0%
229.5	-2.1%

-	-2.9%
-	-28.6%
-	-35.9%
-	20.2%
-	0.0%
-	-2.8%

-	-13.3%
-	0.0%
-	40.0%
-	-0.5%

-	0.0%
-	0.0%
-	-
-	0.0%

-	-
-	-
-	-

-	0.0%
-	-33.3%
-	-
-	-12.0%
-	35.3%
-	-11.3%
-	-50.0%
-	-30.4%
-	-
-	-
-	-11.6%

-	-15.8%
-	20.0%
-	-
-	11.1%
-	-
-	-100.0%
-	-
-	-100.0%
-	-
-	-
-	7.3%
-	-21.6%
-	-
-	9.3%
-	14.3%
-	15.1%
-	-22.2%
-	-23.1%
-	-28.6%
-	-100.0%
-	1.4%
-	3.1%
-	-30.0%
-	100.0%
-	-23.1%
-	-100.0%
-	-
-	-
-	-
-	-
-	-
-	50.0%
-	-33.3%
-	-
-	-14.8%
-	66.7%
-	-16.7%
-	-33.3%
-	-100.0%
-	-
-	-
-	40.0%

-	40.0%
-	-
-	-
-	-
-	-
-	0.0%
-	0.0%
-	-
-	-
-	-
-	-

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
HIV-related Deaths among Persons with HIV, 2016–2020**

Demographic Group/Transmission Category	2016	
	N	% of Total
Race/Ethnicity		
White	8	47.1%
Black	9	52.9%
Hispanic/Latinx	0	0.0%
Asian	0	0.0%
American Indian/Alaska Native	0	0.0%
Native Hawaiian/Pacific Islander	0	0.0%
Multi-race	0	0.0%
Birth Sex		
Male	15	88.2%
Female	2	11.8%
Gender Identity		
Cisgender Man	15	88.2%
Cisgender Woman	2	11.8%
Transgender Man	0	0.0%
Transgender Woman	0	0.0%
Age		
0–2 years	0	0.0%
3–12 years	0	0.0%
13–19 years	0	0.0%
20–24 years	1	5.9%
25–29 years	0	0.0%
30–34 years	2	11.8%
35–39 years	1	5.9%
40–44 years	0	0.0%
45–49 years	3	17.6%
50–54 years	3	17.6%
55–59 years	5	29.4%
60+ years	2	11.8%
Youth (age 13–24)	1	5.9%
Adults (age 13+)	17	100.0%
Older Adults (age 50+)	10	58.8%
WCBA (age 15–44)	0	0.0%
Country/Territory of Birth		
United States	17	100.0%
Haiti	0	0.0%
Cuba	0	0.0%

Venezuela	0	0.0%
Puerto Rico	0	0.0%
Colombia	0	0.0%
Mexico	0	0.0%
Brazil	0	0.0%
Jamaica	0	0.0%
Other/Unknown	0	0.0%
Total	17	100.0%
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	9	60.0%
IDU	1	6.7%
MMSC/IDU	1	6.7%
Heterosexual Contact	4	26.7%
Other Risk	0	0.0%
Total Cisgender Man Adult/Adolescent	15	100.0%
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	1	50.0%
Heterosexual Contact	1	50.0%
Other Risk	0	0.0%
Total Cisgender Woman Adult/Adolescent	2	100.0%
Transgender Adult/Adolescent Transmission Categories		
IDU	0	-
Sexual Contact	0	-
Other Risk	0	-
Total Transgender Adult/Adolescent	0	-
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	0	-
Non-perinatal Exposure	0	-
Total Pediatric	0	-
Select Populations		
White Heterosexual Contact	1	-
White IDU	1	-
White Pediatric (age 0–12)	0	-
White Cisgender Man	8	-
White Cisgender Man Heterosexual Contact	1	-
White MMSC	5	-
White Cisgender Man IDU	1	-
White MMSC/IDU	1	-
White Cisgender Man Youth (age 13–24)	0	-
White Cisgender Man Homeless	0	-
White Cisgender Woman	0	-
White Cisgender Woman Heterosexual Contact	0	-

White Cisgender Woman IDU	0	-
White Cisgender Woman Youth (age 13–24)	0	-
White WCBA (age 15–44)	0	-
White Cisgender Woman Homeless	0	-
White Transgender	0	-
White Transgender Sexual Contact	0	-
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	-	-
White Transgender Homeless	0	-
Black Heterosexual Contact	4	-
Black IDU	1	-
Black Pediatric (age 0–12)	0	-
Black Cisgender Man	7	-
Black Cisgender Man Heterosexual Contact	3	-
Black MMSC	4	-
Black Cisgender Man IDU	0	-
Black MMSC/IDU	0	-
Black Cisgender Man Youth (age 13–24)	1	-
Black Cisgender Man Homeless	0	-
Black Cisgender Woman	2	-
Black Cisgender Woman Heterosexual Contact	1	-
Black Cisgender Woman IDU	1	-
Black Cisgender Woman Youth (age 13–24)	0	-
Black WCBA (age 15–44)	0	-
Black Cisgender Woman Homeless	0	-
Black Transgender	0	-
Black Transgender Sexual Contact	0	-
Black Transgender IDU	0	-
Black Transgender Youth (age 13–24)	-	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	0	-
Hispanic/Latinx IDU	0	-
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	0	-
Hispanic/Latino Cisgender Man Heterosexual Contact	0	-
Hispanic/Latino MMSC	0	-
Hispanic/Latino Cisgender Man IDU	0	-
Hispanic/Latino MMSC/IDU	0	-
Hispanic/Latino Cisgender Man Youth (age 13–24)	0	-
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	0	-
Hispanic/Latina Cisgender Woman Heterosexual Contact	0	-

Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	0	-
Hispanic/Latina Cisgender Woman Homeless	0	-
Hispanic/Latinx Transgender	0	-
Hispanic/Latinx Transgender Sexual Contact	0	-
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	-	-
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) with HIV listed as the underlying cause of death and a residence at death in the United States. These data will vary from the HIV-related deaths generated by the Office of Vital Statistics posted on the CDC website. Homelessness is based on the current address at the end of the calendar year and includes addresses where the person was homeless for at least one day. The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Rate	2017			2018		
	N	% of Total	Rate	N	% of Total	Rate
4.0	2	18.2%	1.0	8	57.1%	3.9
12.9	9	81.8%	12.8	6	42.9%	8.3
0.0	0	0.0%	0.0	0	0.0%	0.0
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
9.7	7	63.6%	4.5	9	64.3%	5.7
1.3	4	36.4%	2.5	5	35.7%	3.1
-	7	63.6%	-	9	64.3%	-
-	4	36.4%	-	5	35.7%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
0.0	0	0.0%	0.0	0	0.0%	0.0
0.0	0	0.0%	0.0	0	0.0%	0.0
0.0	0	0.0%	0.0	0	0.0%	0.0
3.7	0	0.0%	0.0	0	0.0%	0.0
0.0	1	9.1%	4.0	0	0.0%	0.0
10.0	0	0.0%	0.0	1	7.1%	4.7
5.9	1	9.1%	5.7	1	7.1%	5.5
0.0	2	18.2%	12.6	2	14.3%	12.4
16.9	2	18.2%	11.3	2	14.3%	11.1
14.4	2	18.2%	9.9	0	0.0%	0.0
22.9	1	9.1%	4.6	5	35.7%	22.3
2.9	2	18.2%	2.8	3	21.4%	4.1
1.8	0	0.0%	0.0	0	0.0%	0.0
6.5	11	100.0%	4.2	14	100.0%	5.2
8.9	5	45.5%	4.4	8	57.1%	7.0
0.0	2	18.2%	3.3	2	14.3%	3.3
-	11	100.0%	-	14	100.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-

-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
-	0	0.0%	-	0	0.0%	-
5.5	11	100.0%	3.5	14	100.0%	4.4

-	2	28.6%	-	5	55.6%	-
-	1	14.3%	-	1	11.1%	-
-	1	14.3%	-	2	22.2%	-
-	2	28.6%	-	0	0.0%	-
-	1	14.3%	-	0	0.0%	-
-	7	100.0%	-	9	100.0%	-

-	0	0.0%	-	0	0.0%	-
-	4	100.0%	-	5	100.0%	-
-	0	0.0%	-	0	0.0%	-
-	4	100.0%	-	5	100.0%	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-

-	0	-	-	2	-	-
-	1	-	-	0	-	-
-	0	-	-	0	-	-
-	2	-	-	6	-	-
-	0	-	-	0	-	-
-	0	-	-	4	-	-
-	1	-	-	0	-	-
-	0	-	-	2	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	2	-	-
-	0	-	-	2	-	-

-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	0	-	-	0	-	-
-	-	-	-	-	-	-
-	0	-	-	0	-	-
-	-	-	-	-	-	-

his area in the period specified, data as of 6/30/2021.

LHealthCHARTS.

s labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

2019			2020			2016–2020
N	% of Total	Rate	N	% of Total	Rate	% Change
3	25.0%	1.4	5	50.0%	2.4	-37.5%
8	66.7%	10.9	5	50.0%	6.8	-44.4%
1	8.3%	5.3	0	0.0%	0.0	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
5	41.7%	3.1	7	70.0%	4.4	-53.3%
7	58.3%	4.3	3	30.0%	1.8	50.0%
5	41.7%	-	7	70.0%	-	-53.3%
7	58.3%	-	3	30.0%	-	50.0%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	0.0	0	0.0%	0.0	-
0	0.0%	0.0	0	0.0%	0.0	-
0	0.0%	0.0	0	0.0%	0.0	-100.0%
0	0.0%	0.0	0	0.0%	0.0	-
0	0.0%	0.0	1	10.0%	4.5	-50.0%
2	16.7%	10.5	0	0.0%	0.0	-100.0%
1	8.3%	6.1	1	10.0%	6.0	-
2	16.7%	11.0	0	0.0%	0.0	-100.0%
2	16.7%	10.4	0	0.0%	0.0	-100.0%
1	8.3%	4.4	3	30.0%	13.4	-40.0%
4	33.3%	5.3	5	50.0%	6.5	150.0%
0	0.0%	0.0	0	0.0%	0.0	-100.0%
12	100.0%	4.4	10	100.0%	3.6	-41.2%
7	58.3%	6.0	8	80.0%	6.8	-20.0%
3	25.0%	4.8	1	10.0%	1.6	-
11	91.7%	-	9	90.0%	-	-47.1%
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-

0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
1	8.3%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	0	0.0%	-	-
0	0.0%	-	1	10.0%	-	-
12	100.0%	3.7	10	100.0%	3.1	-41.2%

1	20.0%	-	5	71.4%	-	-44.4%
1	20.0%	-	0	0.0%	-	-100.0%
0	0.0%	-	0	0.0%	-	-100.0%
3	60.0%	-	2	28.6%	-	-50.0%
0	0.0%	-	0	0.0%	-	-
5	100.0%	-	7	100.0%	-	-53.3%

1	14.3%	-	0	0.0%	-	-100.0%
6	85.7%	-	3	100.0%	-	200.0%
0	0.0%	-	0	0.0%	-	-
7	100.0%	-	3	100.0%	-	50.0%

0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-

0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-

2	-	-	1	-	-	0.0%
1	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-
1	-	-	5	-	-	-37.5%
1	-	-	1	-	-	0.0%
0	-	-	4	-	-	-20.0%
0	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-100.0%
0	-	-	0	-	-	-
0	-	-	0	-	-	-
2	-	-	0	-	-	-
1	-	-	0	-	-	-

0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
0	-	-	0	-	-	-
-	-	-	-	-	-	-
0	-	-	0	-	-	-
-	-	-	-	-	-	-

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Continuum of HIV Care, 2016

Demographic Group/Transmission Category	PWH	In Care
Race/Ethnicity		
White	594	461
Black	716	528
Hispanic/Latinx	57	33
Asian	6	5
American Indian/Alaska Native	3	1
Native Hawaiian/Pacific Islander	1	1
Multi-race	13	12
Birth Sex		
Male	1,036	760
Female	354	281
Gender Identity		
Cisgender Man	1,031	757
Cisgender Woman	354	281
Transgender Man	0	-
Transgender Woman	5	3
Age		
0–2 years	1	1
3–12 years	3	3
13–19 years	6	5
20–24 years	56	42
25–29 years	104	71
30–34 years	125	74
35–39 years	119	82
40–44 years	120	88
45–49 years	186	135
50–54 years	268	221
55–59 years	207	163
60+ years	195	156
Youth (age 13–24)	62	47
Adults (age 13+)	1,386	1,037

Older Adults (age 50+)	670	540
WCBA (age 15–44)	144	104
Country/Territory of Birth		
United States	1,343	1,011
Haiti	0	-
Cuba	1	0
Venezuela	0	-
Puerto Rico	6	2
Colombia	0	-
Mexico	5	1
Brazil	1	1
Jamaica	1	1
Other/Unknown	33	25
Total	1,390	1,041
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	731	548
IDU	60	42
MMSC/IDU	60	39
Heterosexual Contact	172	123
Other Risk	8	4
Total Cisgender Man Adult/Adolescent	1,030	756
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	27	21
Heterosexual Contact	311	247
Other Risk	13	10
Total Cisgender Woman Adult/Adolescent	351	278
Transgender Adult/Adolescent Transmission Categories		
IDU	2	1
Sexual Contact	3	2
Other Risk	0	-
Total Transgender Adult/Adolescent	5	3
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	4	4
Non-perinatal Exposure	0	-
Total Pediatric	4	4
Select Populations		
White Heterosexual Contact	97	77
White IDU	30	19
White Pediatric (age 0–12)	0	-
White Cisgender Man	511	395
White Cisgender Man Heterosexual Contact	27	19
White MMSC	426	338

White Cisgender Man IDU	18	11
White MMSC/IDU	39	26
White Cisgender Man Youth (age 13–24)	5	4
White Cisgender Man Homeless	4	2
White Cisgender Woman	82	65
White Cisgender Woman Heterosexual Contact	70	57
White Cisgender Woman IDU	11	7
White Cisgender Woman Youth (age 13–24)	3	3
White WCBA (age 15–44)	31	26
White Cisgender Woman Homeless	0	-
White Transgender	1	1
White Transgender Sexual Contact	0	-
White Transgender IDU	1	1
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	364	278
Black IDU	52	41
Black Pediatric (age 0–12)	4	4
Black Cisgender Man	458	323
Black Cisgender Man Heterosexual Contact	140	100
Black MMSC	260	180
Black Cisgender Man IDU	36	28
Black MMSC/IDU	16	11
Black Cisgender Man Youth (age 13–24)	33	24
Black Cisgender Man Homeless	1	1
Black Cisgender Woman	255	203
Black Cisgender Woman Heterosexual Contact	224	178
Black Cisgender Woman IDU	16	13
Black Cisgender Woman Youth (age 13–24)	12	10
Black WCBA (age 15–44)	106	75
Black Cisgender Woman Homeless	3	0
Black Transgender	3	2
Black Transgender Sexual Contact	2	2
Black Transgender IDU	1	0
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	14	10
Hispanic/Latinx IDU	4	2
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	47	26
Hispanic/Latino Cisgender Man Heterosexual Contact	5	3
Hispanic/Latino MMSC	33	20

Hispanic/Latino Cisgender Man IDU	4	2
Hispanic/Latino MMSC/IDU	3	1
Hispanic/Latino Cisgender Man Youth (age 13–24)	8	5
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	9	7
Hispanic/Latina Cisgender Woman Heterosexual Contact	9	7
Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	2	0
Hispanic/Latina Cisgender Woman Homeless	1	0
Hispanic/Latinx Transgender	1	0
Hispanic/Latinx Transgender Sexual Contact	1	0
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	0	-
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) is defined as the number of persons living with an HIV diagnosis in this area ; HIV diagnoses include persons whose HIV diagnosis occurred during the period specified, data as of 6/30/2021. In Care: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2016 through 6/30/2021. Out of Care: PWH with no documented VL or CD4 lab, medical visit, or prescription from 1/1/2016 through 6/30/2021. Retained in Care: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2016 through 6/30/2021. Suppressed Viral Load: PWH with a suppressed VL (<200 copies/mL) on the last VL from 1/1/2016 through 6/30/2021. In Care with Suppressed Viral Load: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2016 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2016 through 6/30/2021. Retained in Care with Suppressed Viral Load: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2016 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2016 through 6/30/2021. No Viral Load: No documented VL lab from 1/1/2016 through 6/30/2021, data as of 6/30/2021. Late Diagnosis: AIDS diagnosis within 3 months of HIV diagnosis.

Homelessness is based on the current address at the end of the calendar year and includes addresses where the person is not the owner or leaseholder. MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Persons with HIV (PWH)

% In Care	Out of Care	% Out of Care	Retained in Care	% Retained in Care	Suppressed VL	% Suppressed VL
77.6%	133	22.4%	426	71.7%	396	66.7%
73.7%	188	26.3%	467	65.2%	395	55.2%
57.9%	24	42.1%	27	47.4%	28	49.1%
83.3%	1	16.7%	4	66.7%	3	50.0%
33.3%	2	66.7%	1	33.3%	1	33.3%
100.0%	0	0.0%	1	100.0%	0	0.0%
92.3%	1	7.7%	10	76.9%	12	92.3%
73.4%	276	26.6%	684	66.0%	623	60.1%
79.4%	73	20.6%	252	71.2%	212	59.9%
73.4%	274	26.6%	682	66.1%	621	60.2%
79.4%	73	20.6%	252	71.2%	212	59.9%
-	-	-	-	-	-	-
60.0%	2	40.0%	2	40.0%	2	40.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	3	100.0%	3	100.0%
83.3%	1	16.7%	5	83.3%	3	50.0%
75.0%	14	25.0%	33	58.9%	23	41.1%
68.3%	33	31.7%	59	56.7%	48	46.2%
59.2%	51	40.8%	66	52.8%	56	44.8%
68.9%	37	31.1%	72	60.5%	57	47.9%
73.3%	32	26.7%	83	69.2%	74	61.7%
72.6%	51	27.4%	114	61.3%	103	55.4%
82.5%	47	17.5%	200	74.6%	188	70.1%
78.7%	44	21.3%	151	72.9%	137	66.2%
80.0%	39	20.0%	149	76.4%	142	72.8%
75.8%	15	24.2%	38	61.3%	26	41.9%
74.8%	349	25.2%	932	67.2%	831	60.0%

80.6%	130	19.4%	500	74.6%	467	69.7%
72.2%	40	27.8%	87	60.4%	69	47.9%
75.3%	332	24.7%	909	67.7%	810	60.3%
-	-	-	-	-	-	-
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
33.3%	4	66.7%	2	33.3%	2	33.3%
-	-	-	-	-	-	-
20.0%	4	80.0%	1	20.0%	1	20.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
75.8%	8	24.2%	22	66.7%	20	60.6%
74.9%	349	25.1%	936	67.3%	835	60.1%
75.0%	183	25.0%	496	67.9%	461	63.1%
70.0%	17	28.3%	36	60.0%	32	53.3%
65.0%	21	35.0%	32	53.3%	29	48.3%
71.5%	49	28.5%	113	65.7%	96	55.8%
50.0%	4	50.0%	4	50.0%	2	25.0%
73.4%	274	26.6%	681	66.1%	620	60.2%
77.8%	7	25.9%	18	66.7%	17	63.0%
79.4%	64	20.6%	222	71.4%	187	60.1%
76.9%	3	23.1%	9	69.2%	5	38.5%
79.2%	73	20.8%	249	70.9%	209	59.5%
50.0%	1	50.0%	1	50.0%	0	0.0%
66.7%	1	33.3%	1	33.3%	2	66.7%
-	-	-	-	-	-	-
60.0%	2	40.0%	2	40.0%	2	40.0%
100.0%	0	0.0%	4	100.0%	4	100.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	4	100.0%	4	100.0%
79.4%	21	21.6%	74	76.3%	66	68.0%
63.3%	11	36.7%	18	60.0%	14	46.7%
-	-	-	-	-	-	-
77.3%	116	22.7%	363	71.0%	341	66.7%
70.4%	8	29.6%	18	66.7%	16	59.3%
79.3%	88	20.7%	308	72.3%	295	69.2%

61.1%	7	38.9%	10	55.6%	8	44.4%
66.7%	13	33.3%	26	66.7%	22	56.4%
80.0%	1	20.0%	3	60.0%	3	60.0%
50.0%	2	50.0%	2	50.0%	2	50.0%
79.3%	17	20.7%	62	75.6%	55	67.1%
81.4%	13	18.6%	55	78.6%	49	70.0%
63.6%	4	36.4%	7	63.6%	6	54.5%
100.0%	0	0.0%	2	66.7%	2	66.7%
83.9%	5	16.1%	23	74.2%	19	61.3%
-	-	-	-	-	-	-
100.0%	0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
76.4%	87	23.9%	248	68.1%	203	55.8%
78.8%	11	21.2%	35	67.3%	32	61.5%
100.0%	0	0.0%	4	100.0%	4	100.0%
70.5%	135	29.5%	286	62.4%	247	53.9%
71.4%	40	28.6%	91	65.0%	76	54.3%
69.2%	80	30.8%	162	62.3%	142	54.6%
77.8%	8	22.2%	24	66.7%	21	58.3%
68.8%	5	31.3%	5	31.3%	5	31.3%
72.7%	9	27.3%	20	60.6%	13	39.4%
100.0%	0	0.0%	1	100.0%	0	0.0%
79.6%	52	20.4%	180	70.6%	146	57.3%
79.5%	47	21.0%	157	70.1%	127	56.7%
81.3%	3	18.8%	11	68.8%	11	68.8%
83.3%	2	16.7%	9	75.0%	5	41.7%
70.8%	31	29.2%	62	58.5%	48	45.3%
0.0%	3	100.0%	0	0.0%	0	0.0%
66.7%	1	33.3%	1	33.3%	2	66.7%
100.0%	0	0.0%	1	50.0%	2	100.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
71.4%	4	28.6%	9	64.3%	10	71.4%
50.0%	2	50.0%	1	25.0%	2	50.0%
-	-	-	-	-	-	-
55.3%	21	44.7%	21	44.7%	21	44.7%
60.0%	2	40.0%	3	60.0%	3	60.0%
60.6%	13	39.4%	16	48.5%	15	45.5%

50.0%	2	50.0%	1	25.0%	2	50.0%
33.3%	2	66.7%	1	33.3%	1	33.3%
62.5%	3	37.5%	3	37.5%	2	25.0%
-	-	-	-	-	-	-
77.8%	2	22.2%	6	66.7%	7	77.8%
77.8%	2	22.2%	6	66.7%	7	77.8%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	2	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-

at the end of each respective calendar year, data as of 6/30/2021.
6/30/2021.

through 3/31/2017, data as of 6/30/2021.

through 3/31/2017, data as of 6/30/2021.

at least three months apart from 1/1/2016 through 6/30/2017, data as of 6/30/2021.

through 3/31/2017, data as of 6/30/2021.

or prescription from 1/1/2016 through 3/31/2017 that also has a suppressed VL (<200 copies/mL) on the last VL
clinical visits, or prescriptions at least three months apart from 1/1/2016 through 6/30/2017 that also has a supp

is labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

% In Care with Suppressed VL	Retained in Care with Suppressed VL	% Retained in Care with Suppressed VL	No VL	% No VL	HIV Diagnoses	In Care w/in 7 Days
85.9%	377	88.5%	145	24.4%	11	3
74.8%	374	80.1%	213	29.7%	29	15
84.8%	24	88.9%	24	42.1%	2	1
60.0%	3	75.0%	1	16.7%	0	-
100.0%	1	100.0%	2	66.7%	1	1
0.0%	0	0.0%	0	0.0%	0	-
100.0%	10	100.0%	1	7.7%	1	1
82.0%	586	85.7%	302	29.2%	37	18
75.4%	203	80.6%	84	23.7%	7	3
82.0%	585	85.8%	300	29.1%	37	18
75.4%	203	80.6%	84	23.7%	7	3
-	-	-	-	-	0	-
66.7%	1	50.0%	2	40.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
100.0%	3	100.0%	0	0.0%	0	-
60.0%	3	60.0%	1	16.7%	1	0
54.8%	21	63.6%	19	33.9%	10	3
67.6%	44	74.6%	37	35.6%	9	3
75.7%	53	80.3%	53	42.4%	6	5
69.5%	52	72.2%	40	33.6%	2	1
84.1%	71	85.5%	32	26.7%	3	2
76.3%	95	83.3%	56	30.1%	6	3
85.1%	175	87.5%	54	20.1%	1	1
84.0%	134	88.7%	52	25.1%	4	3
91.0%	137	91.9%	42	21.5%	2	0
55.3%	24	63.2%	20	32.3%	11	3
80.1%	785	84.2%	386	27.8%	44	21

86.5%	446	89.2%	148	22.1%	7	4
66.3%	63	72.4%	46	31.9%	3	0
80.1%	765	84.2%	367	27.3%	42	19
-	-	-	-	-	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
100.0%	2	100.0%	4	66.7%	1	1
-	-	-	-	-	0	-
100.0%	1	100.0%	4	80.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
80.0%	19	86.4%	10	30.3%	1	1
80.2%	789	84.3%	386	27.8%	44	21
84.1%	434	87.5%	199	27.2%	23	11
76.2%	29	80.6%	19	31.7%	1	0
74.4%	27	84.4%	23	38.3%	0	-
78.0%	92	81.4%	55	32.0%	13	6
50.0%	2	50.0%	4	50.0%	0	-
82.0%	584	85.8%	300	29.1%	37	18
81.0%	16	88.9%	7	25.9%	1	0
75.7%	179	80.6%	74	23.8%	6	3
50.0%	5	55.6%	4	30.8%	0	-
75.2%	200	80.3%	84	23.9%	7	3
0.0%	0	0.0%	1	50.0%	0	-
100.0%	1	100.0%	1	33.3%	0	-
-	-	-	-	-	0	-
66.7%	1	50.0%	2	40.0%	0	-
100.0%	4	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
100.0%	4	100.0%	0	0.0%	0	-
85.7%	65	87.8%	23	23.7%	3	0
73.7%	14	77.8%	12	40.0%	1	0
-	-	-	-	-	0	-
86.3%	323	89.0%	125	24.5%	9	3
84.2%	16	88.9%	8	29.6%	2	0
87.3%	277	89.9%	96	22.5%	7	3

72.7%	8	80.0%	8	44.4%	0	-
84.6%	22	84.6%	13	33.3%	0	-
75.0%	3	100.0%	2	40.0%	1	0
100.0%	2	100.0%	2	50.0%	0	-
84.6%	54	87.1%	20	24.4%	2	0
86.0%	48	87.3%	15	21.4%	1	0
85.7%	6	85.7%	4	36.4%	1	0
66.7%	2	100.0%	1	33.3%	1	0
73.1%	18	78.3%	8	25.8%	2	0
-	-	-	-	-	0	-
0.0%	0	0.0%	0	0.0%	0	-
-	-	-	-	-	0	-
0.0%	0	0.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
73.0%	194	78.2%	100	27.5%	16	9
78.0%	29	82.9%	12	23.1%	1	0
100.0%	4	100.0%	0	0.0%	0	-
76.5%	233	81.5%	152	33.2%	24	12
76.0%	72	79.1%	46	32.9%	11	6
78.9%	135	83.3%	89	34.2%	12	5
75.0%	19	79.2%	8	22.2%	1	0
45.5%	4	80.0%	8	50.0%	0	-
54.2%	11	55.0%	11	33.3%	6	1
0.0%	0	0.0%	0	0.0%	0	-
71.9%	140	77.8%	60	23.5%	5	3
71.3%	122	77.7%	55	24.6%	5	3
84.6%	10	90.9%	3	18.8%	0	-
50.0%	5	55.6%	3	25.0%	0	-
64.0%	44	71.0%	34	32.1%	1	0
-	0	-	3	100.0%	0	-
100.0%	1	100.0%	1	33.3%	0	-
100.0%	1	100.0%	0	0.0%	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
100.0%	9	100.0%	4	28.6%	0	-
100.0%	1	100.0%	2	50.0%	0	-
-	-	-	-	-	0	-
80.8%	18	85.7%	21	44.7%	2	1
100.0%	3	100.0%	2	40.0%	0	-
75.0%	13	81.3%	13	39.4%	2	1

100.0%	1	100.0%	2	50.0%	0	-
100.0%	1	100.0%	2	66.7%	0	-
40.0%	2	66.7%	3	37.5%	2	1
-	-	-	-	-	0	-
100.0%	6	100.0%	2	22.2%	0	-
100.0%	6	100.0%	2	22.2%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	0	-	2	100.0%	0	-
-	0	-	1	100.0%	0	-
-	0	-	1	100.0%	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-

L from 1/1/2016 through 3/31/2017, data as of 6/30/2021.
 ressed VL (<200 copies/mL) on the last VL from 1/1/2016 through 3/31/2017, data as of 6/30/2021.

HIV Diagnoses

% In Care w/in 7 Days	In Care w/in 30 Days	% In Care w/in 30 Days	In Care w/in 90 Days	% In Care w/in 90 Days	Retained in Care	% Retained in Care
27.3%	7	63.6%	8	72.7%	7	63.6%
51.7%	23	79.3%	27	93.1%	23	79.3%
50.0%	2	100.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
48.6%	30	81.1%	34	91.9%	30	81.1%
42.9%	4	57.1%	5	71.4%	4	57.1%
48.6%	30	81.1%	34	91.9%	30	81.1%
42.9%	4	57.1%	5	71.4%	4	57.1%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
30.0%	8	80.0%	9	90.0%	9	90.0%
33.3%	5	55.6%	7	77.8%	8	88.9%
83.3%	5	83.3%	5	83.3%	2	33.3%
50.0%	2	100.0%	2	100.0%	2	100.0%
66.7%	3	100.0%	3	100.0%	3	100.0%
50.0%	5	83.3%	5	83.3%	4	66.7%
100.0%	1	100.0%	1	100.0%	1	100.0%
75.0%	4	100.0%	4	100.0%	2	50.0%
0.0%	1	50.0%	2	100.0%	2	100.0%
27.3%	8	72.7%	10	90.9%	10	90.9%
47.7%	34	77.3%	39	88.6%	34	77.3%

57.1%	6	85.7%	7	100.0%	5	71.4%
0.0%	1	33.3%	2	66.7%	3	100.0%
45.2%	32	76.2%	37	88.1%	32	76.2%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
47.7%	34	77.3%	39	88.6%	34	77.3%
47.8%	19	82.6%	21	91.3%	19	82.6%
0.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
46.2%	10	76.9%	12	92.3%	10	76.9%
-	-	-	-	-	-	-
48.6%	30	81.1%	34	91.9%	30	81.1%
0.0%	1	100.0%	1	100.0%	1	100.0%
50.0%	3	50.0%	4	66.7%	3	50.0%
-	-	-	-	-	-	-
42.9%	4	57.1%	5	71.4%	4	57.1%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	1	33.3%	2	66.7%	2	66.7%
0.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
33.3%	6	66.7%	6	66.7%	5	55.6%
0.0%	1	50.0%	1	50.0%	1	50.0%
42.9%	5	71.4%	5	71.4%	4	57.1%

-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
0.0%	1	50.0%	2	100.0%	2	100.0%
0.0%	0	0.0%	1	100.0%	1	100.0%
0.0%	1	100.0%	1	100.0%	1	100.0%
0.0%	0	0.0%	1	100.0%	1	100.0%
0.0%	1	50.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
56.3%	12	75.0%	14	87.5%	11	68.8%
0.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
50.0%	20	83.3%	24	100.0%	21	87.5%
54.5%	9	81.8%	11	100.0%	9	81.8%
41.7%	10	83.3%	12	100.0%	11	91.7%
0.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
16.7%	5	83.3%	6	100.0%	6	100.0%
-	-	-	-	-	-	-
60.0%	3	60.0%	3	60.0%	2	40.0%
60.0%	3	60.0%	3	60.0%	2	40.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	0	0.0%	0	0.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	2	100.0%

Suppressed VL	% Suppressed VL	No VL	% No VL	Late Diagnosis	% Late Diagnosis
5	45.5%	3	27.3%	3	27.3%
14	48.3%	3	10.3%	9	31.0%
1	50.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
20	54.1%	5	13.5%	9	24.3%
2	28.6%	1	14.3%	3	42.9%
20	54.1%	5	13.5%	9	24.3%
2	28.6%	1	14.3%	3	42.9%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	1	100.0%
4	40.0%	2	20.0%	0	0.0%
5	55.6%	1	11.1%	3	33.3%
2	33.3%	0	0.0%	2	33.3%
1	50.0%	0	0.0%	0	0.0%
2	66.7%	0	0.0%	1	33.3%
4	66.7%	1	16.7%	3	50.0%
0	0.0%	1	100.0%	0	0.0%
2	50.0%	0	0.0%	2	50.0%
1	50.0%	1	50.0%	0	0.0%
5	45.5%	2	18.2%	1	9.1%
22	50.0%	6	13.6%	12	27.3%

3	42.9%	2	28.6%	2	28.6%
1	33.3%	0	0.0%	1	33.3%
20	47.6%	6	14.3%	12	28.6%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
22	50.0%	6	13.6%	12	27.3%
13	56.5%	3	13.0%	6	26.1%
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
6	46.2%	2	15.4%	3	23.1%
-	-	-	-	-	-
20	54.1%	5	13.5%	9	24.3%
0	0.0%	0	0.0%	1	100.0%
2	33.3%	1	16.7%	2	33.3%
-	-	-	-	-	-
2	28.6%	1	14.3%	3	42.9%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	66.7%	0	0.0%	0	0.0%
0	0.0%	0	0.0%	1	100.0%
-	-	-	-	-	-
4	44.4%	3	33.3%	2	22.2%
1	50.0%	0	0.0%	0	0.0%
3	42.9%	3	42.9%	2	28.6%

-	-	-	-	-	-
-	-	-	-	-	-
0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-
1	50.0%	0	0.0%	1	50.0%
1	100.0%	0	0.0%	0	0.0%
0	0.0%	0	0.0%	1	100.0%
1	100.0%	0	0.0%	0	0.0%
1	50.0%	0	0.0%	1	50.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
6	37.5%	3	18.8%	5	31.3%
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
13	54.2%	2	8.3%	7	29.2%
5	45.5%	2	18.2%	3	27.3%
7	58.3%	0	0.0%	4	33.3%
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
2	33.3%	1	16.7%	1	16.7%
-	-	-	-	-	-
1	20.0%	1	20.0%	2	40.0%
1	20.0%	1	20.0%	2	40.0%
-	-	-	-	-	-
-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	50.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	50.0%	0	0.0%	0	0.0%

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Continuum of HIV Care, 2017

Demographic Group/Transmission Category	PWH	In Care
Race/Ethnicity		
White	584	470
Black	741	565
Hispanic/Latinx	58	36
Asian	6	4
American Indian/Alaska Native	4	1
Native Hawaiian/Pacific Islander	2	2
Multi-race	13	11
Birth Sex		
Male	1,052	806
Female	356	283
Gender Identity		
Cisgender Man	1,049	806
Cisgender Woman	356	283
Transgender Man	0	-
Transgender Woman	3	0
Age		
0–2 years	1	1
3–12 years	3	3
13–19 years	5	4
20–24 years	49	36
25–29 years	114	81
30–34 years	129	87
35–39 years	133	89
40–44 years	108	86
45–49 years	181	132
50–54 years	240	201
55–59 years	226	184
60+ years	219	185
Youth (age 13–24)	54	40
Adults (age 13+)	1,404	1,085

Older Adults (age 50+)	685	570
WCBA (age 15–44)	140	104
Country/Territory of Birth		
United States	1,356	1,052
Haiti	0	-
Cuba	1	0
Venezuela	0	-
Puerto Rico	6	3
Colombia	0	-
Mexico	6	4
Brazil	1	1
Jamaica	1	1
Other/Unknown	37	28
Total	1,408	1,089
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	740	580
IDU	62	48
MMSC/IDU	54	34
Heterosexual Contact	185	140
Other Risk	8	4
Total Cisgender Man Adult/Adolescent	1,049	806
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	24	18
Heterosexual Contact	315	250
Other Risk	13	11
Total Cisgender Woman Adult/Adolescent	352	279
Transgender Adult/Adolescent Transmission Categories		
IDU	1	0
Sexual Contact	2	0
Other Risk	0	-
Total Transgender Adult/Adolescent	3	0
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	4	4
Non-perinatal Exposure	0	-
Total Pediatric	4	4
Select Populations		
White Heterosexual Contact	102	80
White IDU	26	19
White Pediatric (age 0–12)	1	1
White Cisgender Man	501	405
White Cisgender Man Heterosexual Contact	32	24
White MMSC	419	346

White Cisgender Man IDU	16	12
White MMSC/IDU	35	24
White Cisgender Man Youth (age 13–24)	3	3
White Cisgender Man Homeless	4	3
White Cisgender Woman	83	65
White Cisgender Woman Heterosexual Contact	71	56
White Cisgender Woman IDU	10	7
White Cisgender Woman Youth (age 13–24)	1	1
White WCBA (age 15–44)	31	25
White Cisgender Woman Homeless	1	1
White Transgender	0	-
White Transgender Sexual Contact	0	-
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	370	289
Black IDU	55	43
Black Pediatric (age 0–12)	3	3
Black Cisgender Man	486	362
Black Cisgender Man Heterosexual Contact	145	110
Black MMSC	279	207
Black Cisgender Man IDU	41	33
Black MMSC/IDU	15	9
Black Cisgender Man Youth (age 13–24)	36	26
Black Cisgender Man Homeless	3	3
Black Cisgender Woman	253	203
Black Cisgender Woman Heterosexual Contact	225	179
Black Cisgender Woman IDU	13	11
Black Cisgender Woman Youth (age 13–24)	9	8
Black WCBA (age 15–44)	102	75
Black Cisgender Woman Homeless	3	1
Black Transgender	2	0
Black Transgender Sexual Contact	1	0
Black Transgender IDU	1	0
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	15	13
Hispanic/Latinx IDU	5	3
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	48	28
Hispanic/Latino Cisgender Man Heterosexual Contact	6	5
Hispanic/Latino MMSC	32	19

Hispanic/Latino Cisgender Man IDU	5	3
Hispanic/Latino MMSC/IDU	3	1
Hispanic/Latino Cisgender Man Youth (age 13–24)	5	2
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	9	8
Hispanic/Latina Cisgender Woman Heterosexual Contact	9	8
Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	1	1
Hispanic/Latina Cisgender Woman Homeless	1	1
Hispanic/Latinx Transgender	1	0
Hispanic/Latinx Transgender Sexual Contact	1	0
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	0	-
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) is defined as the number of persons living with an HIV diagnosis in this area ; HIV diagnoses include persons whose HIV diagnosis occurred during the period specified, data as of 6/30/2021.
In Care: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2017 through 6/30/2021.
Out of Care: PWH with no documented VL or CD4 lab, medical visit, or prescription from 1/1/2017 through 6/30/2021.
Retained in Care: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2017 through 6/30/2021.
Suppressed Viral Load: PWH with a suppressed VL (<200 copies/mL) on the last VL from 1/1/2017 through 6/30/2021.
In Care with Suppressed Viral Load: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2017 through 6/30/2021 and a suppressed VL (<200 copies/mL) on the last VL from 1/1/2017 through 6/30/2021.
Retained in Care with Suppressed Viral Load: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2017 through 6/30/2021 and a suppressed VL (<200 copies/mL) on the last VL from 1/1/2017 through 6/30/2021.
No Viral Load: No documented VL lab from 1/1/2017 through 6/30/2021, data as of 6/30/2021.
Late Diagnosis: AIDS diagnosis within 3 months of HIV diagnosis.

Homelessness is based on the current address at the end of the calendar year and includes addresses where the person is currently residing.
MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC=Female-to-Female Contact; FCI=Female-to-Female Contact Involvement

September 13, 2021

Persons with HIV (PWH)

% In Care	Out of Care	% Out of Care	Retained in Care	% Retained in Care	Suppressed VL	% Suppressed VL
80.5%	114	19.5%	427	73.1%	421	72.1%
76.2%	176	23.8%	498	67.2%	424	57.2%
62.1%	22	37.9%	29	50.0%	29	50.0%
66.7%	2	33.3%	4	66.7%	3	50.0%
25.0%	3	75.0%	1	25.0%	0	0.0%
100.0%	0	0.0%	1	50.0%	2	100.0%
84.6%	2	15.4%	11	84.6%	10	76.9%
76.6%	246	23.4%	718	68.3%	675	64.2%
79.5%	73	20.5%	253	71.1%	214	60.1%
76.8%	243	23.2%	718	68.4%	675	64.3%
79.5%	73	20.5%	253	71.1%	214	60.1%
-	-	-	-	-	-	-
0.0%	3	100.0%	0	0.0%	0	0.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	3	100.0%	3	100.0%
80.0%	1	20.0%	4	80.0%	1	20.0%
73.5%	13	26.5%	28	57.1%	20	40.8%
71.1%	33	28.9%	68	59.6%	50	43.9%
67.4%	42	32.6%	69	53.5%	69	53.5%
66.9%	44	33.1%	80	60.2%	68	51.1%
79.6%	22	20.4%	74	68.5%	66	61.1%
72.9%	49	27.1%	117	64.6%	108	59.7%
83.8%	39	16.3%	184	76.7%	171	71.3%
81.4%	42	18.6%	175	77.4%	167	73.9%
84.5%	34	15.5%	168	76.7%	165	75.3%
74.1%	14	25.9%	32	59.3%	21	38.9%
77.3%	319	22.7%	967	68.9%	885	63.0%

83.2%	115	16.8%	527	76.9%	503	73.4%
74.3%	36	25.7%	88	62.9%	60	42.9%
77.6%	304	22.4%	938	69.2%	860	63.4%
-	-	-	-	-	-	-
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
50.0%	3	50.0%	2	33.3%	2	33.3%
-	-	-	-	-	-	-
66.7%	2	33.3%	3	50.0%	2	33.3%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
75.7%	9	24.3%	26	70.3%	23	62.2%
77.3%	319	22.7%	971	69.0%	889	63.1%
78.4%	161	21.8%	517	69.9%	501	67.7%
77.4%	14	22.6%	42	67.7%	40	64.5%
63.0%	20	37.0%	28	51.9%	28	51.9%
75.7%	45	24.3%	127	68.6%	105	56.8%
50.0%	4	50.0%	4	50.0%	1	12.5%
76.8%	243	23.2%	718	68.4%	675	64.3%
75.0%	6	25.0%	17	70.8%	15	62.5%
79.4%	65	20.6%	221	70.2%	189	60.0%
84.6%	2	15.4%	11	84.6%	6	46.2%
79.3%	73	20.7%	249	70.7%	210	59.7%
0.0%	1	100.0%	0	0.0%	0	0.0%
0.0%	2	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
0.0%	3	100.0%	0	0.0%	0	0.0%
100.0%	0	0.0%	4	100.0%	4	100.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	4	100.0%	4	100.0%
78.4%	22	21.6%	75	73.5%	68	66.7%
73.1%	7	26.9%	17	65.4%	14	53.8%
100.0%	0	0.0%	1	100.0%	1	100.0%
80.8%	96	19.2%	367	73.3%	366	73.1%
75.0%	7	21.9%	23	71.9%	20	62.5%
82.6%	73	17.4%	314	74.9%	319	76.1%

75.0%	4	25.0%	10	62.5%	8	50.0%
68.6%	11	31.4%	20	57.1%	19	54.3%
100.0%	0	0.0%	1	33.3%	2	66.7%
75.0%	1	25.0%	3	75.0%	3	75.0%
78.3%	18	21.7%	60	72.3%	55	66.3%
78.9%	15	21.1%	52	73.2%	48	67.6%
70.0%	3	30.0%	6	60.0%	5	50.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
80.6%	6	19.4%	21	67.7%	18	58.1%
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
78.1%	81	21.9%	255	68.9%	210	56.8%
78.2%	11	20.0%	39	70.9%	38	69.1%
100.0%	0	0.0%	3	100.0%	3	100.0%
74.5%	124	25.5%	318	65.4%	276	56.8%
75.9%	35	24.1%	99	68.3%	80	55.2%
74.2%	72	25.8%	180	64.5%	160	57.3%
80.5%	8	19.5%	28	68.3%	28	68.3%
60.0%	7	46.7%	6	40.0%	7	46.7%
72.2%	10	27.8%	22	61.1%	15	41.7%
100.0%	0	0.0%	2	66.7%	0	0.0%
80.2%	50	19.8%	180	71.1%	148	58.5%
79.6%	46	20.4%	156	69.3%	131	58.2%
84.6%	2	15.4%	11	84.6%	10	76.9%
88.9%	1	11.1%	7	77.8%	2	22.2%
73.5%	27	26.5%	64	62.7%	40	39.2%
33.3%	2	66.7%	1	33.3%	1	33.3%
0.0%	2	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
86.7%	3	20.0%	10	66.7%	11	73.3%
60.0%	1	20.0%	2	40.0%	2	40.0%
-	-	-	-	-	-	-
58.3%	20	41.7%	23	47.9%	22	45.8%
83.3%	2	33.3%	4	66.7%	4	66.7%
59.4%	13	40.6%	16	50.0%	15	46.9%

60.0%	1	20.0%	2	40.0%	2	40.0%
33.3%	2	66.7%	1	33.3%	1	33.3%
40.0%	3	60.0%	1	20.0%	1	20.0%
-	-	-	-	-	-	-
88.9%	1	11.1%	6	66.7%	7	77.8%
88.9%	1	11.1%	6	66.7%	7	77.8%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	0	0.0%	0	0.0%	0	0.0%
100.0%	0	0.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-

at the end of each respective calendar year, data as of 6/30/2021.
6/30/2021.

through 3/31/2018, data as of 6/30/2021.

through 3/31/2018, data as of 6/30/2021.

at least three months apart from 1/1/2017 through 6/30/2018, data as of 6/30/2021.

through 3/31/2018, data as of 6/30/2021.

or prescription from 1/1/2017 through 3/31/2018 that also has a suppressed VL (<200 copies/mL) on the last VL
clinical visits, or prescriptions at least three months apart from 1/1/2017 through 6/30/2018 that also has a suppressed

is labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.
/FCI=Florida Department of Corrections/Federal Correctional Institution

% In Care with Suppressed VL	Retained in Care with Suppressed VL	% Retained in Care with Suppressed VL	No VL	% No VL	HIV Diagnoses	In Care w/in 7 Days
89.6%	395	92.5%	123	21.1%	27	13
75.0%	395	79.3%	199	26.9%	34	21
80.6%	27	93.1%	25	43.1%	2	1
75.0%	3	75.0%	2	33.3%	0	-
0.0%	0	0.0%	4	100.0%	2	1
100.0%	1	100.0%	0	0.0%	0	-
90.9%	10	90.9%	2	15.4%	2	2
83.7%	626	87.2%	270	25.7%	56	32
75.6%	205	81.0%	85	23.9%	11	6
83.7%	626	87.2%	267	25.5%	56	32
75.6%	205	81.0%	85	23.9%	11	6
-	-	-	-	-	0	-
-	0	-	3	100.0%	0	-
100.0%	1	100.0%	0	0.0%	1	1
100.0%	3	100.0%	0	0.0%	0	-
25.0%	1	25.0%	1	20.0%	0	-
55.6%	17	60.7%	13	26.5%	11	3
61.7%	47	69.1%	40	35.1%	14	9
79.3%	60	87.0%	46	35.7%	7	4
76.4%	63	78.8%	47	35.3%	8	4
76.7%	61	82.4%	26	24.1%	3	3
81.8%	100	85.5%	54	29.8%	9	5
85.1%	162	88.0%	43	17.9%	4	2
90.8%	159	90.9%	46	20.4%	5	3
89.2%	157	93.5%	39	17.8%	5	4
52.5%	18	56.3%	14	25.9%	11	3
81.6%	827	85.5%	355	25.3%	66	37

88.2%	478	90.7%	128	18.7%	14	9
57.7%	59	67.0%	44	31.4%	6	2
81.7%	803	85.6%	337	24.9%	65	37
-	-	-	-	-	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
66.7%	2	100.0%	4	66.7%	0	-
-	-	-	-	-	0	-
50.0%	2	66.7%	3	50.0%	2	1
100.0%	1	100.0%	0	0.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
82.1%	22	84.6%	10	27.0%	0	-
81.6%	831	85.6%	355	25.2%	67	38
86.4%	465	89.9%	178	24.1%	40	24
83.3%	37	88.1%	15	24.2%	2	2
82.4%	24	85.7%	20	37.0%	3	1
75.0%	99	78.0%	50	27.0%	11	5
25.0%	1	25.0%	4	50.0%	0	-
83.7%	626	87.2%	267	25.5%	56	32
83.3%	15	88.2%	7	29.2%	1	0
75.6%	180	81.4%	77	24.4%	9	5
54.5%	6	54.5%	2	15.4%	0	-
75.3%	201	80.7%	85	24.1%	10	5
-	0	-	1	100.0%	0	-
-	0	-	2	100.0%	0	-
-	-	-	-	-	0	-
-	0	-	3	100.0%	0	-
100.0%	4	100.0%	0	0.0%	1	1
-	-	-	-	-	0	-
100.0%	4	100.0%	0	0.0%	1	1
85.0%	66	88.0%	24	23.5%	5	0
73.7%	14	82.4%	7	26.9%	1	0
100.0%	1	100.0%	0	0.0%	1	1
90.4%	342	93.2%	104	20.8%	24	12
83.3%	20	87.0%	8	25.0%	4	0
92.2%	298	94.9%	80	19.1%	18	12

66.7%	8	80.0%	4	25.0%	0	-
79.2%	16	80.0%	11	31.4%	2	0
66.7%	1	100.0%	0	0.0%	2	0
100.0%	3	100.0%	1	25.0%	1	0
84.6%	53	88.3%	19	22.9%	3	1
85.7%	46	88.5%	16	22.5%	1	0
71.4%	5	83.3%	3	30.0%	1	0
100.0%	1	100.0%	0	0.0%	0	-
72.0%	17	81.0%	7	22.6%	1	0
100.0%	1	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
72.7%	199	78.0%	93	25.1%	11	8
88.4%	35	89.7%	12	21.8%	2	2
100.0%	3	100.0%	0	0.0%	0	-
76.2%	253	79.6%	138	28.4%	28	18
72.7%	74	74.7%	39	26.9%	5	5
77.3%	146	81.1%	82	29.4%	22	12
84.8%	26	92.9%	8	19.5%	2	2
77.8%	6	100.0%	7	46.7%	0	-
57.7%	13	59.1%	10	27.8%	8	3
0.0%	0	0.0%	0	0.0%	1	1
72.9%	142	78.9%	59	23.3%	6	3
73.2%	125	80.1%	55	24.4%	6	3
90.9%	10	90.9%	3	23.1%	0	-
25.0%	2	28.6%	1	11.1%	1	0
53.3%	40	62.5%	33	32.4%	5	2
100.0%	1	100.0%	2	66.7%	0	-
-	0	-	2	100.0%	0	-
-	0	-	1	100.0%	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
84.6%	10	100.0%	4	26.7%	2	1
66.7%	2	100.0%	2	40.0%	0	-
-	-	-	-	-	0	-
78.6%	21	91.3%	22	45.8%	2	1
80.0%	4	100.0%	2	33.3%	2	1
78.9%	14	87.5%	13	40.6%	0	-

66.7%	2	100.0%	2	40.0%	0	-
100.0%	1	100.0%	2	66.7%	0	-
50.0%	1	100.0%	3	60.0%	0	-
-	-	-	-	-	0	-
87.5%	6	100.0%	2	22.2%	0	-
87.5%	6	100.0%	2	22.2%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
0.0%	0	-	1	100.0%	0	-
0.0%	0	-	1	100.0%	0	-
-	0	-	1	100.0%	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	1	1

L from 1/1/2017 through 3/31/2018, data as of 6/30/2021.

ressed VL (<200 copies/mL) on the last VL from 1/1/2017 through 3/31/2018, data as of 6/30/2021.

HIV Diagnoses

% In Care w/in 7 Days	In Care w/in 30 Days	% In Care w/in 30 Days	In Care w/in 90 Days	% In Care w/in 90 Days	Retained in Care	% Retained in Care
48.1%	20	74.1%	22	81.5%	21	77.8%
61.8%	27	79.4%	31	91.2%	28	82.4%
50.0%	2	100.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-
50.0%	1	50.0%	1	50.0%	1	50.0%
-	-	-	-	-	-	-
100.0%	2	100.0%	2	100.0%	2	100.0%
57.1%	44	78.6%	48	85.7%	43	76.8%
54.5%	8	72.7%	10	90.9%	10	90.9%
57.1%	44	78.6%	48	85.7%	43	76.8%
54.5%	8	72.7%	10	90.9%	10	90.9%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
27.3%	6	54.5%	10	90.9%	8	72.7%
64.3%	12	85.7%	12	85.7%	12	85.7%
57.1%	5	71.4%	5	71.4%	4	57.1%
50.0%	5	62.5%	6	75.0%	7	87.5%
100.0%	3	100.0%	3	100.0%	2	66.7%
55.6%	8	88.9%	9	100.0%	8	88.9%
50.0%	4	100.0%	4	100.0%	4	100.0%
60.0%	4	80.0%	4	80.0%	4	80.0%
80.0%	4	80.0%	4	80.0%	3	60.0%
27.3%	6	54.5%	10	90.9%	8	72.7%
56.1%	51	77.3%	57	86.4%	52	78.8%

64.3%	12	85.7%	12	85.7%	11	78.6%
33.3%	3	50.0%	5	83.3%	5	83.3%
56.9%	50	76.9%	56	86.2%	52	80.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
56.7%	52	77.6%	58	86.6%	53	79.1%
60.0%	32	80.0%	35	87.5%	30	75.0%
100.0%	2	100.0%	2	100.0%	1	50.0%
33.3%	1	33.3%	2	66.7%	3	100.0%
45.5%	9	81.8%	9	81.8%	8	72.7%
-	-	-	-	-	-	-
57.1%	44	78.6%	48	85.7%	43	76.8%
0.0%	0	0.0%	0	0.0%	0	0.0%
55.6%	7	77.8%	9	100.0%	9	100.0%
-	-	-	-	-	-	-
50.0%	7	70.0%	9	90.0%	9	90.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
0.0%	4	80.0%	4	80.0%	4	80.0%
0.0%	0	0.0%	0	0.0%	0	0.0%
100.0%	1	100.0%	1	100.0%	1	100.0%
50.0%	18	75.0%	20	83.3%	19	79.2%
0.0%	3	75.0%	3	75.0%	3	75.0%
66.7%	15	83.3%	16	88.9%	14	77.8%

-	-	-	-	-	-	-
0.0%	0	0.0%	1	50.0%	2	100.0%
0.0%	1	50.0%	2	100.0%	1	50.0%
0.0%	1	100.0%	1	100.0%	1	100.0%
33.3%	2	66.7%	2	66.7%	2	66.7%
0.0%	1	100.0%	1	100.0%	1	100.0%
0.0%	0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
0.0%	0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
72.7%	9	81.8%	11	100.0%	10	90.9%
100.0%	2	100.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-
64.3%	23	82.1%	25	89.3%	22	78.6%
100.0%	5	100.0%	5	100.0%	4	80.0%
54.5%	17	77.3%	19	86.4%	17	77.3%
100.0%	2	100.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-
37.5%	5	62.5%	7	87.5%	6	75.0%
100.0%	1	100.0%	1	100.0%	0	0.0%
50.0%	4	66.7%	6	100.0%	6	100.0%
50.0%	4	66.7%	6	100.0%	6	100.0%
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
40.0%	3	60.0%	5	100.0%	5	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	1	50.0%
50.0%	2	100.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-

-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%

Suppressed VL	% Suppressed VL	No VL	% No VL	Late Diagnosis	% Late Diagnosis
19	70.4%	4	14.8%	7	25.9%
22	64.7%	2	5.9%	8	23.5%
1	50.0%	1	50.0%	2	100.0%
-	-	-	-	-	-
0	0.0%	2	100.0%	1	50.0%
-	-	-	-	-	-
1	50.0%	0	0.0%	1	50.0%
37	66.1%	7	12.5%	14	25.0%
6	54.5%	2	18.2%	5	45.5%
37	66.1%	7	12.5%	14	25.0%
6	54.5%	2	18.2%	5	45.5%
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
8	72.7%	1	9.1%	1	9.1%
11	78.6%	1	7.1%	3	21.4%
3	42.9%	2	28.6%	2	28.6%
3	37.5%	1	12.5%	3	37.5%
2	66.7%	0	0.0%	0	0.0%
7	77.8%	0	0.0%	3	33.3%
2	50.0%	1	25.0%	3	75.0%
4	80.0%	1	20.0%	2	40.0%
2	40.0%	2	40.0%	2	40.0%
8	72.7%	1	9.1%	1	9.1%
42	63.6%	9	13.6%	19	28.8%

8	57.1%	4	28.6%	7	50.0%
3	50.0%	1	16.7%	3	50.0%
42	64.6%	8	12.3%	17	26.2%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	50.0%	1	50.0%	2	100.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
43	64.2%	9	13.4%	19	28.4%
28	70.0%	5	12.5%	8	20.0%
1	50.0%	0	0.0%	1	50.0%
3	100.0%	0	0.0%	0	0.0%
5	45.5%	2	18.2%	6	54.5%
-	-	-	-	-	-
37	66.1%	7	12.5%	14	25.0%
0	0.0%	1	100.0%	0	0.0%
5	55.6%	1	11.1%	5	55.6%
-	-	-	-	-	-
5	50.0%	2	20.0%	5	50.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
3	60.0%	1	20.0%	3	60.0%
0	0.0%	1	100.0%	0	0.0%
1	100.0%	0	0.0%	0	0.0%
17	70.8%	3	12.5%	7	29.2%
2	50.0%	1	25.0%	3	75.0%
13	72.2%	2	11.1%	4	22.2%

-	-	-	-	-	-
2	100.0%	0	0.0%	0	0.0%
1	50.0%	0	0.0%	0	0.0%
0	0.0%	0	0.0%	0	0.0%
2	66.7%	1	33.3%	0	0.0%
1	100.0%	0	0.0%	0	0.0%
0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-
0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
6	54.5%	0	0.0%	4	36.4%
1	50.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
18	64.3%	2	7.1%	5	17.9%
2	40.0%	0	0.0%	1	20.0%
15	68.2%	2	9.1%	4	18.2%
1	50.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
6	75.0%	1	12.5%	1	12.5%
0	0.0%	0	0.0%	0	0.0%
4	66.7%	0	0.0%	3	50.0%
4	66.7%	0	0.0%	3	50.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
3	60.0%	0	0.0%	3	60.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	50.0%	1	50.0%	2	100.0%
-	-	-	-	-	-
-	-	-	-	-	-
1	50.0%	1	50.0%	2	100.0%
1	50.0%	1	50.0%	2	100.0%
-	-	-	-	-	-

-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
Continuum of HIV Care, 2018**

Demographic Group/Transmission Category	PWH	In Care
Race/Ethnicity		
White	579	496
Black	738	565
Hispanic/Latinx	58	37
Asian	8	8
American Indian/Alaska Native	2	0
Native Hawaiian/Pacific Islander	2	2
Multi-race	14	12
Birth Sex		
Male	1,044	830
Female	357	290
Gender Identity		
Cisgender Man	1,039	827
Cisgender Woman	357	290
Transgender Man	0	-
Transgender Woman	5	3
Age		
0–2 years	2	2
3–12 years	4	4
13–19 years	7	6
20–24 years	41	28
25–29 years	107	77
30–34 years	137	101
35–39 years	142	103
40–44 years	100	84
45–49 years	163	130
50–54 years	230	186
55–59 years	220	188
60+ years	248	211
Youth (age 13–24)	48	34
Adults (age 13+)	1,395	1,114

Older Adults (age 50+)	698	585
WCBA (age 15–44)	145	110
Country/Territory of Birth		
United States	1,347	1,082
Haiti	1	0
Cuba	1	0
Venezuela	0	-
Puerto Rico	5	3
Colombia	0	-
Mexico	6	4
Brazil	1	1
Jamaica	2	1
Other/Unknown	38	29
Total	1,401	1,120
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	738	604
IDU	56	37
MMSC/IDU	49	37
Heterosexual Contact	185	142
Other Risk	9	6
Total Cisgender Man Adult/Adolescent	1,037	825
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	24	18
Heterosexual Contact	316	256
Other Risk	14	12
Total Cisgender Woman Adult/Adolescent	353	286
Transgender Adult/Adolescent Transmission Categories		
IDU	1	1
Sexual Contact	4	2
Other Risk	0	-
Total Transgender Adult/Adolescent	5	3
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	6	6
Non-perinatal Exposure	0	-
Total Pediatric	6	6
Select Populations		
White Heterosexual Contact	103	86
White IDU	24	17
White Pediatric (age 0–12)	2	2
White Cisgender Man	497	430
White Cisgender Man Heterosexual Contact	34	30
White MMSC	417	364

White Cisgender Man IDU	13	9
White MMSC/IDU	32	27
White Cisgender Man Youth (age 13–24)	5	4
White Cisgender Man Homeless	2	2
White Cisgender Woman	82	66
White Cisgender Woman Heterosexual Contact	70	57
White Cisgender Woman IDU	10	7
White Cisgender Woman Youth (age 13–24)	1	1
White WCBA (age 15–44)	32	24
White Cisgender Woman Homeless	0	-
White Transgender	0	-
White Transgender Sexual Contact	0	-
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	370	288
Black IDU	52	37
Black Pediatric (age 0–12)	4	4
Black Cisgender Man	479	356
Black Cisgender Man Heterosexual Contact	143	106
Black MMSC	276	211
Black Cisgender Man IDU	38	25
Black MMSC/IDU	14	9
Black Cisgender Man Youth (age 13–24)	26	18
Black Cisgender Man Homeless	2	1
Black Cisgender Woman	256	207
Black Cisgender Woman Heterosexual Contact	227	182
Black Cisgender Woman IDU	13	11
Black Cisgender Woman Youth (age 13–24)	11	9
Black WCBA (age 15–44)	105	80
Black Cisgender Woman Homeless	2	1
Black Transgender	3	2
Black Transgender Sexual Contact	2	1
Black Transgender IDU	1	1
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	16	14
Hispanic/Latinx IDU	4	1
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	46	26
Hispanic/Latino Cisgender Man Heterosexual Contact	6	4
Hispanic/Latino MMSC	32	18

Hispanic/Latino Cisgender Man IDU	4	1
Hispanic/Latino MMSC/IDU	2	1
Hispanic/Latino Cisgender Man Youth (age 13–24)	4	1
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	10	10
Hispanic/Latina Cisgender Woman Heterosexual Contact	10	10
Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	2	2
Hispanic/Latina Cisgender Woman Homeless	0	-
Hispanic/Latinx Transgender	2	1
Hispanic/Latinx Transgender Sexual Contact	2	1
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	1	1
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) is defined as the number of persons living with an HIV diagnosis in this area ; HIV diagnoses include persons whose HIV diagnosis occurred during the period specified, data as of 6/30/2021. In Care: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2018 through 6/30/2021. Out of Care: PWH with no documented VL or CD4 lab, medical visit, or prescription from 1/1/2018 through 6/30/2021. Retained in Care: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2018 through 6/30/2021. Suppressed Viral Load: PWH with a suppressed VL (<200 copies/mL) on the last VL from 1/1/2018 through 6/30/2021. In Care with Suppressed Viral Load: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2018 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2018 through 6/30/2021. Retained in Care with Suppressed Viral Load: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2018 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2018 through 6/30/2021. No Viral Load: No documented VL lab from 1/1/2018 through 6/30/2021, data as of 6/30/2021. Late Diagnosis: AIDS diagnosis within 3 months of HIV diagnosis.

Homelessness is based on the current address at the end of the calendar year and includes addresses where the person is currently homeless. MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Persons with HIV (PWH)

% In Care	Out of Care	% Out of Care	Retained in Care	% Retained in Care	Suppressed VL	% Suppressed VL
85.7%	83	14.3%	452	78.1%	439	75.8%
76.6%	173	23.4%	503	68.2%	444	60.2%
63.8%	21	36.2%	31	53.4%	34	58.6%
100.0%	0	0.0%	7	87.5%	7	87.5%
0.0%	2	100.0%	0	0.0%	0	0.0%
100.0%	0	0.0%	1	50.0%	1	50.0%
85.7%	2	14.3%	11	78.6%	11	78.6%
79.5%	214	20.5%	745	71.4%	713	68.3%
81.2%	67	18.8%	260	72.8%	223	62.5%
79.6%	212	20.4%	744	71.6%	711	68.4%
81.2%	67	18.8%	260	72.8%	223	62.5%
-	-	-	-	-	-	-
60.0%	2	40.0%	1	20.0%	2	40.0%
100.0%	0	0.0%	1	50.0%	1	50.0%
100.0%	0	0.0%	4	100.0%	4	100.0%
85.7%	1	14.3%	6	85.7%	4	57.1%
68.3%	13	31.7%	22	53.7%	20	48.8%
72.0%	30	28.0%	66	61.7%	55	51.4%
73.7%	36	26.3%	89	65.0%	87	63.5%
72.5%	39	27.5%	85	59.9%	82	57.7%
84.0%	16	16.0%	79	79.0%	69	69.0%
79.8%	33	20.2%	117	71.8%	108	66.3%
80.9%	44	19.1%	170	73.9%	151	65.7%
85.5%	32	14.5%	175	79.5%	165	75.0%
85.1%	37	14.9%	191	77.0%	190	76.6%
70.8%	14	29.2%	28	58.3%	24	50.0%
79.9%	281	20.1%	1,000	71.7%	931	66.7%

83.8%	113	16.2%	536	76.8%	506	72.5%
75.9%	35	24.1%	93	64.1%	71	49.0%
80.3%	265	19.7%	975	72.4%	903	67.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
60.0%	2	40.0%	1	20.0%	3	60.0%
-	-	-	-	-	-	-
66.7%	2	33.3%	3	50.0%	3	50.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
76.3%	9	23.7%	24	63.2%	25	65.8%
79.9%	281	20.1%	1,005	71.7%	936	66.8%
81.8%	134	18.2%	540	73.2%	526	71.3%
66.1%	19	33.9%	35	62.5%	35	62.5%
75.5%	12	24.5%	35	71.4%	31	63.3%
76.8%	44	23.8%	129	69.7%	113	61.1%
66.7%	3	33.3%	4	44.4%	5	55.6%
79.6%	212	20.4%	742	71.6%	710	68.5%
75.0%	5	20.8%	17	70.8%	11	45.8%
81.0%	60	19.0%	228	72.2%	200	63.3%
85.7%	2	14.3%	12	85.7%	8	57.1%
81.0%	67	19.0%	257	72.8%	219	62.0%
100.0%	0	0.0%	0	0.0%	0	0.0%
50.0%	2	50.0%	1	25.0%	2	50.0%
-	-	-	-	-	-	-
60.0%	2	40.0%	1	20.0%	2	40.0%
100.0%	0	0.0%	5	83.3%	5	83.3%
-	-	-	-	-	-	-
100.0%	0	0.0%	5	83.3%	5	83.3%
83.5%	17	16.5%	80	77.7%	76	73.8%
70.8%	7	29.2%	16	66.7%	13	54.2%
100.0%	0	0.0%	1	50.0%	1	50.0%
86.5%	67	13.5%	390	78.5%	384	77.3%
88.2%	4	11.8%	25	73.5%	27	79.4%
87.3%	54	12.9%	330	79.1%	327	78.4%

69.2%	4	30.8%	9	69.2%	9	69.2%
84.4%	5	15.6%	24	75.0%	22	68.8%
80.0%	1	20.0%	4	80.0%	3	60.0%
100.0%	0	0.0%	2	100.0%	2	100.0%
80.5%	16	19.5%	62	75.6%	55	67.1%
81.4%	13	18.6%	55	78.6%	50	71.4%
70.0%	3	30.0%	6	60.0%	3	30.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
75.0%	8	25.0%	22	68.8%	17	53.1%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
77.8%	82	22.2%	256	69.2%	216	58.4%
71.2%	15	28.8%	34	65.4%	32	61.5%
100.0%	0	0.0%	4	100.0%	4	100.0%
74.3%	123	25.7%	320	66.8%	291	60.8%
74.1%	37	25.9%	99	69.2%	81	56.6%
76.4%	65	23.6%	185	67.0%	173	62.7%
65.8%	12	31.6%	23	60.5%	24	63.2%
64.3%	6	42.9%	8	57.1%	7	50.0%
69.2%	8	30.8%	15	57.7%	14	53.8%
50.0%	1	50.0%	0	0.0%	0	0.0%
80.9%	49	19.1%	182	71.1%	152	59.4%
80.2%	45	19.8%	157	69.2%	134	59.0%
84.6%	2	15.4%	11	84.6%	8	61.5%
81.8%	2	18.2%	8	72.7%	5	45.5%
76.2%	25	23.8%	65	61.9%	49	46.7%
50.0%	1	50.0%	0	0.0%	1	50.0%
66.7%	1	33.3%	1	33.3%	1	33.3%
50.0%	1	50.0%	1	50.0%	1	50.0%
100.0%	0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
87.5%	3	18.8%	13	81.3%	13	81.3%
25.0%	2	50.0%	1	25.0%	1	25.0%
-	-	-	-	-	-	-
56.5%	20	43.5%	21	45.7%	23	50.0%
66.7%	3	50.0%	3	50.0%	3	50.0%
56.3%	14	43.8%	16	50.0%	17	53.1%

25.0%	2	50.0%	1	25.0%	1	25.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
25.0%	3	75.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	10	100.0%	10	100.0%
100.0%	0	0.0%	10	100.0%	10	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	0	0.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
50.0%	1	50.0%	0	0.0%	1	50.0%
50.0%	1	50.0%	0	0.0%	1	50.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	0	0.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-

at the end of each respective calendar year, data as of 6/30/2021.
6/30/2021.

through 3/31/2019, data as of 6/30/2021.

through 3/31/2019, data as of 6/30/2021.

at least three months apart from 1/1/2018 through 6/30/2019, data as of 6/30/2021.

through 3/31/2019, data as of 6/30/2021.

or prescription from 1/1/2018 through 3/31/2019 that also has a suppressed VL (<200 copies/mL) on the last VL
clinical visits, or prescriptions at least three months apart from 1/1/2018 through 6/30/2019 that also has a suppressed

is labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

% In Care with Suppressed VL	Retained in Care with Suppressed VL	% Retained in Care with Suppressed VL	No VL	% No VL	HIV Diagnoses	In Care w/in 7 Days
88.5%	413	91.4%	98	16.9%	24	13
78.6%	424	84.3%	191	25.9%	24	12
91.9%	31	100.0%	21	36.2%	2	0
87.5%	7	100.0%	0	0.0%	3	3
-	0	-	2	100.0%	0	-
50.0%	0	0.0%	0	0.0%	0	-
91.7%	10	90.9%	2	14.3%	0	-
85.9%	671	90.1%	238	22.8%	43	22
76.9%	214	82.3%	76	21.3%	10	6
86.0%	670	90.1%	235	22.6%	43	22
76.9%	214	82.3%	76	21.3%	10	6
-	-	-	-	-	0	-
66.7%	1	100.0%	3	60.0%	0	-
50.0%	0	0.0%	0	0.0%	1	1
100.0%	4	100.0%	0	0.0%	0	-
66.7%	4	66.7%	1	14.3%	2	1
71.4%	17	77.3%	13	31.7%	7	3
71.4%	51	77.3%	32	29.9%	8	2
86.1%	84	94.4%	39	28.5%	12	9
79.6%	73	85.9%	41	28.9%	4	2
82.1%	68	86.1%	20	20.0%	3	1
83.1%	103	88.0%	39	23.9%	6	3
81.2%	145	85.3%	51	22.2%	2	1
87.8%	158	90.3%	38	17.3%	4	4
90.0%	178	93.2%	40	16.1%	4	1
70.6%	21	75.0%	14	29.2%	9	4
83.6%	881	88.1%	314	22.5%	52	27

86.5%	481	89.7%	129	18.5%	10	6
64.5%	68	73.1%	40	27.6%	7	4
83.5%	857	87.9%	298	22.1%	49	24
-	0	-	1	100.0%	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	2	40.0%	0	-
-	-	-	-	-	0	-
75.0%	3	100.0%	2	33.3%	0	-
100.0%	1	100.0%	0	0.0%	0	-
100.0%	1	100.0%	1	50.0%	0	-
86.2%	22	91.7%	9	23.7%	4	4
83.6%	885	88.1%	314	22.4%	53	28
87.1%	496	91.9%	153	20.7%	29	15
94.6%	33	94.3%	19	33.9%	0	-
83.8%	31	88.6%	13	26.5%	3	1
79.6%	105	81.4%	47	25.4%	9	5
83.3%	4	100.0%	3	33.3%	0	-
86.1%	669	90.2%	235	22.7%	42	21
61.1%	11	64.7%	5	20.8%	3	2
78.1%	192	84.2%	69	21.8%	7	4
66.7%	8	66.7%	2	14.3%	0	-
76.6%	211	82.1%	76	21.5%	10	6
0.0%	0	-	1	100.0%	0	-
100.0%	1	100.0%	2	50.0%	0	-
-	-	-	-	-	0	-
66.7%	1	100.0%	3	60.0%	0	-
83.3%	4	80.0%	0	0.0%	1	1
-	-	-	-	-	0	-
83.3%	4	80.0%	0	0.0%	1	1
88.4%	70	87.5%	18	17.5%	2	1
76.5%	13	81.3%	7	29.2%	3	2
50.0%	0	0.0%	0	0.0%	1	1
89.3%	361	92.6%	81	16.3%	21	11
90.0%	22	88.0%	4	11.8%	2	1
89.8%	308	93.3%	67	16.1%	15	8

100.0%	9	100.0%	4	30.8%	0	-
81.5%	21	87.5%	6	18.8%	3	1
75.0%	3	75.0%	1	20.0%	4	1
100.0%	2	100.0%	0	0.0%	0	-
83.3%	52	83.9%	17	20.7%	3	2
87.7%	48	87.3%	14	20.0%	0	-
42.9%	3	50.0%	3	30.0%	3	2
100.0%	1	100.0%	0	0.0%	0	-
70.8%	16	72.7%	8	25.0%	3	2
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
75.0%	207	80.9%	93	25.1%	12	7
86.5%	30	88.2%	16	30.8%	0	-
100.0%	4	100.0%	0	0.0%	0	-
81.7%	276	86.3%	132	27.6%	18	8
76.4%	77	77.8%	40	28.0%	6	3
82.0%	164	88.6%	70	25.4%	12	5
96.0%	22	95.7%	12	31.6%	0	-
77.8%	7	87.5%	6	42.9%	0	-
77.8%	12	80.0%	8	30.8%	4	2
0.0%	0	-	1	50.0%	0	-
73.4%	147	80.8%	57	22.3%	6	4
73.6%	129	82.2%	53	23.3%	6	4
72.7%	8	72.7%	2	15.4%	0	-
55.6%	5	62.5%	2	18.2%	1	1
61.3%	47	72.3%	30	28.6%	4	2
100.0%	0	-	1	50.0%	0	-
50.0%	1	100.0%	2	66.7%	0	-
100.0%	1	100.0%	1	50.0%	0	-
0.0%	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
92.9%	13	100.0%	3	18.8%	1	0
100.0%	1	100.0%	2	50.0%	0	-
-	-	-	-	-	0	-
88.5%	21	100.0%	20	43.5%	1	0
75.0%	3	100.0%	3	50.0%	0	-
94.4%	16	100.0%	14	43.8%	1	0

100.0%	1	100.0%	2	50.0%	0	-
100.0%	1	100.0%	1	50.0%	0	-
0.0%	0	-	3	75.0%	0	-
-	-	-	-	-	0	-
100.0%	10	100.0%	0	0.0%	1	0
100.0%	10	100.0%	0	0.0%	1	0
-	-	-	-	-	0	-
-	-	-	-	-	0	-
100.0%	2	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
100.0%	0	-	1	50.0%	0	-
100.0%	0	-	1	50.0%	0	-
-	-	-	-	-	0	-
100.0%	0	-	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	2	1

L from 1/1/2018 through 3/31/2019, data as of 6/30/2021.

ressed VL (<200 copies/mL) on the last VL from 1/1/2018 through 3/31/2019, data as of 6/30/2021.

HIV Diagnoses

% In Care w/in 7 Days	In Care w/in 30 Days	% In Care w/in 30 Days	In Care w/in 90 Days	% In Care w/in 90 Days	Retained in Care	% Retained in Care
54.2%	20	83.3%	21	87.5%	18	75.0%
50.0%	19	79.2%	21	87.5%	18	75.0%
0.0%	1	50.0%	2	100.0%	2	100.0%
100.0%	3	100.0%	3	100.0%	2	66.7%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
51.2%	35	81.4%	38	88.4%	33	76.7%
60.0%	8	80.0%	9	90.0%	7	70.0%
51.2%	35	81.4%	38	88.4%	33	76.7%
60.0%	8	80.0%	9	90.0%	7	70.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
50.0%	1	50.0%	2	100.0%	2	100.0%
42.9%	5	71.4%	6	85.7%	6	85.7%
25.0%	6	75.0%	6	75.0%	6	75.0%
75.0%	11	91.7%	11	91.7%	10	83.3%
50.0%	4	100.0%	4	100.0%	3	75.0%
33.3%	2	66.7%	2	66.7%	1	33.3%
50.0%	4	66.7%	5	83.3%	4	66.7%
50.0%	1	50.0%	2	100.0%	2	100.0%
100.0%	4	100.0%	4	100.0%	1	25.0%
25.0%	4	100.0%	4	100.0%	4	100.0%
44.4%	6	66.7%	8	88.9%	8	88.9%
51.9%	42	80.8%	46	88.5%	39	75.0%

60.0%	9	90.0%	10	100.0%	7	70.0%
57.1%	6	85.7%	6	85.7%	4	57.1%
49.0%	39	79.6%	43	87.8%	38	77.6%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	4	100.0%	4	100.0%	2	50.0%
52.8%	43	81.1%	47	88.7%	40	75.5%
51.7%	24	82.8%	25	86.2%	21	72.4%
-	-	-	-	-	-	-
33.3%	2	66.7%	3	100.0%	3	100.0%
55.6%	8	88.9%	9	100.0%	8	88.9%
-	-	-	-	-	-	-
50.0%	34	81.0%	37	88.1%	32	76.2%
66.7%	2	66.7%	2	66.7%	1	33.3%
57.1%	6	85.7%	7	100.0%	6	85.7%
-	-	-	-	-	-	-
60.0%	8	80.0%	9	90.0%	7	70.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
50.0%	2	100.0%	2	100.0%	2	100.0%
66.7%	2	66.7%	2	66.7%	1	33.3%
100.0%	1	100.0%	1	100.0%	1	100.0%
52.4%	18	85.7%	19	90.5%	17	81.0%
50.0%	2	100.0%	2	100.0%	2	100.0%
53.3%	13	86.7%	13	86.7%	11	73.3%

-	-	-	-	-	-	-
33.3%	2	66.7%	3	100.0%	3	100.0%
25.0%	2	50.0%	3	75.0%	3	75.0%
-	-	-	-	-	-	-
66.7%	2	66.7%	2	66.7%	1	33.3%
-	-	-	-	-	-	-
66.7%	2	66.7%	2	66.7%	1	33.3%
-	-	-	-	-	-	-
66.7%	2	66.7%	2	66.7%	1	33.3%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
58.3%	11	91.7%	11	91.7%	10	83.3%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
44.4%	13	72.2%	15	83.3%	13	72.2%
50.0%	5	83.3%	5	83.3%	5	83.3%
41.7%	8	66.7%	9	75.0%	8	66.7%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	3	75.0%	4	100.0%	4	100.0%
-	-	-	-	-	-	-
66.7%	6	100.0%	6	100.0%	5	83.3%
66.7%	6	100.0%	6	100.0%	5	83.3%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
50.0%	4	100.0%	4	100.0%	3	75.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
0.0%	1	100.0%	1	100.0%	1	100.0%

-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
0.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	2	100.0%

Suppressed VL	% Suppressed VL	No VL	% No VL	Late Diagnosis	% Late Diagnosis
14	58.3%	2	8.3%	4	16.7%
18	75.0%	3	12.5%	9	37.5%
2	100.0%	0	0.0%	0	0.0%
2	66.7%	0	0.0%	2	66.7%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
29	67.4%	5	11.6%	11	25.6%
7	70.0%	0	0.0%	4	40.0%
29	67.4%	5	11.6%	11	25.6%
7	70.0%	0	0.0%	4	40.0%
-	-	-	-	-	-
-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	50.0%	0	0.0%	0	0.0%
5	71.4%	1	14.3%	1	14.3%
4	50.0%	2	25.0%	2	25.0%
9	75.0%	1	8.3%	4	33.3%
3	75.0%	0	0.0%	1	25.0%
2	66.7%	0	0.0%	1	33.3%
5	83.3%	1	16.7%	1	16.7%
2	100.0%	0	0.0%	1	50.0%
1	25.0%	0	0.0%	3	75.0%
4	100.0%	0	0.0%	1	25.0%
6	66.7%	1	11.1%	1	11.1%
36	69.2%	5	9.6%	15	28.8%

7	70.0%	0	0.0%	5	50.0%
4	57.1%	0	0.0%	3	42.9%
34	69.4%	5	10.2%	13	26.5%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	50.0%	0	0.0%	2	50.0%
36	67.9%	5	9.4%	15	28.3%
19	65.5%	5	17.2%	5	17.2%
-	-	-	-	-	-
2	66.7%	0	0.0%	0	0.0%
8	88.9%	0	0.0%	6	66.7%
-	-	-	-	-	-
29	69.0%	5	11.9%	11	26.2%
0	0.0%	0	0.0%	0	0.0%
7	100.0%	0	0.0%	4	57.1%
-	-	-	-	-	-
7	70.0%	0	0.0%	4	40.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%
2	100.0%	0	0.0%	1	50.0%
0	0.0%	0	0.0%	0	0.0%
0	0.0%	0	0.0%	0	0.0%
14	66.7%	2	9.5%	4	19.0%
2	100.0%	0	0.0%	1	50.0%
10	66.7%	2	13.3%	3	20.0%

-	-	-	-	-	-	-
2	66.7%	0	0.0%	0	0.0%	0.0%
2	50.0%	1	25.0%	1	25.0%	25.0%
-	-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
11	91.7%	0	0.0%	7	58.3%	58.3%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
12	66.7%	3	16.7%	5	27.8%	27.8%
5	83.3%	0	0.0%	3	50.0%	50.0%
7	58.3%	3	25.0%	2	16.7%	16.7%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
3	75.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
6	100.0%	0	0.0%	4	66.7%	66.7%
6	100.0%	0	0.0%	4	66.7%	66.7%
-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%
4	100.0%	0	0.0%	3	75.0%	75.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%

-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
0	0.0%	0	0.0%	1	50.0%

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
Continuum of HIV Care, 2019**

Demographic Group/Transmission Category	PWH	In Care
Race/Ethnicity		
White	575	499
Black	721	560
Hispanic/Latinx	52	36
Asian	10	9
American Indian/Alaska Native	2	0
Native Hawaiian/Pacific Islander	2	1
Multi-race	15	12
Birth Sex		
Male	1,030	839
Female	347	278
Gender Identity		
Cisgender Man	1,026	837
Cisgender Woman	346	277
Transgender Man	1	1
Transgender Woman	4	2
Age		
0–2 years	2	1
3–12 years	5	5
13–19 years	6	6
20–24 years	39	30
25–29 years	101	81
30–34 years	125	94
35–39 years	135	99
40–44 years	103	81
45–49 years	135	111
50–54 years	219	180
55–59 years	232	196
60+ years	275	233
Youth (age 13–24)	45	36
Adults (age 13+)	1,370	1,111

Older Adults (age 50+)	726	609
WCBA (age 15–44)	133	95
Country/Territory of Birth		
United States	1,330	1,085
Haiti	0	-
Cuba	1	0
Venezuela	0	-
Puerto Rico	2	1
Colombia	0	-
Mexico	5	3
Brazil	0	-
Jamaica	2	2
Other/Unknown	37	26
Total	1,377	1,117
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	740	617
IDU	52	36
MMSC/IDU	46	36
Heterosexual Contact	177	139
Other Risk	8	6
Total Cisgender Man Adult/Adolescent	1,023	834
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	25	20
Heterosexual Contact	303	242
Other Risk	15	12
Total Cisgender Woman Adult/Adolescent	342	274
Transgender Adult/Adolescent Transmission Categories		
IDU	1	1
Sexual Contact	4	2
Other Risk	0	-
Total Transgender Adult/Adolescent	5	3
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	7	6
Non-perinatal Exposure	0	-
Total Pediatric	7	6
Select Populations		
White Heterosexual Contact	99	83
White IDU	23	20
White Pediatric (age 0–12)	2	1
White Cisgender Man	493	434
White Cisgender Man Heterosexual Contact	31	29
White MMSC	419	368

White Cisgender Man IDU	12	11
White MMSC/IDU	30	25
White Cisgender Man Youth (age 13–24)	7	6
White Cisgender Man Homeless	3	3
White Cisgender Woman	81	64
White Cisgender Woman Heterosexual Contact	69	55
White Cisgender Woman IDU	10	8
White Cisgender Woman Youth (age 13–24)	3	3
White WCBA (age 15–44)	33	23
White Cisgender Woman Homeless	1	1
White Transgender	1	1
White Transgender Sexual Contact	1	1
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	354	277
Black IDU	49	34
Black Pediatric (age 0–12)	5	5
Black Cisgender Man	473	362
Black Cisgender Man Heterosexual Contact	138	105
Black MMSC	277	219
Black Cisgender Man IDU	35	22
Black MMSC/IDU	14	9
Black Cisgender Man Youth (age 13–24)	23	17
Black Cisgender Man Homeless	1	0
Black Cisgender Woman	246	197
Black Cisgender Woman Heterosexual Contact	216	172
Black Cisgender Woman IDU	13	11
Black Cisgender Woman Youth (age 13–24)	10	9
Black WCBA (age 15–44)	93	68
Black Cisgender Woman Homeless	0	-
Black Transgender	2	1
Black Transgender Sexual Contact	1	0
Black Transgender IDU	1	1
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	15	13
Hispanic/Latinx IDU	3	1
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	41	26
Hispanic/Latino Cisgender Man Heterosexual Contact	6	4
Hispanic/Latino MMSC	31	20

Hispanic/Latino Cisgender Man IDU	3	1
Hispanic/Latino MMSC/IDU	0	-
Hispanic/Latino Cisgender Man Youth (age 13–24)	1	0
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	9	9
Hispanic/Latina Cisgender Woman Heterosexual Contact	9	9
Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	1	1
Hispanic/Latina Cisgender Woman Homeless	0	-
Hispanic/Latinx Transgender	2	1
Hispanic/Latinx Transgender Sexual Contact	2	1
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	1	1
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) is defined as the number of persons living with an HIV diagnosis in this area ; HIV diagnoses include persons whose HIV diagnosis occurred during the period specified, data as of 6/30/2021. In Care: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2019 through 6/30/2021. Out of Care: PWH with no documented VL or CD4 lab, medical visit, or prescription from 1/1/2019 through 6/30/2021. Retained in Care: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2019 through 6/30/2021. Suppressed Viral Load: PWH with a suppressed VL (<200 copies/mL) on the last VL from 1/1/2019 through 6/30/2021. In Care with Suppressed Viral Load: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2019 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2019 through 6/30/2021. Retained in Care with Suppressed Viral Load: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2019 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2019 through 6/30/2021. No Viral Load: No documented VL lab from 1/1/2019 through 6/30/2021, data as of 6/30/2021. Late Diagnosis: AIDS diagnosis within 3 months of HIV diagnosis.

Homelessness is based on the current address at the end of the calendar year and includes addresses where the person is not permitted to stay. MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Persons with HIV (PWH)

% In Care	Out of Care	% Out of Care	Retained in Care	% Retained in Care	Suppressed VL	% Suppressed VL
86.8%	76	13.2%	465	80.9%	452	78.6%
77.7%	161	22.3%	507	70.3%	447	62.0%
69.2%	16	30.8%	33	63.5%	34	65.4%
90.0%	1	10.0%	9	90.0%	8	80.0%
0.0%	2	100.0%	0	0.0%	0	0.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
80.0%	3	20.0%	10	66.7%	9	60.0%
81.5%	191	18.5%	761	73.9%	716	69.5%
80.1%	69	19.9%	264	76.1%	235	67.7%
81.6%	189	18.4%	760	74.1%	714	69.6%
80.1%	69	19.9%	263	76.0%	234	67.6%
100.0%	0	0.0%	1	100.0%	1	100.0%
50.0%	2	50.0%	1	25.0%	2	50.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
100.0%	0	0.0%	5	100.0%	5	100.0%
100.0%	0	0.0%	6	100.0%	4	66.7%
76.9%	9	23.1%	28	71.8%	26	66.7%
80.2%	20	19.8%	67	66.3%	55	54.5%
75.2%	31	24.8%	77	61.6%	77	61.6%
73.3%	36	26.7%	94	69.6%	80	59.3%
78.6%	22	21.4%	75	72.8%	70	68.0%
82.2%	24	17.8%	105	77.8%	91	67.4%
82.2%	39	17.8%	166	75.8%	154	70.3%
84.5%	36	15.5%	184	79.3%	169	72.8%
84.7%	42	15.3%	217	78.9%	219	79.6%
80.0%	9	20.0%	34	75.6%	30	66.7%
81.1%	259	18.9%	1,019	74.4%	945	69.0%

83.9%	117	16.1%	567	78.1%	542	74.7%
71.4%	38	28.6%	86	64.7%	74	55.6%
81.6%	245	18.4%	996	74.9%	921	69.2%
-	-	-	-	-	-	-
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
50.0%	1	50.0%	1	50.0%	1	50.0%
-	-	-	-	-	-	-
60.0%	2	40.0%	3	60.0%	3	60.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	1	50.0%	2	100.0%
70.3%	11	29.7%	24	64.9%	24	64.9%
81.1%	260	18.9%	1,025	74.4%	951	69.1%
83.4%	123	16.6%	562	75.9%	535	72.3%
69.2%	16	30.8%	33	63.5%	28	53.8%
78.3%	10	21.7%	33	71.7%	30	65.2%
78.5%	38	21.5%	125	70.6%	114	64.4%
75.0%	2	25.0%	4	50.0%	4	50.0%
81.5%	189	18.5%	757	74.0%	711	69.5%
80.0%	4	16.0%	18	72.0%	16	64.0%
79.9%	61	20.1%	230	75.9%	207	68.3%
80.0%	3	20.0%	12	80.0%	8	53.3%
80.1%	68	19.9%	260	76.0%	231	67.5%
100.0%	0	0.0%	0	0.0%	1	100.0%
50.0%	2	50.0%	2	50.0%	2	50.0%
-	-	-	-	-	-	-
60.0%	2	40.0%	2	40.0%	3	60.0%
85.7%	1	14.3%	6	85.7%	6	85.7%
-	-	-	-	-	-	-
85.7%	1	14.3%	6	85.7%	6	85.7%
83.8%	16	16.2%	80	80.8%	75	75.8%
87.0%	3	13.0%	18	78.3%	16	69.6%
50.0%	1	50.0%	1	50.0%	1	50.0%
88.0%	59	12.0%	402	81.5%	392	79.5%
93.5%	2	6.5%	27	87.1%	24	77.4%
87.8%	51	12.2%	342	81.6%	339	80.9%

91.7%	1	8.3%	10	83.3%	9	75.0%
83.3%	5	16.7%	23	76.7%	20	66.7%
85.7%	1	14.3%	6	85.7%	6	85.7%
100.0%	0	0.0%	2	66.7%	3	100.0%
79.0%	17	21.0%	62	76.5%	59	72.8%
79.7%	14	20.3%	54	78.3%	52	75.4%
80.0%	2	20.0%	7	70.0%	6	60.0%
100.0%	0	0.0%	3	100.0%	2	66.7%
69.7%	10	30.3%	21	63.6%	19	57.6%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
78.2%	78	22.0%	254	71.8%	226	63.8%
69.4%	15	30.6%	31	63.3%	28	57.1%
100.0%	0	0.0%	5	100.0%	5	100.0%
76.5%	111	23.5%	322	68.1%	284	60.0%
76.1%	34	24.6%	93	67.4%	84	60.9%
79.1%	58	20.9%	194	70.0%	170	61.4%
62.9%	13	37.1%	21	60.0%	17	48.6%
64.3%	5	35.7%	9	64.3%	7	50.0%
73.9%	6	26.1%	15	65.2%	14	60.9%
0.0%	1	100.0%	0	0.0%	0	0.0%
80.1%	49	19.9%	185	75.2%	162	65.9%
79.6%	44	20.4%	161	74.5%	142	65.7%
84.6%	2	15.4%	10	76.9%	10	76.9%
90.0%	1	10.0%	9	90.0%	7	70.0%
73.1%	25	26.9%	61	65.6%	51	54.8%
-	-	-	-	-	-	-
50.0%	1	50.0%	0	0.0%	1	50.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
100.0%	0	0.0%	0	0.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
86.7%	2	13.3%	13	86.7%	13	86.7%
33.3%	2	66.7%	1	33.3%	1	33.3%
-	-	-	-	-	-	-
63.4%	15	36.6%	23	56.1%	24	58.5%
66.7%	2	33.3%	4	66.7%	4	66.7%
64.5%	11	35.5%	18	58.1%	19	61.3%

33.3%	2	66.7%	1	33.3%	1	33.3%
-	-	-	-	-	-	-
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	9	100.0%	9	100.0%
100.0%	0	0.0%	9	100.0%	9	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
50.0%	1	50.0%	1	50.0%	1	50.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-

at the end of each respective calendar year, data as of 6/30/2021.
6/30/2021.

through 3/31/2020, data as of 6/30/2021.

through 3/31/2020, data as of 6/30/2021.

at least three months apart from 1/1/2019 through 6/30/2020, data as of 6/30/2021.

through 3/31/2020, data as of 6/30/2021.

or prescription from 1/1/2019 through 3/31/2020 that also has a suppressed VL (<200 copies/mL) on the last VL
clinical visits, or prescriptions at least three months apart from 1/1/2019 through 6/30/2020 that also has a suppressed

is labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.
/FCI=Florida Department of Corrections/Federal Correctional Institution

% In Care with Suppressed VL	Retained in Care with Suppressed VL	% Retained in Care with Suppressed VL	No VL	% No VL	HIV Diagnoses	In Care w/in 7 Days
90.6%	432	92.9%	89	15.5%	15	5
79.8%	428	84.4%	188	26.1%	25	10
94.4%	32	97.0%	16	30.8%	1	1
88.9%	8	88.9%	1	10.0%	0	-
-	0	-	2	100.0%	0	-
100.0%	1	100.0%	1	50.0%	1	1
75.0%	8	80.0%	4	26.7%	0	-
85.3%	679	89.2%	217	21.1%	31	14
84.5%	230	87.1%	84	24.2%	11	3
85.3%	678	89.2%	215	21.0%	31	14
84.5%	229	87.1%	84	24.3%	10	3
100.0%	1	100.0%	0	0.0%	1	0
100.0%	1	100.0%	2	50.0%	0	-
100.0%	1	100.0%	1	50.0%	0	-
100.0%	5	100.0%	0	0.0%	0	-
66.7%	4	66.7%	0	0.0%	1	0
86.7%	25	89.3%	10	25.6%	6	1
67.9%	52	77.6%	23	22.8%	12	7
81.9%	70	90.9%	39	31.2%	7	3
80.8%	78	83.0%	41	30.4%	3	2
86.4%	66	88.0%	25	24.3%	5	1
82.0%	91	86.7%	28	20.7%	2	0
85.6%	145	87.3%	42	19.2%	2	1
86.2%	163	88.6%	44	19.0%	3	2
94.0%	209	96.3%	48	17.5%	1	0
83.3%	29	85.3%	10	22.2%	7	1
85.1%	903	88.6%	300	21.9%	42	17

89.0%	517	91.2%	134	18.5%	6	3
77.9%	71	82.6%	47	35.3%	7	1
84.9%	882	88.6%	286	21.5%	41	16
-	-	-	-	-	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	1	50.0%	0	-
-	-	-	-	-	0	-
100.0%	3	100.0%	2	40.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	0	0.0%	0	-
92.3%	22	91.7%	11	29.7%	1	1
85.1%	909	88.7%	301	21.9%	42	17
86.7%	507	90.2%	144	19.5%	23	12
77.8%	28	84.8%	17	32.7%	0	-
83.3%	28	84.8%	10	21.7%	1	1
82.0%	108	86.4%	42	23.7%	7	1
66.7%	4	100.0%	2	25.0%	0	-
85.3%	675	89.2%	215	21.0%	31	14
80.0%	15	83.3%	6	24.0%	2	0
85.5%	203	88.3%	74	24.4%	8	3
66.7%	8	66.7%	3	20.0%	0	-
84.3%	226	86.9%	83	24.3%	10	3
100.0%	0	-	0	0.0%	0	-
100.0%	2	100.0%	2	50.0%	1	0
-	-	-	-	-	0	-
100.0%	2	100.0%	2	40.0%	1	0
100.0%	6	100.0%	1	14.3%	0	-
-	-	-	-	-	0	-
100.0%	6	100.0%	1	14.3%	0	-
90.4%	73	91.3%	17	17.2%	6	3
80.0%	16	88.9%	5	21.7%	2	0
100.0%	1	100.0%	1	50.0%	0	-
90.3%	373	92.8%	69	14.0%	8	3
82.8%	23	85.2%	2	6.5%	2	1
92.1%	322	94.2%	61	14.6%	5	1

81.8%	9	90.0%	1	8.3%	0	-
80.0%	18	78.3%	5	16.7%	1	1
100.0%	6	100.0%	1	14.3%	2	0
100.0%	2	100.0%	0	0.0%	0	-
92.2%	58	93.5%	20	24.7%	6	2
94.5%	51	94.4%	15	21.7%	4	2
75.0%	6	85.7%	4	40.0%	2	0
66.7%	2	66.7%	0	0.0%	1	0
82.6%	18	85.7%	12	36.4%	5	1
100.0%	1	100.0%	0	0.0%	0	-
100.0%	1	100.0%	0	0.0%	1	0
100.0%	1	100.0%	0	0.0%	1	0
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
81.6%	219	86.2%	93	26.3%	9	1
82.4%	25	80.6%	16	32.7%	0	-
100.0%	5	100.0%	0	0.0%	0	-
78.5%	270	83.9%	127	26.8%	21	9
80.0%	80	86.0%	38	27.5%	5	0
77.6%	161	83.0%	69	24.9%	16	9
77.3%	16	76.2%	14	40.0%	0	-
77.8%	7	77.8%	5	35.7%	0	-
82.4%	13	86.7%	7	30.4%	2	0
-	0	-	1	100.0%	0	-
82.2%	158	85.4%	60	24.4%	4	1
82.6%	139	86.3%	55	25.5%	4	1
90.9%	9	90.0%	2	15.4%	0	-
77.8%	7	77.8%	1	10.0%	1	0
75.0%	49	80.3%	32	34.4%	2	0
-	-	-	-	-	0	-
100.0%	0	-	1	50.0%	0	-
-	0	-	1	100.0%	0	-
100.0%	0	-	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
100.0%	13	100.0%	2	13.3%	0	-
100.0%	1	100.0%	2	66.7%	0	-
-	-	-	-	-	0	-
92.3%	22	95.7%	15	36.6%	1	1
100.0%	4	100.0%	2	33.3%	0	-
95.0%	17	94.4%	11	35.5%	1	1

100.0%	1	100.0%	2	66.7%	0	-
-	-	-	-	-	0	-
-	0	-	1	100.0%	1	1
-	-	-	-	-	0	-
100.0%	9	100.0%	0	0.0%	0	-
100.0%	9	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	1	50.0%	0	-
100.0%	1	100.0%	1	50.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-

L from 1/1/2019 through 3/31/2020, data as of 6/30/2021.

ressed VL (<200 copies/mL) on the last VL from 1/1/2019 through 3/31/2020, data as of 6/30/2021.

HIV Diagnoses

% In Care w/in 7 Days	In Care w/in 30 Days	% In Care w/in 30 Days	In Care w/in 90 Days	% In Care w/in 90 Days	Retained in Care	% Retained in Care
33.3%	9	60.0%	13	86.7%	13	86.7%
40.0%	19	76.0%	24	96.0%	19	76.0%
100.0%	1	100.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
45.2%	24	77.4%	29	93.5%	26	83.9%
27.3%	6	54.5%	10	90.9%	7	63.6%
45.2%	24	77.4%	29	93.5%	26	83.9%
30.0%	6	60.0%	9	90.0%	6	60.0%
0.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	0	0.0%	0	0.0%	1	100.0%
16.7%	4	66.7%	6	100.0%	5	83.3%
58.3%	11	91.7%	12	100.0%	10	83.3%
42.9%	3	42.9%	6	85.7%	6	85.7%
66.7%	3	100.0%	3	100.0%	3	100.0%
20.0%	3	60.0%	4	80.0%	3	60.0%
0.0%	1	50.0%	2	100.0%	2	100.0%
50.0%	2	100.0%	2	100.0%	1	50.0%
66.7%	2	66.7%	3	100.0%	2	66.7%
0.0%	1	100.0%	1	100.0%	0	0.0%
14.3%	4	57.1%	6	85.7%	6	85.7%
40.5%	30	71.4%	39	92.9%	33	78.6%

50.0%	5	83.3%	6	100.0%	3	50.0%
14.3%	3	42.9%	6	85.7%	5	71.4%
39.0%	29	70.7%	38	92.7%	32	78.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
40.5%	30	71.4%	39	92.9%	33	78.6%
52.2%	18	78.3%	21	91.3%	19	82.6%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
14.3%	5	71.4%	7	100.0%	6	85.7%
-	-	-	-	-	-	-
45.2%	24	77.4%	29	93.5%	26	83.9%
0.0%	1	50.0%	1	50.0%	1	50.0%
37.5%	5	62.5%	8	100.0%	5	62.5%
-	-	-	-	-	-	-
30.0%	6	60.0%	9	90.0%	6	60.0%
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	5	83.3%	6	100.0%	5	83.3%
0.0%	1	50.0%	1	50.0%	1	50.0%
-	-	-	-	-	-	-
37.5%	5	62.5%	7	87.5%	8	100.0%
50.0%	2	100.0%	2	100.0%	2	100.0%
20.0%	2	40.0%	4	80.0%	5	100.0%

-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
0.0%	0	0.0%	1	50.0%	2	100.0%
-	-	-	-	-	-	-
33.3%	4	66.7%	5	83.3%	4	66.7%
50.0%	3	75.0%	4	100.0%	3	75.0%
0.0%	1	50.0%	1	50.0%	1	50.0%
0.0%	1	100.0%	1	100.0%	1	100.0%
20.0%	3	60.0%	4	80.0%	4	80.0%
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
0.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
11.1%	5	55.6%	9	100.0%	6	66.7%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
42.9%	17	81.0%	20	95.2%	17	81.0%
0.0%	3	60.0%	5	100.0%	4	80.0%
56.3%	14	87.5%	15	93.8%	13	81.3%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0.0%	2	100.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
25.0%	2	50.0%	4	100.0%	2	50.0%
25.0%	2	50.0%	4	100.0%	2	50.0%
-	-	-	-	-	-	-
0.0%	0	0.0%	1	100.0%	1	100.0%
0.0%	0	0.0%	2	100.0%	1	50.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	0	0.0%

Suppressed VL	% Suppressed VL	No VL	% No VL	Late Diagnosis	% Late Diagnosis
12	80.0%	1	6.7%	3	20.0%
17	68.0%	3	12.0%	7	28.0%
0	0.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	1	100.0%
-	-	-	-	-	-
23	74.2%	2	6.5%	7	22.6%
7	63.6%	2	18.2%	4	36.4%
23	74.2%	2	6.5%	7	22.6%
6	60.0%	2	20.0%	4	40.0%
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
4	66.7%	0	0.0%	0	0.0%
9	75.0%	1	8.3%	3	25.0%
6	85.7%	1	14.3%	3	42.9%
2	66.7%	0	0.0%	0	0.0%
2	40.0%	1	20.0%	1	20.0%
2	100.0%	0	0.0%	1	50.0%
1	50.0%	0	0.0%	0	0.0%
3	100.0%	0	0.0%	2	66.7%
0	0.0%	1	100.0%	1	100.0%
5	71.4%	0	0.0%	0	0.0%
30	71.4%	4	9.5%	11	26.2%

4	66.7%	1	16.7%	3	50.0%
4	57.1%	1	14.3%	1	14.3%
29	70.7%	4	9.8%	11	26.8%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
30	71.4%	4	9.5%	11	26.2%
17	73.9%	2	8.7%	4	17.4%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
5	71.4%	0	0.0%	3	42.9%
-	-	-	-	-	-
23	74.2%	2	6.5%	7	22.6%
1	50.0%	1	50.0%	0	0.0%
5	62.5%	1	12.5%	4	50.0%
-	-	-	-	-	-
6	60.0%	2	20.0%	4	40.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
4	66.7%	0	0.0%	3	50.0%
1	50.0%	1	50.0%	0	0.0%
-	-	-	-	-	-
7	87.5%	0	0.0%	1	12.5%
1	50.0%	0	0.0%	1	50.0%
5	100.0%	0	0.0%	0	0.0%

-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%
2	100.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
4	66.7%	1	16.7%	2	33.3%	33.3%
3	75.0%	0	0.0%	2	50.0%	50.0%
1	50.0%	1	50.0%	0	0.0%	0.0%
0	0.0%	0	0.0%	0	0.0%	0.0%
3	60.0%	1	20.0%	1	20.0%	20.0%
-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%
1	100.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
6	66.7%	1	11.1%	4	44.4%	44.4%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
15	71.4%	2	9.5%	5	23.8%	23.8%
4	80.0%	0	0.0%	2	40.0%	40.0%
11	68.8%	2	12.5%	3	18.8%	18.8%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
2	100.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
2	50.0%	1	25.0%	2	50.0%	50.0%
2	50.0%	1	25.0%	2	50.0%	50.0%
-	-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%	0.0%
1	50.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%	0.0%
-	-	-	-	-	-	-
0	0.0%	0	0.0%	0	0.0%	0.0%

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
Continuum of HIV Care, 2020**

Demographic Group/Transmission Category	PWH	In Care
Race/Ethnicity		
White	546	475
Black	723	584
Hispanic/Latinx	55	40
Asian	9	8
American Indian/Alaska Native	2	0
Native Hawaiian/Pacific Islander	2	2
Multi-race	16	11
Birth Sex		
Male	1,013	842
Female	340	278
Gender Identity		
Cisgender Man	1,008	839
Cisgender Woman	339	277
Transgender Man	1	1
Transgender Woman	5	3
Age		
0–2 years	1	1
3–12 years	6	5
13–19 years	6	6
20–24 years	35	33
25–29 years	85	72
30–34 years	130	99
35–39 years	126	104
40–44 years	109	87
45–49 years	129	107
50–54 years	196	158
55–59 years	245	203
60+ years	285	245
Youth (age 13–24)	41	39
Adults (age 13+)	1,346	1,114

Older Adults (age 50+)	726	606
WCBA (age 15–44)	119	90
Country/Territory of Birth		
United States	1,306	1,085
Haiti	1	1
Cuba	1	0
Venezuela	0	-
Puerto Rico	2	0
Colombia	0	-
Mexico	6	5
Brazil	0	-
Jamaica	3	3
Other/Unknown	34	26
Total	1,353	1,120
Cisgender Man Adult/Adolescent Transmission Categories		
MMSC	719	603
IDU	45	34
MMSC/IDU	46	36
Heterosexual Contact	189	157
Other Risk	7	6
Total Cisgender Man Adult/Adolescent	1,005	836
Cisgender Woman Adult/Adolescent Transmission Categories		
IDU	27	22
Heterosexual Contact	293	240
Other Risk	15	12
Total Cisgender Woman Adult/Adolescent	335	274
Transgender Adult/Adolescent Transmission Categories		
IDU	1	1
Sexual Contact	5	3
Other Risk	0	-
Total Transgender Adult/Adolescent	6	4
Pediatric Transmission Categories (age 0–12)		
Perinatal Exposure	7	6
Non-perinatal Exposure	0	-
Total Pediatric	7	6
Select Populations		
White Heterosexual Contact	96	83
White IDU	24	22
White Pediatric (age 0–12)	2	1
White Cisgender Man	465	408
White Cisgender Man Heterosexual Contact	32	30
White MMSC	392	343

White Cisgender Man IDU	10	10
White MMSC/IDU	30	24
White Cisgender Man Youth (age 13–24)	6	6
White Cisgender Man Homeless	2	1
White Cisgender Woman	80	66
White Cisgender Woman Heterosexual Contact	65	54
White Cisgender Woman IDU	13	11
White Cisgender Woman Youth (age 13–24)	3	3
White WCBA (age 15–44)	29	22
White Cisgender Woman Homeless	1	1
White Transgender	1	1
White Transgender Sexual Contact	1	1
White Transgender IDU	0	-
White Transgender Youth (age 13–24)	0	-
White Transgender Homeless	0	-
Black Heterosexual Contact	357	291
Black IDU	45	33
Black Pediatric (age 0–12)	5	5
Black Cisgender Man	480	386
Black Cisgender Man Heterosexual Contact	148	120
Black MMSC	281	226
Black Cisgender Man IDU	30	21
Black MMSC/IDU	13	11
Black Cisgender Man Youth (age 13–24)	20	18
Black Cisgender Man Homeless	1	1
Black Cisgender Woman	240	196
Black Cisgender Woman Heterosexual Contact	209	171
Black Cisgender Woman IDU	14	11
Black Cisgender Woman Youth (age 13–24)	9	9
Black WCBA (age 15–44)	82	63
Black Cisgender Woman Homeless	1	1
Black Transgender	3	2
Black Transgender Sexual Contact	2	1
Black Transgender IDU	1	1
Black Transgender Youth (age 13–24)	0	-
Black Transgender Homeless	0	-
Hispanic/Latinx Heterosexual Contact	16	13
Hispanic/Latinx IDU	3	1
Hispanic/Latinx Pediatric (age 0–12)	0	-
Hispanic/Latino Cisgender Man	44	31
Hispanic/Latino Cisgender Man Heterosexual Contact	7	5
Hispanic/Latino MMSC	33	25

Hispanic/Latino Cisgender Man IDU	3	1
Hispanic/Latino MMSC/IDU	0	-
Hispanic/Latino Cisgender Man Youth (age 13–24)	2	2
Hispanic/Latino Cisgender Man Homeless	0	-
Hispanic/Latina Cisgender Woman	9	8
Hispanic/Latina Cisgender Woman Heterosexual Contact	9	8
Hispanic/Latina Cisgender Woman IDU	0	-
Hispanic/Latina Cisgender Woman Youth (age 13–24)	0	-
Hispanic/Latina WCBA (age 15–44)	2	2
Hispanic/Latina Cisgender Woman Homeless	0	-
Hispanic/Latinx Transgender	2	1
Hispanic/Latinx Transgender Sexual Contact	2	1
Hispanic/Latinx Transgender IDU	0	-
Hispanic/Latinx Transgender Youth (age 13–24)	1	1
Hispanic/Latinx Transgender Homeless	0	-
FDC/FCI	-	-

Persons with HIV (PWH) is defined as the number of persons living with an HIV diagnosis in this area ; HIV diagnoses include persons whose HIV diagnosis occurred during the period specified, data as of 6/30/2021. In Care: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2020 through 6/30/2021. Out of Care: PWH with no documented VL or CD4 lab, medical visit, or prescription from 1/1/2020 through 6/30/2021. Retained in Care: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2020 through 6/30/2021. Suppressed Viral Load: PWH with a suppressed VL (<200 copies/mL) on the last VL from 1/1/2020 through 6/30/2021. In Care with Suppressed Viral Load: PWH with at least one documented VL or CD4 lab, medical visit, or prescription from 1/1/2020 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2020 through 6/30/2021. Retained in Care with Suppressed Viral Load: PWH with two or more documented VL or CD4 labs, medical visits, or prescriptions from 1/1/2020 through 6/30/2021 and a suppressed VL on the last VL from 1/1/2020 through 6/30/2021. No Viral Load: No documented VL lab from 1/1/2020 through 6/30/2021, data as of 6/30/2021. Late Diagnosis: AIDS diagnosis within 3 months of HIV diagnosis.

Homelessness is based on the current address at the end of the calendar year and includes addresses where the person is currently homeless. MMSC=male-to-male sexual contact; IDU=injection drug use; WCBA=women of childbearing age; FDC

September 13, 2021

Persons with HIV (PWH)

% In Care	Out of Care	% Out of Care	Retained in Care	% Retained in Care	Suppressed VL	% Suppressed VL
87.0%	71	13.0%	445	81.5%	439	80.4%
80.8%	139	19.2%	537	74.3%	484	66.9%
72.7%	15	27.3%	35	63.6%	38	69.1%
88.9%	1	11.1%	8	88.9%	8	88.9%
0.0%	2	100.0%	0	0.0%	0	0.0%
100.0%	0	0.0%	2	100.0%	2	100.0%
68.8%	5	31.3%	11	68.8%	9	56.3%
83.1%	171	16.9%	776	76.6%	749	73.9%
81.8%	62	18.2%	262	77.1%	231	67.9%
83.2%	169	16.8%	773	76.7%	746	74.0%
81.7%	62	18.3%	261	77.0%	230	67.8%
100.0%	0	0.0%	1	100.0%	1	100.0%
60.0%	2	40.0%	3	60.0%	3	60.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
83.3%	1	16.7%	5	83.3%	5	83.3%
100.0%	0	0.0%	6	100.0%	5	83.3%
94.3%	2	5.7%	31	88.6%	30	85.7%
84.7%	13	15.3%	61	71.8%	54	63.5%
76.2%	31	23.8%	92	70.8%	89	68.5%
82.5%	22	17.5%	99	78.6%	90	71.4%
79.8%	22	20.2%	80	73.4%	75	68.8%
82.9%	22	17.1%	96	74.4%	89	69.0%
80.6%	38	19.4%	147	75.0%	133	67.9%
82.9%	42	17.1%	190	77.6%	182	74.3%
86.0%	40	14.0%	230	80.7%	227	79.6%
95.1%	2	4.9%	37	90.2%	35	85.4%
82.8%	232	17.2%	1,032	76.7%	974	72.4%

83.5%	120	16.5%	567	78.1%	542	74.7%
75.6%	29	24.4%	86	72.3%	70	58.8%
83.1%	221	16.9%	1,006	77.0%	947	72.5%
100.0%	0	0.0%	1	100.0%	1	100.0%
0.0%	1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
0.0%	2	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-	-
83.3%	1	16.7%	5	83.3%	5	83.3%
-	-	-	-	-	-	-
100.0%	0	0.0%	3	100.0%	3	100.0%
76.5%	8	23.5%	23	67.6%	24	70.6%
82.8%	233	17.2%	1,038	76.7%	980	72.4%
83.9%	115	16.0%	564	78.4%	552	76.8%
75.6%	12	26.7%	32	71.1%	27	60.0%
78.3%	9	19.6%	30	65.2%	30	65.2%
83.1%	32	16.9%	139	73.5%	130	68.8%
85.7%	1	14.3%	5	71.4%	3	42.9%
83.2%	169	16.8%	770	76.6%	743	73.9%
81.5%	5	18.5%	20	74.1%	19	70.4%
81.9%	53	18.1%	226	77.1%	200	68.3%
80.0%	3	20.0%	12	80.0%	8	53.3%
81.8%	61	18.2%	258	77.0%	227	67.8%
100.0%	0	0.0%	1	100.0%	1	100.0%
60.0%	2	40.0%	3	60.0%	3	60.0%
-	-	-	-	-	-	-
66.7%	2	33.3%	4	66.7%	4	66.7%
85.7%	1	14.3%	6	85.7%	6	85.7%
-	-	-	-	-	-	-
85.7%	1	14.3%	6	85.7%	6	85.7%
86.5%	13	13.5%	75	78.1%	71	74.0%
91.7%	2	8.3%	21	87.5%	17	70.8%
50.0%	1	50.0%	1	50.0%	1	50.0%
87.7%	57	12.3%	384	82.6%	381	81.9%
93.8%	2	6.3%	27	84.4%	24	75.0%
87.5%	49	12.5%	326	83.2%	326	83.2%

100.0%	0	0.0%	10	100.0%	8	80.0%
80.0%	6	20.0%	20	66.7%	22	73.3%
100.0%	0	0.0%	6	100.0%	6	100.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
82.5%	14	17.5%	60	75.0%	57	71.3%
83.1%	11	16.9%	49	75.4%	48	73.8%
84.6%	2	15.4%	10	76.9%	8	61.5%
100.0%	0	0.0%	3	100.0%	3	100.0%
75.9%	7	24.1%	20	69.0%	19	65.5%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
81.5%	66	18.5%	268	75.1%	240	67.2%
73.3%	12	26.7%	30	66.7%	29	64.4%
100.0%	0	0.0%	5	100.0%	5	100.0%
80.4%	94	19.6%	349	72.7%	321	66.9%
81.1%	28	18.9%	106	71.6%	99	66.9%
80.4%	56	19.9%	208	74.0%	193	68.7%
70.0%	9	30.0%	20	66.7%	17	56.7%
84.6%	2	15.4%	9	69.2%	7	53.8%
90.0%	2	10.0%	17	85.0%	16	80.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
81.7%	44	18.3%	186	77.5%	161	67.1%
81.8%	38	18.2%	162	77.5%	141	67.5%
78.6%	3	21.4%	10	71.4%	11	78.6%
100.0%	0	0.0%	9	100.0%	7	77.8%
76.8%	19	23.2%	61	74.4%	46	56.1%
100.0%	0	0.0%	1	100.0%	0	0.0%
66.7%	1	33.3%	2	66.7%	2	66.7%
50.0%	1	50.0%	1	50.0%	1	50.0%
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
81.3%	3	18.8%	12	75.0%	12	75.0%
33.3%	2	66.7%	1	33.3%	1	33.3%
-	-	-	-	-	-	-
70.5%	13	29.5%	26	59.1%	30	68.2%
71.4%	2	28.6%	4	57.1%	5	71.4%
75.8%	8	24.2%	21	63.6%	24	72.7%

33.3%	2	66.7%	1	33.3%	1	33.3%
-	-	-	-	-	-	-
100.0%	0	0.0%	1	50.0%	2	100.0%
-	-	-	-	-	-	-
88.9%	1	11.1%	8	88.9%	7	77.8%
88.9%	1	11.1%	8	88.9%	7	77.8%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	0	0.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
50.0%	1	50.0%	1	50.0%	1	50.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
-	-	-	-	-	-	-
100.0%	0	0.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-

at the end of each respective calendar year, data as of 6/30/2021.
6/30/2021.

through 3/31/2021, data as of 6/30/2021.

through 3/31/2021, data as of 6/30/2021.

at least three months apart from 1/1/2020 through 6/30/2021, data as of 6/30/2021.

through 3/31/2021, data as of 6/30/2021.

or prescription from 1/1/2020 through 3/31/2021 that also has a suppressed VL (<200 copies/mL) on the last VL
clinical visits, or prescriptions at least three months apart from 1/1/2020 through 6/30/2021 that also has a suppressed

is labeled as Homeless, Shelter, Temporary, or with a zip code of 99999.

/FCI=Florida Department of Corrections/Federal Correctional Institution

% In Care with Suppressed VL	Retained in Care with Suppressed VL	% Retained in Care with Suppressed VL	No VL	% No VL	HIV Diagnoses	In Care w/in 7 Days
92.4%	417	93.7%	80	14.7%	9	6
82.9%	465	86.6%	154	21.3%	24	6
95.0%	34	97.1%	15	27.3%	6	6
100.0%	8	100.0%	1	11.1%	0	-
-	0	-	2	100.0%	0	-
100.0%	2	100.0%	0	0.0%	1	1
81.8%	9	81.8%	6	37.5%	0	-
89.0%	711	91.6%	185	18.3%	34	17
83.1%	224	85.5%	73	21.5%	6	2
88.9%	708	91.6%	183	18.2%	34	17
83.0%	223	85.4%	73	21.5%	6	2
100.0%	1	100.0%	0	0.0%	0	-
100.0%	3	100.0%	2	40.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
100.0%	5	100.0%	1	16.7%	0	-
83.3%	5	83.3%	0	0.0%	3	2
90.9%	28	90.3%	2	5.7%	8	4
75.0%	50	82.0%	15	17.6%	11	6
89.9%	85	92.4%	33	25.4%	5	2
86.5%	88	88.9%	24	19.0%	1	0
86.2%	71	88.8%	25	22.9%	3	2
83.2%	83	86.5%	25	19.4%	1	0
84.2%	129	87.8%	43	21.9%	4	2
89.7%	175	92.1%	47	19.2%	2	1
92.7%	215	93.5%	43	15.1%	2	0
89.7%	33	89.2%	2	4.9%	11	6
87.4%	929	90.0%	257	19.1%	40	19

89.4%	519	91.5%	133	18.3%	8	3
77.8%	70	81.4%	34	28.6%	2	1
87.3%	904	89.9%	245	18.8%	37	16
100.0%	1	100.0%	0	0.0%	0	-
-	0	-	1	100.0%	0	-
-	-	-	-	-	0	-
-	0	-	2	100.0%	0	-
-	-	-	-	-	0	-
100.0%	5	100.0%	1	16.7%	1	1
-	-	-	-	-	0	-
100.0%	3	100.0%	0	0.0%	0	-
92.3%	22	95.7%	9	26.5%	2	2
87.5%	935	90.1%	258	19.1%	40	19
91.5%	529	93.8%	126	17.5%	23	12
79.4%	27	84.4%	12	26.7%	1	1
83.3%	27	90.0%	9	19.6%	0	-
82.8%	119	85.6%	35	18.5%	10	4
50.0%	3	60.0%	1	14.3%	0	-
88.9%	705	91.6%	183	18.2%	34	17
86.4%	18	90.0%	6	22.2%	0	-
83.3%	194	85.8%	63	21.5%	6	2
66.7%	8	66.7%	3	20.0%	0	-
82.8%	220	85.3%	72	21.5%	6	2
100.0%	1	100.0%	0	0.0%	0	-
100.0%	3	100.0%	2	40.0%	0	-
-	-	-	-	-	0	-
100.0%	4	100.0%	2	33.3%	0	-
100.0%	6	100.0%	1	14.3%	0	-
-	-	-	-	-	0	-
100.0%	6	100.0%	1	14.3%	0	-
85.5%	66	88.0%	16	16.7%	3	2
77.3%	17	81.0%	3	12.5%	1	1
100.0%	1	100.0%	1	50.0%	0	-
93.4%	361	94.0%	62	13.3%	8	6
80.0%	21	77.8%	2	6.3%	2	2
95.0%	312	95.7%	54	13.8%	5	3

80.0%	8	80.0%	0	0.0%	1	1
91.7%	19	95.0%	6	20.0%	0	-
100.0%	6	100.0%	0	0.0%	1	1
100.0%	1	100.0%	1	50.0%	0	-
86.4%	55	91.7%	18	22.5%	1	0
88.9%	46	93.9%	14	21.5%	1	0
72.7%	8	80.0%	3	23.1%	0	-
100.0%	3	100.0%	0	0.0%	0	-
86.4%	19	95.0%	9	31.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
82.5%	229	85.4%	75	21.0%	10	1
87.9%	27	90.0%	12	26.7%	0	-
100.0%	5	100.0%	0	0.0%	0	-
83.2%	307	88.0%	103	21.5%	20	5
82.5%	92	86.8%	31	20.9%	6	0
85.4%	187	89.9%	61	21.7%	14	5
81.0%	17	85.0%	9	30.0%	0	-
63.6%	7	77.8%	2	15.4%	0	-
88.9%	15	88.2%	2	10.0%	9	4
100.0%	1	100.0%	0	0.0%	0	-
82.1%	156	83.9%	50	20.8%	4	1
82.5%	137	84.6%	44	21.1%	4	1
100.0%	10	100.0%	3	21.4%	0	-
77.8%	7	77.8%	0	0.0%	0	-
73.0%	46	75.4%	22	26.8%	2	1
0.0%	0	0.0%	1	100.0%	0	-
100.0%	2	100.0%	1	33.3%	0	-
100.0%	1	100.0%	1	50.0%	0	-
100.0%	1	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
92.3%	11	91.7%	3	18.8%	2	2
100.0%	1	100.0%	2	66.7%	0	-
-	-	-	-	-	0	-
96.8%	26	100.0%	13	29.5%	6	6
100.0%	4	100.0%	2	28.6%	2	2
96.0%	21	100.0%	8	24.2%	4	4

100.0%	1	100.0%	2	66.7%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	0	0.0%	1	1
-	-	-	-	-	0	-
87.5%	7	87.5%	1	11.1%	0	-
87.5%	7	87.5%	1	11.1%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-
100.0%	2	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	1	50.0%	0	-
100.0%	1	100.0%	1	50.0%	0	-
-	-	-	-	-	0	-
100.0%	1	100.0%	0	0.0%	0	-
-	-	-	-	-	0	-
-	-	-	-	-	0	-

L from 1/1/2020 through 3/31/2021, data as of 6/30/2021.

ressed VL (<200 copies/mL) on the last VL from 1/1/2020 through 3/31/2021, data as of 6/30/2021.

HIV Diagnoses

% In Care w/in 7 Days	In Care w/in 30 Days	% In Care w/in 30 Days	In Care w/in 90 Days	% In Care w/in 90 Days	Retained in Care	% Retained in Care
66.7%	8	88.9%	8	88.9%	6	66.7%
25.0%	18	75.0%	21	87.5%	21	87.5%
100.0%	6	100.0%	6	100.0%	5	83.3%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
50.0%	27	79.4%	30	88.2%	27	79.4%
33.3%	6	100.0%	6	100.0%	6	100.0%
50.0%	27	79.4%	30	88.2%	27	79.4%
33.3%	6	100.0%	6	100.0%	6	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
66.7%	3	100.0%	3	100.0%	3	100.0%
50.0%	6	75.0%	8	100.0%	8	100.0%
54.5%	9	81.8%	10	90.9%	9	81.8%
40.0%	4	80.0%	4	80.0%	4	80.0%
0.0%	1	100.0%	1	100.0%	1	100.0%
66.7%	3	100.0%	3	100.0%	2	66.7%
0.0%	1	100.0%	1	100.0%	1	100.0%
50.0%	4	100.0%	4	100.0%	3	75.0%
50.0%	1	50.0%	1	50.0%	1	50.0%
0.0%	1	50.0%	1	50.0%	1	50.0%
54.5%	9	81.8%	11	100.0%	11	100.0%
47.5%	33	82.5%	36	90.0%	33	82.5%

37.5%	6	75.0%	6	75.0%	5	62.5%
50.0%	2	100.0%	2	100.0%	2	100.0%
43.2%	30	81.1%	33	89.2%	30	81.1%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	2	100.0%	2	100.0%	2	100.0%
47.5%	33	82.5%	36	90.0%	33	82.5%
52.2%	18	78.3%	20	87.0%	18	78.3%
100.0%	1	100.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
40.0%	8	80.0%	9	90.0%	9	90.0%
-	-	-	-	-	-	-
50.0%	27	79.4%	30	88.2%	27	79.4%
-	-	-	-	-	-	-
33.3%	6	100.0%	6	100.0%	6	100.0%
-	-	-	-	-	-	-
33.3%	6	100.0%	6	100.0%	6	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
66.7%	3	100.0%	3	100.0%	3	100.0%
100.0%	1	100.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
75.0%	7	87.5%	7	87.5%	5	62.5%
100.0%	2	100.0%	2	100.0%	2	100.0%
60.0%	4	80.0%	4	80.0%	3	60.0%

100.0%	1	100.0%	1	100.0%	0	0.0%
-	-	-	-	-	-	-
100.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
0.0%	1	100.0%	1	100.0%	1	100.0%
0.0%	1	100.0%	1	100.0%	1	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
10.0%	8	80.0%	9	90.0%	9	90.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
25.0%	14	70.0%	17	85.0%	17	85.0%
0.0%	4	66.7%	5	83.3%	5	83.3%
35.7%	10	71.4%	12	85.7%	12	85.7%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
44.4%	7	77.8%	9	100.0%	9	100.0%
-	-	-	-	-	-	-
25.0%	4	100.0%	4	100.0%	4	100.0%
25.0%	4	100.0%	4	100.0%	4	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
50.0%	2	100.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	2	100.0%	2	100.0%	2	100.0%
-	-	-	-	-	-	-
-	-	-	-	-	-	-
100.0%	6	100.0%	6	100.0%	5	83.3%
100.0%	2	100.0%	2	100.0%	2	100.0%
100.0%	4	100.0%	4	100.0%	3	75.0%

Suppressed VL	% Suppressed VL	No VL	% No VL	Late Diagnosis	% Late Diagnosis
2	22.2%	3	33.3%	1	11.1%
19	79.2%	1	4.2%	6	25.0%
6	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
23	67.6%	4	11.8%	6	17.6%
5	83.3%	0	0.0%	1	16.7%
23	67.6%	4	11.8%	6	17.6%
5	83.3%	0	0.0%	1	16.7%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
3	100.0%	0	0.0%	1	33.3%
7	87.5%	0	0.0%	2	25.0%
9	81.8%	0	0.0%	0	0.0%
2	40.0%	0	0.0%	1	20.0%
1	100.0%	0	0.0%	1	100.0%
1	33.3%	1	33.3%	0	0.0%
1	100.0%	0	0.0%	0	0.0%
3	75.0%	1	25.0%	0	0.0%
0	0.0%	1	50.0%	1	50.0%
1	50.0%	1	50.0%	1	50.0%
10	90.9%	0	0.0%	3	27.3%
28	70.0%	4	10.0%	7	17.5%

4	50.0%	3	37.5%	2	25.0%
1	50.0%	0	0.0%	1	50.0%
25	67.6%	4	10.8%	7	18.9%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
2	100.0%	0	0.0%	0	0.0%
28	70.0%	4	10.0%	7	17.5%
16	69.6%	2	8.7%	4	17.4%
0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-
7	70.0%	1	10.0%	2	20.0%
-	-	-	-	-	-
23	67.6%	4	11.8%	6	17.6%
-	-	-	-	-	-
5	83.3%	0	0.0%	1	16.7%
-	-	-	-	-	-
5	83.3%	0	0.0%	1	16.7%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
1	33.3%	0	0.0%	1	33.3%
0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-
1	12.5%	3	37.5%	1	12.5%
0	0.0%	0	0.0%	1	50.0%
1	20.0%	2	40.0%	0	0.0%

0	0.0%	1	100.0%	0	0.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
1	100.0%	0	0.0%	0	0.0%
1	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
8	80.0%	1	10.0%	2	20.0%
-	-	-	-	-	-
-	-	-	-	-	-
16	80.0%	1	5.0%	5	25.0%
5	83.3%	1	16.7%	1	16.7%
11	78.6%	0	0.0%	4	28.6%
-	-	-	-	-	-
-	-	-	-	-	-
8	88.9%	0	0.0%	3	33.3%
-	-	-	-	-	-
3	75.0%	0	0.0%	1	25.0%
3	75.0%	0	0.0%	1	25.0%
-	-	-	-	-	-
-	-	-	-	-	-
1	50.0%	0	0.0%	1	50.0%
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
2	100.0%	0	0.0%	0	0.0%
-	-	-	-	-	-
-	-	-	-	-	-
6	100.0%	0	0.0%	0	0.0%
2	100.0%	0	0.0%	0	0.0%
4	100.0%	0	0.0%	0	0.0%

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Hepatitis B Cases, 2016–2020

Demographic Group	2016			N
	N	% of Total	Rate	
Race/Ethnicity				
White	40	37.0%	19.8	31
Black	28	25.9%	40.1	14
Hispanic/Latinx	1	0.9%	5.9	2
Asian/Pacific Islander	9	8.3%	-	2
American Indian/Alaska Native	1	0.9%	-	1
Other	3	2.8%	-	3
Not Specified	26	24.1%	-	18
Birth Sex				
Male	55	50.9%	35.6	41
Female	53	49.1%	33.9	30
Not Specified	0	0.0%	-	0
Age				
0–2 years	0	0.0%	0.0	0
3–12 years	1	0.9%	2.8	0
13–19 years	3	2.8%	10.4	2
20–24 years	2	1.9%	7.4	3
25–29 years	7	6.5%	29.2	6
30–34 years	15	13.9%	74.9	3
35–39 years	16	14.8%	94.5	7
40–44 years	12	11.1%	73.1	9
45–49 years	9	8.3%	50.7	11
50–54 years	9	8.3%	43.2	5
55–59 years	9	8.3%	41.2	9
60+ years	25	23.1%	36.1	16
Youth (age 13–24)	5	4.6%	8.9	5
Adults (age 13+)	107	99.1%	40.7	71
Older Adults (age 50+)	43	39.8%	38.4	30
WCBA (age 15–44)	28	25.9%	46.7	16
Not Specified	0	0.0%	-	0
Total	108	100.0%	34.8	71

Hepatitis B cases are defined as the number of acute and chronic Hepatitis B cases reported with a Someone could be reported with an acute and chronic infection in the same report year.

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

WCBA=women of childbearing age

September 13, 2021

2017		2018			2019	
% of Total	Rate	N	% of Total	Rate	N	% of Total
43.7%	15.3	36	37.1%	17.6	40	46.0%
19.7%	19.9	22	22.7%	30.5	19	21.8%
2.8%	11.3	2	2.1%	11.2	1	1.1%
2.8%	-	6	6.2%	-	0	0.0%
1.4%	-	0	0.0%	-	1	1.1%
4.2%	-	5	5.2%	-	3	3.4%
25.4%	-	26	26.8%	-	23	26.4%
57.7%	26.4	55	56.7%	35.0	53	60.9%
42.3%	19.1	41	42.3%	25.6	34	39.1%
0.0%	-	1	1.0%	-	0	0.0%
0.0%	0.0	0	0.0%	0.0	0	0.0%
0.0%	0.0	2	2.1%	5.4	0	0.0%
2.8%	6.9	0	0.0%	0.0	3	3.4%
4.2%	11.2	4	4.1%	15.6	5	5.7%
8.5%	24.3	9	9.3%	35.2	6	6.9%
4.2%	14.7	9	9.3%	42.7	8	9.2%
9.9%	40.1	12	12.4%	65.8	10	11.5%
12.7%	56.7	6	6.2%	37.3	14	16.1%
15.5%	62.3	9	9.3%	49.9	14	16.1%
7.0%	24.8	10	10.3%	50.6	7	8.0%
12.7%	41.2	10	10.3%	44.6	5	5.7%
22.5%	22.5	26	26.8%	35.8	15	17.2%
7.0%	9.0	4	4.1%	7.3	8	9.2%
100.0%	26.8	95	97.9%	35.4	87	100.0%
42.3%	26.5	46	47.4%	40.1	27	31.0%
22.5%	26.5	20	20.6%	32.6	17	19.5%
0.0%	-	0	0.0%	-	0	0.0%
100.0%	22.7	97	100.0%	30.6	87	100.0%

n event date in the period specified.

Rate	2020			2016–2020	
	N	% of Total	Rate	% Change	
19.3	25	41.7%	12.0	-37.5%	
25.9	8	13.3%	10.8	-71.4%	
5.3	1	1.7%	5.2	0.0%	
-	0	0.0%	-	-100.0%	
-	0	0.0%	-	-100.0%	
-	5	8.3%	-	66.7%	
-	21	35.0%	-	-19.2%	
33.2	31	51.7%	19.3	-43.6%	
20.8	29	48.3%	17.7	-45.3%	
-	0	0.0%	-	-	
0.0	0	0.0%	0.0	-	
0.0	0	0.0%	0.0	-100.0%	
10.3	0	0.0%	0.0	-100.0%	
19.4	5	8.3%	19.6	150.0%	
23.1	3	5.0%	11.6	-57.1%	
37.0	7	11.7%	31.4	-53.3%	
52.6	5	8.3%	25.7	-68.8%	
85.3	8	13.3%	47.8	-33.3%	
76.7	1	1.7%	5.6	-88.9%	
36.5	13	21.7%	70.1	44.4%	
22.2	8	13.3%	35.7	-11.1%	
19.8	9	15.0%	11.6	-64.0%	
14.6	5	8.3%	9.1	0.0%	
31.8	59	98.3%	21.4	-44.9%	
23.0	30	50.0%	25.4	-30.2%	
27.2	17	28.3%	26.8	-39.3%	
-	1	1.7%	-	-	
26.9	60	100.0%	18.5	-44.4%	

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Hepatitis C Cases, 2016–2020

Demographic Group	2016			N
	N	% of Total	Rate	
Race/Ethnicity				
White	272	57.6%	134.5	309
Black	76	16.1%	108.8	56
Hispanic/Latinx	9	1.9%	52.7	4
Asian/Pacific Islander	2	0.4%	-	3
American Indian/Alaska Native	1	0.2%	-	2
Other	21	4.4%	-	17
Not Specified	91	19.3%	-	80
Birth Sex				
Male	301	63.8%	194.8	315
Female	170	36.0%	108.9	155
Not Specified	1	0.2%	-	1
Age				
0–2 years	2	0.4%	17.7	1
3–12 years	0	0.0%	0.0	0
13–19 years	1	0.2%	3.5	3
20–24 years	32	6.8%	118.0	25
25–29 years	37	7.8%	154.5	54
30–34 years	38	8.1%	189.8	49
35–39 years	42	8.9%	248.2	58
40–44 years	22	4.7%	133.9	29
45–49 years	41	8.7%	231.2	47
50–54 years	50	10.6%	240.1	36
55–59 years	96	20.3%	439.0	54
60+ years	110	23.3%	158.8	115
Youth (age 13–24)	33	7.0%	58.9	28
Adults (age 13+)	469	99.4%	178.3	470
Older Adults (age 50+)	256	54.2%	228.7	205
WCBA (age 15–44)	72	15.3%	120.0	89
Not Specified	1	0.2%	-	0
Total	472	100.0%	151.9	471

Hepatitis C cases are defined as the number of acute and chronic Hepatitis C cases reported with a Someone could be reported with an acute and chronic infection in the same report year.

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

WCBA=women of childbearing age

September 13, 2021

2017		2018			2019	
% of Total	Rate	N	% of Total	Rate	N	% of Total
65.6%	152.5	221	66.6%	108.2	237	64.9%
11.9%	79.5	39	11.7%	54.1	41	11.2%
0.8%	22.7	5	1.5%	27.9	3	0.8%
0.6%	-	0	0.0%	-	0	0.0%
0.4%	-	0	0.0%	-	0	0.0%
3.6%	-	14	4.2%	-	8	2.2%
17.0%	-	53	16.0%	-	76	20.8%
66.9%	202.6	198	59.6%	126.2	214	58.6%
32.9%	98.5	134	40.4%	83.7	151	41.4%
0.2%	-	0	0.0%	-	0	0.0%
0.2%	8.8	1	0.3%	8.7	0	0.0%
0.0%	0.0	1	0.3%	2.7	0	0.0%
0.6%	10.3	2	0.6%	6.9	2	0.5%
5.3%	93.7	20	6.0%	77.8	16	4.4%
11.5%	218.5	41	12.3%	160.3	46	12.6%
10.4%	240.0	40	12.0%	189.6	45	12.3%
12.3%	331.9	27	8.1%	148.1	40	11.0%
6.2%	182.6	22	6.6%	136.8	33	9.0%
10.0%	266.2	25	7.5%	138.7	20	5.5%
7.6%	178.7	26	7.8%	131.7	27	7.4%
11.5%	246.9	36	10.8%	160.6	38	10.4%
24.4%	161.9	91	27.4%	125.4	97	26.6%
5.9%	50.2	22	6.6%	40.2	18	4.9%
99.8%	177.4	330	99.4%	122.9	364	99.7%
43.5%	181.3	153	46.1%	133.4	162	44.4%
18.9%	147.6	77	23.2%	125.4	80	21.9%
0.0%	-	0	0.0%	-	1	0.3%
100.0%	150.6	332	100.0%	104.7	365	100.0%

n event date in the period specified.

	2020			2016–2020	
Rate	N	% of Total	Rate	% Change	
114.4	190	56.4%	91.4	-30.1%	
55.9	36	10.7%	48.7	-52.6%	
16.0	7	2.1%	36.4	-22.2%	
-	0	0.0%	-	-100.0%	
-	3	0.9%	-	200.0%	
-	13	3.9%	-	-38.1%	
-	88	26.1%	-	-3.3%	
133.9	198	58.8%	123.5	-34.2%	
92.6	135	40.1%	82.2	-20.6%	
-	4	1.2%	-	300.0%	
0.0	0	0.0%	0.0	-100.0%	
0.0	1	0.3%	2.6	-	
6.8	2	0.6%	6.8	100.0%	
62.1	14	4.2%	55.0	-56.3%	
177.5	22	6.5%	85.0	-40.5%	
208.2	48	14.2%	215.4	26.3%	
210.4	40	11.9%	205.2	-4.8%	
201.2	25	7.4%	149.5	13.6%	
109.5	20	5.9%	112.3	-51.2%	
140.7	37	11.0%	199.6	-26.0%	
168.4	37	11.0%	165.2	-61.5%	
128.2	83	24.6%	107.3	-24.5%	
32.8	16	4.7%	29.2	-51.5%	
133.0	328	97.3%	119.2	-30.1%	
138.0	157	46.6%	132.8	-38.7%	
128.1	66	19.6%	104.2	-8.3%	
-	8	2.4%	-	700.0%	
113.0	337	100.0%	103.8	-28.6%	

**HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.
Tuberculosis Diagnoses, 2016–2020**

Demographic Group	2016			N
	N	% of Total	Rate	
Race/Ethnicity				
White	3	20.0%	1.5	3
Black	7	46.7%	10.0	7
Hispanic/Latinx	0	0.0%	0.0	0
Asian/Pacific Islander	5	33.3%	-	1
American Indian/Alaska Native	0	0.0%	-	0
Other	0	0.0%	-	0
Not Specified	0	0.0%	-	0
Birth Sex				
Male	9	60.0%	5.8	7
Female	6	40.0%	3.8	4
Not Specified	0	0.0%	-	0
Age				
0–2 years	2	13.3%	17.7	0
3–12 years	1	6.7%	2.8	0
13–19 years	0	0.0%	0.0	0
20–24 years	2	13.3%	7.4	3
25–29 years	2	13.3%	8.4	0
30–34 years	0	0.0%	0.0	0
35–39 years	0	0.0%	0.0	2
40–44 years	1	6.7%	6.1	1
45–49 years	1	6.7%	5.6	2
50–54 years	0	0.0%	0.0	0
55–59 years	2	13.3%	9.1	0
60+ years	4	26.7%	5.8	3
Youth (age 13–24)	2	13.3%	3.6	3
Adults (age 13+)	12	80.0%	4.6	11
Older Adults (age 50+)	6	40.0%	5.4	3
WCBA (age 15–44)	2	13.3%	3.3	3
Not Specified	0	0.0%	-	0
Total	15	100.0%	4.8	11

Tuberculosis diagnoses occurring in the period specified.

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

WCBA=women of childbearing age

2017		2018			2019	
% of Total	Rate	N	% of Total	Rate	N	% of Total
27.3%	1.5	0	0.0%	0.0	3	21.4%
63.6%	9.9	2	50.0%	2.8	9	64.3%
0.0%	0.0	0	0.0%	0.0	2	14.3%
9.1%	-	2	50.0%	-	0	0.0%
0.0%	-	0	0.0%	-	0	0.0%
0.0%	-	0	0.0%	-	0	0.0%
0.0%	-	0	0.0%	-	0	0.0%
63.6%	4.5	1	25.0%	0.6	11	78.6%
36.4%	2.5	3	75.0%	1.9	3	21.4%
0.0%	-	0	0.0%	-	0	0.0%
0.0%	0.0	0	0.0%	0.0	1	7.1%
0.0%	0.0	0	0.0%	0.0	0	0.0%
0.0%	0.0	1	25.0%	3.4	0	0.0%
27.3%	11.2	0	0.0%	0.0	0	0.0%
0.0%	0.0	0	0.0%	0.0	1	7.1%
0.0%	0.0	0	0.0%	0.0	1	7.1%
18.2%	11.4	1	25.0%	5.5	3	21.4%
9.1%	6.3	0	0.0%	0.0	1	7.1%
18.2%	11.3	0	0.0%	0.0	1	7.1%
0.0%	0.0	0	0.0%	0.0	4	28.6%
0.0%	0.0	0	0.0%	0.0	1	7.1%
27.3%	4.2	2	50.0%	2.8	1	7.1%
27.3%	5.4	1	25.0%	1.8	0	0.0%
100.0%	4.2	4	100.0%	1.5	13	92.9%
27.3%	2.7	2	50.0%	1.7	6	42.9%
27.3%	5.0	2	50.0%	3.3	1	7.1%
0.0%	-	0	0.0%	-	0	0.0%
100.0%	3.5	4	100.0%	1.3	14	100.0%

Rate	2020			2016–2020	
	N	% of Total	Rate	% Change	
1.4	4	44.4%	1.9	33.3%	
12.3	3	33.3%	4.1	-57.1%	
10.7	1	11.1%	5.2	-	
-	1	11.1%	-	-80.0%	
-	0	0.0%	-	-	
-	0	0.0%	-	-	
-	0	0.0%	-	-	
6.9	4	44.4%	2.5	-55.6%	
1.8	5	55.6%	3.0	-16.7%	
-	0	0.0%	-	-	
8.6	0	0.0%	0.0	-100.0%	
0.0	0	0.0%	0.0	-100.0%	
0.0	0	0.0%	0.0	-	
0.0	0	0.0%	0.0	-100.0%	
3.9	1	11.1%	3.9	-50.0%	
4.6	1	11.1%	4.5	-	
15.8	1	11.1%	5.1	-	
6.1	1	11.1%	6.0	0.0%	
5.5	1	11.1%	5.6	0.0%	
20.8	0	0.0%	0.0	-	
4.4	1	11.1%	4.5	-50.0%	
1.3	3	33.3%	3.9	-25.0%	
0.0	0	0.0%	0.0	-100.0%	
4.8	9	100.0%	3.3	-25.0%	
5.1	4	44.4%	3.4	-33.3%	
1.6	3	33.3%	4.7	50.0%	
-	0	0.0%	-	-	
4.3	9	100.0%	2.8	-40.0%	

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Early Syphilis Diagnoses, 2016–2020

Demographic Group	2016			N
	N	% of Total	Rate	
Race/Ethnicity				
White	43	57.3%	21.3	43
Black	28	37.3%	40.1	37
Hispanic/Latinx	1	1.3%	5.9	6
Asian/Pacific Islander	0	0.0%	-	0
American Indian/Alaska Native	1	1.3%	-	0
Other	0	0.0%	-	0
Not Specified	2	2.7%	-	0
Birth Sex				
Male	54	72.0%	35.0	67
Female	21	28.0%	13.4	19
Not Specified	2	2.7%	-	0
Age				
0–2 years	0	0.0%	0.0	0
3–12 years	0	0.0%	0.0	0
13–19 years	4	5.3%	13.8	5
20–24 years	9	12.0%	33.2	16
25–29 years	23	30.7%	96.1	21
30–34 years	12	16.0%	59.9	9
35–39 years	10	13.3%	59.1	9
40–44 years	3	4.0%	18.3	4
45–49 years	3	4.0%	16.9	10
50–54 years	6	8.0%	28.8	7
55–59 years	3	4.0%	13.7	3
60+ years	2	2.7%	2.9	2
Youth (age 13–24)	13	17.3%	23.2	21
Adults (age 13+)	75	100.0%	28.5	86
Older Adults (age 50+)	11	14.7%	9.8	12
WCBA (age 15–44)	20	26.7%	33.3	17
Not Specified	2	2.7%	-	0
Total	75	100.0%	24.1	86

Early syphilis diagnoses occurring in the period specified.

Early syphilis is used to describe syphilis that has been acquired in the previous 12 months and inc

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

WCBA=women of childbearing age

September 13, 2021

2017		2018			2019	
% of Total	Rate	N	% of Total	Rate	N	% of Total
50.0%	21.2	31	39.7%	15.2	29	50.9%
43.0%	52.5	40	51.3%	55.5	19	33.3%
7.0%	34.0	6	7.7%	33.5	7	12.3%
0.0%	-	0	0.0%	-	1	1.8%
0.0%	-	0	0.0%	-	0	0.0%
0.0%	-	0	0.0%	-	1	1.8%
0.0%	-	1	1.3%	-	0	0.0%
77.9%	43.1	62	79.5%	39.5	50	87.7%
22.1%	12.1	16	20.5%	10.0	7	12.3%
0.0%	-	1	1.3%	-	0	0.0%
0.0%	0.0	0	0.0%	0.0	0	0.0%
0.0%	0.0	0	0.0%	0.0	0	0.0%
5.8%	17.2	3	3.8%	10.3	1	1.8%
18.6%	60.0	21	26.9%	81.6	4	7.0%
24.4%	85.0	18	23.1%	70.4	10	17.5%
10.5%	44.1	13	16.7%	61.6	18	31.6%
10.5%	51.5	6	7.7%	32.9	4	7.0%
4.7%	25.2	2	2.6%	12.4	1	1.8%
11.6%	56.6	4	5.1%	22.2	5	8.8%
8.1%	34.7	4	5.1%	20.3	6	10.5%
3.5%	13.7	4	5.1%	17.8	5	8.8%
2.3%	2.8	3	3.8%	4.1	3	5.3%
24.4%	37.6	24	30.8%	43.9	5	8.8%
100.0%	32.5	78	100.0%	29.1	57	100.0%
14.0%	10.6	11	14.1%	9.6	14	24.6%
19.8%	28.2	15	19.2%	24.4	5	8.8%
0.0%	-	1	1.3%	-	0	0.0%
100.0%	27.5	78	100.0%	24.6	57	100.0%

cludes three stages of syphilis: primary, secondary, and early non-primary non-secondary.

	2020			2016–2020	
Rate	N	% of Total	Rate	% Change	
14.0	41	51.9%	19.7	-4.7%	
25.9	26	32.9%	35.2	-7.1%	
37.3	9	11.4%	46.8	800.0%	
-	3	3.8%	-	-	
-	0	0.0%	-	-100.0%	
-	0	0.0%	-	-	
-	0	0.0%	-	-100.0%	
31.3	68	86.1%	42.4	25.9%	
4.3	11	13.9%	6.7	-47.6%	
-	0	0.0%	-	-100.0%	
0.0	0	0.0%	0.0	-	
0.0	0	0.0%	0.0	-	
3.4	3	3.8%	10.3	-25.0%	
15.5	11	13.9%	43.2	22.2%	
38.6	13	16.5%	50.2	-43.5%	
83.3	10	12.7%	44.9	-16.7%	
21.0	17	21.5%	87.2	70.0%	
6.1	6	7.6%	35.9	100.0%	
27.4	2	2.5%	11.2	-33.3%	
31.3	9	11.4%	48.6	50.0%	
22.2	5	6.3%	22.3	66.7%	
4.0	3	3.8%	3.9	50.0%	
9.1	14	17.7%	25.6	7.7%	
20.8	79	100.0%	28.7	5.3%	
11.9	17	21.5%	14.4	54.5%	
8.0	10	12.7%	15.8	-50.0%	
-	0	0.0%	-	-100.0%	
17.7	79	100.0%	24.3	5.3%	

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Gonorrhea Diagnoses, 2016–2020

Demographic Group	2016			N
	N	% of Total	Rate	
Race/Ethnicity				
White	174	23.4%	86.0	194
Black	461	62.0%	659.8	555
Hispanic/Latinx	10	1.3%	58.5	22
Asian/Pacific Islander	4	0.5%	-	6
American Indian/Alaska Native	3	0.4%	-	3
Other	10	1.3%	-	10
Not Specified	82	11.0%	-	32
Birth Sex				
Male	397	53.4%	257.0	420
Female	347	46.6%	222.2	402
Not Specified	0	0.0%	-	0
Age				
0–2 years	0	0.0%	0.0	0
3–12 years	1	0.1%	2.8	0
13–19 years	180	24.2%	621.6	200
20–24 years	269	36.2%	992.2	232
25–29 years	131	17.6%	547.1	171
30–34 years	49	6.6%	244.7	91
35–39 years	41	5.5%	242.3	43
40–44 years	17	2.3%	103.5	21
45–49 years	22	3.0%	124.0	24
50–54 years	12	1.6%	57.6	20
55–59 years	12	1.6%	54.9	16
60+ years	10	1.3%	14.4	4
Youth (age 13–24)	449	60.3%	800.8	432
Adults (age 13+)	743	99.9%	282.4	822
Older Adults (age 50+)	34	4.6%	30.4	40
WCBA (age 15–44)	324	43.5%	539.8	384
Not Specified	0	0.0%	-	0
Total	744	100.0%	239.5	822

Gonorrhea diagnoses occurring in the period specified.

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

WCBA=women of childbearing age

2017		2018			2019	
% of Total	Rate	N	% of Total	Rate	N	% of Total
23.6%	95.8	161	22.8%	78.9	274	28.3%
67.5%	788.1	492	69.6%	682.5	628	64.8%
2.7%	124.6	13	1.8%	72.6	17	1.8%
0.7%	-	7	1.0%	-	5	0.5%
0.4%	-	4	0.6%	-	1	0.1%
1.2%	-	4	0.6%	-	13	1.3%
3.9%	-	26	3.7%	-	31	3.2%
51.1%	270.2	363	51.3%	231.3	539	55.6%
48.9%	255.5	344	48.7%	214.9	430	44.4%
0.0%	-	0	0.0%	-	0	0.0%
0.0%	0.0	0	0.0%	0.0	0	0.0%
0.0%	0.0	3	0.4%	8.1	0	0.0%
24.3%	686.5	152	21.5%	524.0	236	24.4%
28.2%	870.0	229	32.4%	890.3	287	29.6%
20.8%	692.0	148	20.9%	578.8	201	20.7%
11.1%	445.8	78	11.0%	369.7	102	10.5%
5.2%	246.1	44	6.2%	241.3	53	5.5%
2.6%	132.2	20	2.8%	124.4	30	3.1%
2.9%	135.9	16	2.3%	88.8	20	2.1%
2.4%	99.3	8	1.1%	40.5	20	2.1%
1.9%	73.2	5	0.7%	22.3	9	0.9%
0.5%	5.6	4	0.6%	5.5	10	1.0%
52.6%	774.2	381	53.9%	696.2	523	54.0%
100.0%	310.2	704	99.6%	262.2	968	99.9%
4.9%	35.4	17	2.4%	14.8	39	4.0%
46.7%	636.8	331	46.8%	539.0	410	42.3%
0.0%	-	0	0.0%	-	1	0.1%
100.0%	262.8	707	100.0%	223.0	969	100.0%

	2020			2016–2020	
Rate	N	% of Total	Rate	% Change	
132.2	313	25.9%	150.6	79.9%	
855.9	775	64.2%	1,048.6	68.1%	
90.6	19	1.6%	98.7	90.0%	
-	6	0.5%	-	50.0%	
-	4	0.3%	-	33.3%	
-	11	0.9%	-	10.0%	
-	80	6.6%	-	-2.4%	
337.2	638	52.8%	397.9	60.7%	
263.7	570	47.2%	346.9	64.3%	
-	0	0.0%	-	-	
0.0	0	0.0%	0.0	-	
0.0	0	0.0%	0.0	-100.0%	
807.9	301	24.9%	1,028.6	67.2%	
1,114.6	332	27.5%	1,304.5	23.4%	
775.4	233	19.3%	900.2	77.9%	
472.0	142	11.8%	637.1	189.8%	
278.8	93	7.7%	477.1	126.8%	
182.9	37	3.1%	221.2	117.6%	
109.5	21	1.7%	118.0	-4.5%	
104.2	20	1.7%	107.9	66.7%	
39.9	18	1.5%	80.4	50.0%	
13.2	11	0.9%	14.2	10.0%	
951.6	633	52.4%	1,156.9	41.0%	
353.8	1,208	100.0%	439.0	62.6%	
33.2	49	4.1%	41.4	44.1%	
656.7	543	45.0%	857.4	67.6%	
-	0	0.0%	-	-	
300.1	1,208	100.0%	372.1	62.4%	

HIV EPIDEMIOLOGICAL PROFILE, ESCAMBIA CO.

Chlamydia Diagnoses, 2016–2020

Demographic Group	2016			N
	N	% of Total	Rate	
Race/Ethnicity				
White	492	24.4%	243.2	663
Black	1,015	50.4%	1,452.6	1,097
Hispanic/Latinx	32	1.6%	187.3	67
Asian/Pacific Islander	28	1.4%	-	29
American Indian/Alaska Native	1	0.0%	-	9
Other	30	1.5%	-	25
Not Specified	415	20.6%	-	234
Birth Sex				
Male	651	32.3%	421.4	689
Female	1,362	67.7%	872.2	1,434
Not Specified	0	0.0%	-	1
Age				
0–2 years	0	0.0%	0.0	0
3–12 years	0	0.0%	0.0	3
13–19 years	572	28.4%	1,975.3	667
20–24 years	819	40.7%	3,020.9	802
25–29 years	349	17.3%	1,457.5	380
30–34 years	147	7.3%	734.2	141
35–39 years	72	3.6%	425.5	58
40–44 years	15	0.7%	91.3	29
45–49 years	14	0.7%	78.9	21
50–54 years	13	0.6%	62.4	13
55–59 years	7	0.3%	32.0	4
60+ years	5	0.2%	7.2	6
Youth (age 13–24)	1,391	69.1%	2,480.9	1,469
Adults (age 13+)	2,013	100.0%	765.2	2,121
Older Adults (age 50+)	25	1.2%	22.3	23
WCBA (age 15–44)	1,332	66.2%	2,219.4	1,401
Not Specified	0	0.0%	-	1
Total	2,013	100.0%	648.0	2,124

Chlamydia diagnoses occurring in the period specified.

The percent change is calculated as the change over the combined five-year period.

Rates are calculated per 100,000 population.

WCBA=women of childbearing age

2017		2018			2019	
% of Total	Rate	N	% of Total	Rate	N	% of Total
31.2%	327.2	672	31.8%	329.1	818	34.2%
51.6%	1,557.8	1,151	54.4%	1,596.7	1,269	53.1%
3.2%	379.6	61	2.9%	340.9	65	2.7%
1.4%	-	28	1.3%	-	31	1.3%
0.4%	-	5	0.2%	-	5	0.2%
1.2%	-	33	1.6%	-	41	1.7%
11.0%	-	166	7.8%	-	162	6.8%
32.4%	443.2	678	32.0%	432.0	796	33.3%
67.5%	911.2	1,438	68.0%	898.2	1,595	66.7%
0.0%	-	0	0.0%	-	0	0.0%
0.0%	0.0	0	0.0%	0.0	0	0.0%
0.1%	8.2	4	0.2%	10.8	2	0.1%
31.4%	2,289.6	665	31.4%	2,292.5	755	31.6%
37.8%	3,007.3	848	40.1%	3,296.9	899	37.6%
17.9%	1,537.8	369	17.4%	1,443.1	434	18.2%
6.6%	690.7	121	5.7%	573.5	143	6.0%
2.7%	331.9	63	3.0%	345.5	90	3.8%
1.4%	182.6	24	1.1%	149.2	34	1.4%
1.0%	118.9	11	0.5%	61.0	11	0.5%
0.6%	64.5	7	0.3%	35.5	9	0.4%
0.2%	18.3	2	0.1%	8.9	11	0.5%
0.3%	8.4	2	0.1%	2.8	3	0.1%
69.2%	2,632.6	1,513	71.5%	2,764.5	1,654	69.2%
99.9%	800.4	2,112	99.8%	786.7	2,389	99.9%
1.1%	20.3	11	0.5%	9.6	23	1.0%
66.0%	2,323.5	1,403	66.3%	2,284.8	1,557	65.1%
0.0%	-	0	0.0%	-	0	0.0%
100.0%	679.0	2,116	100.0%	667.4	2,391	100.0%

Rate	2020			2016–2020	
	N	% of Total	Rate	% Change	
394.7	644	29.0%	309.8	30.9%	
1,729.6	1,262	56.8%	1,707.6	24.3%	
346.3	70	3.2%	363.8	118.8%	
-	25	1.1%	-	-10.7%	
-	3	0.1%	-	200.0%	
-	33	1.5%	-	10.0%	
-	183	8.2%	-	-55.9%	
498.1	724	32.6%	451.6	11.2%	
978.1	1,496	67.4%	910.6	9.8%	
-	0	0.0%	-	-	
0.0	0	0.0%	0.0	-	
5.3	1	0.0%	2.6	-	
2,584.5	786	35.4%	2,686.0	37.4%	
3,491.5	762	34.3%	2,994.0	-7.0%	
1,674.3	366	16.5%	1,414.0	4.9%	
661.7	154	6.9%	691.0	4.8%	
473.4	77	3.5%	395.1	6.9%	
207.3	35	1.6%	209.3	133.3%	
60.2	16	0.7%	89.9	14.3%	
46.9	9	0.4%	48.6	-30.8%	
48.7	10	0.5%	44.7	42.9%	
4.0	4	0.2%	5.2	-20.0%	
3,009.4	1,548	69.7%	2,829.3	11.3%	
873.2	2,219	100.0%	806.5	10.2%	
19.6	23	1.0%	19.5	-8.0%	
2,493.8	1,452	65.4%	2,292.6	9.0%	
-	0	0.0%	-	-	
740.5	2,220	100.0%	683.9	10.3%	